
Advance 19" 2U Rackmount Chassis With Mini-ITX Board Support



Features

- Supports AAEON Advanced Mini-ITX Board
- Supports Intel® CPUs Up To 95W
- 5.25" Hard Disk Drive Bay x 1 And 3.5" Hard Disk Driver Bay x 1 On Front Panel, Internal 3.5" Hard Disk Drive Bay x 2
- 400W ATX Power Supply
- Multiple Extended Bus Up To Three Slots






C∈ F©

Specifications

System				
Form Factor	19" 2U Rackmount Chassis			
Main Board	AAEON Advanced Mini-ITX Board			
CPU	Thermal Design up to 95W for Intel CPUs			
Storage	External: 3.5" Drive Bay x 1 5.25" Drive Bay x 1 Internal: 3.5" Hard Disk Drive Bay x 2			
System Fan	8 cm Fan x 1 on Rear Panel, Internal 6 cm Fan x 3			
Front Panel	Power LED x 1 HDD Active LED x 1 USB 2.0 x 2 Reset Button x 1 Power ON/OFF Switch x 1			
Expansion	Three Expansion Slots supports Multiple Interface			
Power Supply	PS/2 ATX Power Supply			
Color	Black			
Dimension (W x H x D)	16.81" x 3.47" x 18.9" (427mm x 88.2mm x 480mm)			
Carton Sise	22.05" x 8.66" x 26.77" (560mm x 220mm x 680mm)			
Net Weight	22 lb (10 kg)			
Gross Weight	26.4 lb (12 kg)			
Environmental				
Operating Temperature	32°F ~ 104°F (0°C ~ 40°C)			
Storage Temperature	-4°F ~ 140°F (-20°C ~ 60°C)			
Operating Humidity	10~80%			
Storage Humidity	10~80%, non condensing			
Vibration	0.5 g rms/ 5~500 Hz/ operation			
EMC	CE/FCC Class A			

ARC-626M

Dimension Unit: mm



Power Supply Options

P/N	ТҮРЕ	PFC Support	Input Voltage	Watt	Size
1757940014	ATX	Active PFC	Auto 100~240V	400W	PS2

Industrial Motherboard Options

P/N	Description	Remark
IMBI-Q45	Intel® Core™ 2 Duo/Quad LGA775 CPU, TDP 95W max.	

Ordering Information

Model/Name	Description	Remark
TF-ARC-626M	19" Rackmount 2U Chassis 3 Slots, For IMBI Series, PS2 Power	
1759200169	Intel® LGA775 CPU Cooler/ 95W max.	
PER-R09X	3 Slots Riser Card, PCle [x16], PCle [x4], PCl	

www.aaeon.com

08-12