

## Display Monitor Spec Template for 2004 Master Catalogue

AP-LD084020-01

Industrial Monitor, 8.4" 350 nits TFT, R-TS, AC, Housing

[Product photo with point-outs; hand-made is working]



### Features (no more than 5~7 items)

- High contrast color TFT LCD display support resolution up to SVGA 800 x 600.
- Power management system conforms to VESA DPMS standard.
- Universal power adapter.
- Support DDC1/2B for Plug & Play compatibility.
- Advanced OSD control for picture quality adjustment.
- Detachable stand for wall-mounting application.
- Touch screen function.

### System Specifications

- **Construction**  
Steel chassis & aluminum alloy front panel

- **Input Signal**  
RGB
- **OSD Control**  
Brightness, Contrast, H/V-position , Color, Phase, Clock, Management
- **Touchscreen**  
RS-232 interface
- **Mounting**  
VESA 75
- **Power Supply**  
Input AC 100 ~ 240V, 50 ~ 60Hz, Output DC 12V / 2.5A (min)
- **OS support**  
MS DOS, Windows 98/SE, Windows NT4.0, Windows 2000, Windows XP
- **Dimension (W x H x D)**  
220 x 190 x 40mm
- **Net Weight**  
1.6Kg

### **LCD Specifications**

- **Model**  
AP-LD084020-01
- **Display type**  
8.4" color TFT LCD

- **Max. resolution**  
800 x 600
- **Dot size (mm)**  
0.213 x 0.213
- **Luminance (cd/m<sup>2</sup>)**  
350 (TYP)
- **Brightness control**  
Yes

### **Environment Specifications**

- **Operating temperature**  
0 ° ~ 50 (32~122 °C)
- **Storage temperature**  
-20 ° ~ 60 (-4~140 °C)
- **Operating humidity**  
10 to 90% @40 °C, non-condensing, without touchscreen

### **Ordering Information**

AP-LD084020-01

Industrial Monitor, 8.4" 350 nits TFT, R-TS, AC, Housing