ACP-5217

21.5" Fanless Multi-Touch
Panel PC
Intel® Core™ i7/i5/ Celeron®
Processor
High Brightness

ACP-5217 Manual 1st Ed July 2013

Copyright Notice

This document is copyrighted, 2013. All rights are reserved. The original manufacturer reserves the right to make improvements to the products described in this manual at any time without notice.

No part of this manual may be reproduced, copied, translated, or transmitted in any form or by any means without the prior written permission of the original manufacturer. Information provided in this manual is intended to be accurate and reliable. However, the original manufacturer assumes no responsibility for its use, nor for any infringements upon the rights of third parties, which may result from its use.

The material in this document is for product information only and is subject to change without notice. While reasonable efforts have been made in the preparation of this document to assure its accuracy, AAEON, assumes no liabilities resulting from errors or omissions in this document, or from the use of the information contained herein.

AAEON reserves the right to make changes in the product design without notice to its users.

Acknowledgments

- Intel[®], CoreTM are registered trademarks of Intel[®] Corporation.
- Microsoft[®] Windows is a registered trademark of Microsoft[®] Corporation.
- RTL is a trademark of Realtek Semi-Conductor Co., Ltd.
- C&T is a trademark of Chips and Technologies, Inc.
- UMC is a trademark of United Microelectronics Corporation.
- ITE is a trademark of Integrated Technology Express, Inc.

All other product names or trademarks are properties of their respective owners.

Packing List

Before you begin installing your Panel PC, please make sure that the following items have been shipped:

- ACP-5217 Infotainment Multi-Touch Panel PC
- Power Adapter x 1
- Product DVD
 Contains User's Manual (in PDF format), Drivers and
 Utilities

If any of these items are missing or damaged, you should contact your distributor or sales representative immediately.

Safety & Warranty

- 1. Read these safety instructions carefully.
- 2. Keep this user's manual for later reference.
- Disconnect this equipment from any AC outlet before cleaning. Do not use liquid or spray detergents for cleaning. Use a damp cloth.
- 4. For pluggable equipment, the power outlet must be installed near the equipment and must be easily accessible.
- 5. Keep this equipment away from humidity.
- Put this equipment on a reliable surface during installation.Dropping it or letting it fall could cause damage.
- The openings on the enclosure are for air convection. Protect the equipment from overheating. DO NOT COVER THE OPENINGS.
- Make sure the voltage of the power source is correct before connecting the equipment to the power outlet.
- Position the power cord so that people cannot step on it. Do not place anything over the power cord.
- 10. All cautions and warnings on the equipment should be noted.
- 11. If the equipment is not used for a long time, disconnect it from the power source to avoid damage by transient over-voltage.
- 12. Never pour any liquid into an opening. This could cause fire or electrical shock.
- 13. Never open the equipment. For safety reasons, only qualified service personnel should open the equipment.

14. If any of the following situations arises, get the equipment checked by service personnel:

- a. The power cord or plug is damaged.
- b. Liquid has penetrated into the equipment.
- c. The equipment has been exposed to moisture.
- d. The equipment does not work well, or you cannot get it to work according to the user's manual.
- e. The equipment has been dropped and damaged.
- f. The equipment has obvious signs of breakage.

15. DO NOT LEAVE THIS EQUIPMENT IN AN UNCONTROLLED ENVIRONMENT WHERE THE STORAGE TEMPERATURE IS BELOW -20° C (-4°F) OR ABOVE 70° C (158° F). IT MAY DAMAGE THE EQUIPMENT.

- 16. External equipment intended for connection to signal input/output or other connectors, shall comply with relevant UL / IEC standard (e.g. UL 1950 for IT equipment and UL 60601-1 / IEC 60601 series for systems shall comply with the standard IEC 60601-1-1, Safety requirements for medical electrical systems. Equipment not complying with UL 60601-1 shall be kept outside the patient environment, as defined in the standard.
- 17. When the temperature of CPU is higher than 35°C, the frequency of CPU will be adjusted automatically. For example, if the temperature of Intel Core i7 is 40°C, the frequency of the CPU will be between 1.8~1.3 GHz.

Caution:

It may cause the danger of explosion if battery is incorrectly replaced. Replace only with same or equivalent type recommended by the manufacturer.

Classification

- 1. Degree of production against electric shock: not classified
- 2. Degree of protection against the ingress of water: IPX1
- 3. Equipment not suitable for use in the presence of a flammable anesthetic mixture with air or with oxygen or nitrous oxide.
- 4. Mode of operation: Continuous
- 5. Type of protection against electric shock: Class I equipment

FCC





This device complies with Part 15 FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received including interference that may cause undesired operation.

UL Module Description



ACP-5217 AC modules are developed to suitable for the Classification Mark requirement

Safety Symbol Description

The following safety symbols are further explanations for your reference.

C UL US	Medical equipment with respect to electric shock, fire and mechanical hazards only in accordance with UL 60601-1, and CAN/CSA C22.2 NO. 601.1
Â	Attention, consult ACCOMPANYING DOCUMENTS.
(1)	Ground wire Protective Ground wire.
c 711 °us	Medical equipment with respect to electric shock, fire and mechanical hazards only in accordance with UL 60601-1, and CAN/CSA C22.2 NO. 601.1

Below Table for China RoHS Requirements 产品中有毒有害物质或元素名称及含量

AAEON Panel PC/ Workstation

	有毒有害物质或元素					
部件名称	铅	汞	镉	六价铬	多溴联苯	多溴二苯醚
	(Pb)	(Hg)	(Cd)	(Cr(VI))	(PBB)	(PBDE)
印刷电路板	×	0	0	0	C	0
及其电子组件	^				U	
外部信号	×	0	0	0	C	0
连接器及线材	^)))	U
外壳	×	0	0	0	0	0
中央处理器	×	C	0	0	С	0
与内存	^)))	O
硬盘	×	0	0	0	0	0
液晶模块	×	0	0	0	0	0
光驱	×	0	0	0	0	0
触控模块	×	0	0	0	0	0
电源	×	0	0	0	0	0

- O: 表示该有毒有害物质在该部件所有均质材料中的含量均在 SJ/T 11363-2006 标准规定的限量要求以下。
- X:表示该有毒有害物质至少在该部件的某一均质材料中的含量超出 SJ/T 11363-2006 标准规定的限量要求。

备注:

- 一、此产品所标示之环保使用期限,系指在一般正常使用状况下。
- 二、上述部件物质中央处理器、内存、硬盘、光驱、触控模块为选购品。

Contents

Chapte	r 1 General Information
	1.1 Introduction1-2
	1.2 Features 1-3
	1.3 Specification
	1.4 General Information
Chapter	2 Hardware Installation
	2.1 Safety Precautions2-2
	2.2 A Quick Tour of the ACP-52172-3
	2.3 2.5" Hard Disk Drive (HDD) Installation 2-5
Chapte	3 AMI BIOS Setup
	3.1 System Test and Initialization
	3.2 AMI BIOS Setup 3-3
Chapte	4 Driver Installation
	4.1 Installation 4-3
Append	lix A Programming the Watchdog Timer
	A.1 ProgrammingA-2
	A.2 ITE8728F Watchdog Timer Initial ProgramA-6
Append	lix B I/O Information
	B.1 I/O Address MapB-2
	B.2 Memory Address MapB-4

Multi-Touch Panel PC

ACP-5217

В	3.3 IRQ Mapping Chart	B-5
В	8.4 DMA Channel Assignments	B-5
Appendix	C Miscellanea	
С	C.1 General Cleaning Tips	C-2
С	2.2 Cleaning Tools	C-3
С	2.3 Scrap Computer Recycling	C-5
С	2.4 Installing Accessories	C-6
Appendix	D RAID & AHCI Settings	
D	0.1 Setting RAID	D-2
D	0.2 Setting AHCI	D-9

Chapter

General Information

1.1 Introduction

The ACP-5217 is a Multi-Touch Infotainment Panel PC with superior onboard Intel[®] Core[™] i7/Core[™] i5/Celeron[®] processor-based computer. It is a PC-based system with 21.5" Full HD (1920x1080) Fanless TFT LCD display, integrated multimedia functions make them the perfect platforms to build comprehensive lifestyle computing applications.

The ACP-5217 includes all the features of a powerful computer into a slim and attractive chassis. The ACP-5217 has 250 nits TFT display with 1920x1080 resolution. This model equips two-point Multi-Touch Window design and is easy to clean. Moreover, it is IPX1 100% water-proof that can be installed in harsh environments. Its front bezel is IP-65/NEMA4 for auxiliary water-proof protection. In addition, the ACP-5217 deploys 7H hardness Anti-Scratch Surface to avoid accidental damage.

The ACP-5217 supports one 2.5" SATA Hard Disk Drive and one CFast™ slot for the storage functions, and one Mini Card expansion. Moreover, it supports Smart Card Reader, RFID, MSR, Skype phone, and camera to fulfill the demands of versatile applications.

1.2 Features

- 21.5" Full HD (1920x1080) Fanless TFT LCD Display
- Easy-To-Clean: Multi-Touch Window Design (Two-Point)
- Superior Intel[®] Core[™] i7-3610QE/Core[™] i5-3510ME/Celeron[®] 1020E Processor
- IP65 Front Bezel & IPx1 Back Chassis
- Fanless Design
- Anti-Scratch Surface (7H Hardness)
- USB x 6, COM x 1. DVI-I x 1, LAN x 2, Mini PCle Card x 1
- Front Access LCD ON/OFF, Brightness UP/DOWN, Volume UP/DOWN

1.3 Specification

System

•	Processor	Intel [®] Core™ i7-3610QE/
		Core™i5-3510ME/ Celeron® 1020E
		Processor
•	System Memory	DDR3 SODIMM x 1, Max. 8 GB (Default
		2GB)
•	LCD / CRT Controller	Integrated graphics in Intel® QM77
•	Ethernet	10/100/1000Base-TX, RJ-45 x 2
•	I/O Port	USB x 6 (USB2.0 x 2 on side; USB2.0 x $$
		2 and USB3.0 x 2 on bottom)
		RS-232 x 1
		Line-out x 1
		DVI-I x 1
		2W Speaker x 2
		Power Input x 1
		ATX power button
•	Storage Disk Drive	2.5" SATA Hard Disk Drive Bay x 1/
		CFast™ slot x 1
•	Expansion	Mini PCle Card x 1
•	OS Support	Windows® XP (T/S: Single point), Linux
		Fedora (T/S: Multi-point), Windows®7
		(T/S: Multi-point), Windows®8

Mechanical

•	Construction	IP65/ NEMA4 for plastic front bezel,
---	--------------	--------------------------------------

Environmental

•	Operating	Temperature	32°F~104°F	(0°C~40°C)

Shock
 20 G peak acceleration (11 msec.

EMC
 CE/FCC Class A

Power Supply

• DC Input 70W DC 12V, with AC power adapter with

lock in package

LCD

• Display Type 21.5" TFT-LCD, LED

	Mul	lti-T	ouch	Panel	PC
--	-----	-------	------	-------	----

ACP-5217

Max. Resolution 1920 x 1080

Max. Colors
 16.7 M colors (6/8-bit for R, G, B)

• Luminance (cd/m²) 250 cd/m²

Contrast Ratio 1000:1

Viewing Angle 85° (H), 80° (V)

Backlight LED

Backlight MTBF (Hours) 30,000

Touchscreen


• Type Projected Capacitive Multi-Touch (two

points)

Resolution 2048x2048


• Light Transmission >90%

1.4 General Information





ACP-5217





Chapter

Hardware Installation

2.1 Safety Precautions

Warning!



Always completely disconnect the power cord from your board whenever you are working on it. Do not make connections while the power is on, because a sudden rush of power can damage sensitive electronic components.


Caution!



Always ground yourself to remove any static charge before touching the board. Modern electronic devices are very sensitive to static electric charges. Use a grounding wrist strap at all times. Place all electronic components on a static-dissipative surface or in a static-shielded bag when they are not in the chassis

2.2 A Quick Tour of the ACP-5217

Mechanical Drawings



Front



Rear



I/O



Cable Cover (Optional)



Note 1: You may turn on the power by cutting and destroying the protective cover as it shows below.



Note 2: The "Anti-Drop Kit" can help on preventing the cable drop from the connector





2.3 2.5" Hard Disk Drive (HDD) Installation


Step 1: Unscrew the rear cover screws (15 screws)



Step 2: Remove EMI Cover (4 screws)



Step 3: Remove HDD Bracket (4 screws)




Step 4: Get the HDD and HDD Bracket ready







Step 6: Connect the SATA and power cables to the HDD and fasten the four screws to fix the HDD Bracket



Chapter

AMI BIOS Setup

3.1 System Test and Initialization

These routines test and initialize board hardware. If the routines encounter an error during the tests, you will either hear a few short beeps or see an error message on the screen. There are two kinds of errors: fatal and non-fatal. The system can usually continue the boot up sequence with non-fatal errors.

System configuration verification

These routines check the current system configuration against the values stored in the CMOS memory. If they do not match, the program outputs an error message. You will then need to run the BIOS setup program to set the configuration information in memory.

There are three situations in which you will need to change the CMOS settings:

- 1. You are starting your system for the first time
- 2. You have changed the hardware attached to your system
- The CMOS memory has lost power and the configuration information has been erased.

The ACP-5217 CMOS memory has an integral lithium battery backup for data retention. However, you will need to replace the complete unit when it finally runs down.

AMI BIOS Setup 3.2

AMI BIOS ROM has a built-in Setup program that allows users to modify the basic system configuration. This type of information is stored in battery-backed CMOS RAM so that it retains the Setup information when the power is turned off.

Entering Setup

Power on the computer and press or <F2> immediately. This will allow you to enter Setup.

Main

Set the date, use tab to switch between date elements.

Advanced

Enable disable boot option for legacy network devices.

Chipset

host bridge parameters.

Boot

Enables/disable quiet boot option.

Security

Set setup administrator password.

Save&Exit

Exit system setup after saving the changes.

Setup Menu


Setup submenu: Main



Options summary: (default setting)

System Date Day MM:DD:YYYY				
Change the month, year and century. The 'Day' is changed automatically.				
System Time HH : MM : SS				
Change the clock of the system.				

Setup submenu: Advanced




Options summary: (default setting)

ACPI Settings						
System ACPI Parameters	System ACPI Parameters					
Trusted Computing						
Trusted Computing Settings						
CPU Configuration						
CPU Configuration Parameters						
SATA Configuration						
SATA Device Options Settings						

Intel TXT(LT)						
Configuration						
Intel Trusted Execution Te	Intel Trusted Execution Technology					
AMT Configuration						
AMT Configuration Parame	eters					
USB Configuration						
USB Configuration Parameters						
H/W Monitor						
Monitor hardware status						
Super IO Configuration						
Super IO Configuration Parameters						

ACPI Settings



Options summary: (default setting)

Enable Hibernation	Enabled	
	Disabled	
Enabled or disabled hibernate (OS/S4 Sleep State).		
ACPI Sleep State	Suspend Disabled	
	S1 only(CPU Stop Clock)	
	S3 only(Suspend to RAM)	
	Auto	
Select the ACPI state used for System Suspend		
Wake on Ring	Enabled	

	Disabled	
Enabled or disabled wake on ring function.		

RTC Wake Settings



Wake system with	Disabled	
Fixed Time	Enabled	
Enable or disable System wake on alarm event. Wake up time is setting by		
following settings.		
Wake up day	0-31	

ACP-5217

Wake up hour	0-23	
Wake up minute	0-59	
Wake up second	0-59	
Wake system with	Disabled	
Dynamic Time	Enabled	
Enable or disable System	m wake on alarm event	. Wake up time is current
time + Increase minutes		
Wake up minute	1-5	
increase		

Trusted Computing



Security Device Support	Disabled	
	Enabled	
En/Disable TPM support		
TPM State	Disabled	
	Enabled	
En/Disable TPM function	nality.	
Pending TPM Operation	None	
	Enable Take Ownership	

	Disable Take	
	Ownership	
	TPM Clear	
Select one-time TPM operation. Item value returns to 'None' after next		

POST.

CPU Configuration



Hyper-Threading	Disabled	
	Enabled	
En/Disable CPU Hyper-Threading function		

Active Processor Cores	ALL	
	1 to Max CPU cores	
Number of CPU cores to	be active.	
Limit CPUID Maximum	Disabled	
	Enabled	
Disabled for Windows XI	D	
Execute Disable Bit	Disabled	
	Enabled	
En/Disable XD bit for sup	oporting OS	
Intel Virtualization	Disabled	
Technology	Enabled	
En/Disable Intel VT-x fur	nction	
EIST	Disabled	
	Enabled	
En/Disable Intel SpeedStep		
Turbo Mode	Disabled	
	Enabled	
En/Disable Intel Turbo M	lode	

SATA Configuration



SATA Controller(s)	Disabled	
	Enabled	
En/Disable SATA contro	ller	
Configure SATA as	IDE	
	AHCI	
	RAID	Available for QM77 Sku
Configure SATA controller operating as IDE/AHCI/RAID mode.		
Port 1/Port 2/CFast	Disabled	
Slot	Enabled	


En/Disable the selected port.		
Hot Plug	Disabled	
	Enabled	
En/Disable Hot Plug feature for specified port.		

Intel TXT(LT) Configuration




Intel TXT(LT) Support	Disabled	
	Enabled	
En/Disable Intel TXT function. This function only can be enabled/disabled if		
SMX, VT-x and VT-d support are enabled prior to it.		

AMT Configuration



Intel AMT	Enabled	
	Disabled	
En/Disable Intel® Active	Management Technolog	gy BIOS Extension.
Note: iAMT H/W is always enabled. This option just controls the BIOS		
extension execution. If enabled, this requires additional firmware in the SPI		
device		
Un-Configure ME	Enabled	
	Disabled	
OEMFlag Bit 15: Un-Configure ME without password		

USB Configuration




Legacy USB Support	Enabled	
	Disabled	
	Auto	
Enables BIOS Support for Legacy USB Support. When enabled, USB can		
be functional in legacy environment like DOS. AUTO option disables legacy		
support if no USB devices are connected. DISABLE option will keep USB		
devices available only for EFI application		
USB3.0 Support	Enabled	
	Disabled	

Enables BIOS Support for USB3.0 (XHCI). When disabled, PCH USB3.0 controller will also be disabled.

Device Name	Auto	
(Emulation Type)	Floppy	
	Forced FDD	
	Hard Disk	
	CD-ROM	

If Auto. USB devices less than 530MB will be emulated as Floppy and remaining as Floppy and remaining as hard drive. Forced FDD option can be used to force a HDD formatted drive to boot as FDD(Ex. ZIP drive)

H/W Monitor



Super IO Configuration



Serial Port 1/2		
Configuration		
Set Parameters of Serial Po	ort 1/2	
	Power Off	
Restore AC Power Loss	Power On	
	Last State	
Select AC power state whe	n power is re-applied af	ter a power failure.
EuP Power Control	Disabled	
	Enabled	

Configure Energy-using Product(EuP) Power Control.

Serial Port 1 Configuration



Serial Port	Disabled	
	Enabled	
En/Disable specified ser	ial port.	
Change Settings	Auto	
	IO=3F8h; IRQ=4;	
	IO=3F8h;	
	IRQ=3,4,5,7,10,11,12;	

Multi-Touch Panel PC

ACP-5217

IO=2F8h;
IRQ=3,4,5,7,10,11,12;
IO=3E8h;
IRQ=3,4,5,7,10,11,12;
IO=2E8h;
IRQ=3,4,5,7,10,11,12;
Select a resource setting for Super IO device.

Serial Port 2 Configuration



Serial Port	Disabled	
-------------	----------	--

	Enabled	
En/Disable specified se	erial port.	
Change Settings	Auto	
	IO=2F8h; IRQ=3;	
	IO=3F8h;	
	IRQ=3,4,5,7,10,11,12;	
	IO=2F8h;	
	IRQ=3,4,5,7,10,11,12;	
	IO=3E8h;	
	IRQ=3,4,5,7,10,11,12;	
	IO=2E8h;	
	IRQ=3,4,5,7,10,11,12;	
Select a resource settir	ng for Super IO device.	
Device Type	RS232	
	RS422	
	RS485	
Configure COM2 opera	ated as RS232, RS422 or RS4	85.

Setup submenu: Chipset

Aptio Setup Utility – Copyright (C) 2012 American Main Advanced <mark>Chipset</mark> Boot Security Save & Exit	Megatrends, Inc.
➤ Onboard Device ➤ PCH-IO Configuration ➤ Memory Configuration ➤ Graphics Configuration	Onboard Device Parameters
	++: Select Screen 11: Select Item Enter: Select +/-: Change Opt. F1: General Help F2: Previous Values F3: Optimized Defaults F4: Save & Exit ESC: Exit
Version 2.15.1226. Copyright (C) 2012 American Me	egatrends, Inc.

Onboard Device		
Configure Onboard Devi	ces	
PCI-IO Configuration		
South Bridge Parameters	3	
Memory Configuration		
Memory Parameters		
Graphic Configuration		
Graphic Parameters		

Onboard Device



Onboard HD Audio	Disabled	
	Enabled	
	Auto	
En/Disabled HD Audio o	controller.	
HD Audio Internal	Enabled	
HDMI Codec	Disabled	
En/Disabled internal HD	MI codec for HD Audio.	
Intel LAN Controller	Enabled	
	Disabled	

Multi-Touch Panel PC

ACP-5217

En/Disabled Intel i82579 NIC		
Realtek LAN Controller	Enabled	
	Disabled	
En/Disabled Realtek RT	L8111E NIC	

PCH-IO Configuration



Power Mode	ATX Type	
Select the power type u	sed on the system	
PCIe MiniCard Slot	Disabled	
	Enabled	

Multi-Touch Panel PC

ACP-5217

Control the PCI Express	Root Port.	
PCIe Speed	Auto	
	Gen1	
	Gen2	
Select PCI Express port	speed. Some PCIe carso	d must set to Gen1 for
operation.		

Memory Configuration



DIMM Profile	Default DIMM profile
	XMP Profile 1

	XMP Profile 2	
Select DIMM timing profile that should be used		
Memory Frequency	Auto	
Limiter	1067	
	1333	
	1600	
Maximum Memory Fre	quency Selections in Mhz.	
Max TOLUD	Dynamic	
	1 GB	
	1.25 GB	
	1.5 GB	
	1.75 GB	
	2 GB	
	2.25 GB	
	2.5 GB	
	2.75 GB	
	3 GB	
	3.25 GB	
Maximum Value of TOI	LUD. Dynamic assignment	would adjust TOLUD
automatically based on largest MMIO length of install graphic controller.		

Graphic Configuration



Primary Display	Auto	
	IGFX	
	PCI	
Select graphic adapter	rs to boot	
Internal Graphics	Auto	
	Disabled	
	Enabled	
En/Disabled internal graphics device		
GTT Size	1MB	

ACP-5217

	2MB		
Select the GTT Size			
Aperture Size	128MB		
	256MB		
	512MB		
Select the Aperture Siz	Select the Aperture Size		
DVMT Pre-Allocated	64MB		
	32MB~1024MB		
Select DVMT 5.0 Pre-Allocated (Fixed) Graphics Memory size used by the			
Internal Graphics Devi	ce.		
DVMT Total Gfx Mem	128MB		
	256MB		
	Max		
Select DVMT 5.0 Total Graphic Memory size used by the Internal Graphics			
Device.			

LCD Control



Options summary: (default setting)

Primary IGFX Boot	Auto Detect	
Display	DVI-A	
	LVDS1	
	DVI-D	

Select Primary IGFX boot display device

Note: LVDS1 is the default main display device when this item set to "Auto

Detect" and LVDS1 enabled.


In this case, DVI will not display under DOS environment unless user set this item to DVI manually.

Multi-Touch Panel P

ACP-5217

LVDS1(Internal)	Enabled	
Enable Internal LVDS		
LVDS1 Panel Type 1920x1080 48-Bit		
1920x1080 48-bit resolution.		

Setup submenu: Boot




Quiet Boot	Disabled	
	Enabled	
En/Disable showing boot logo.		
Launch I82579LM/	Disabled	
RTL8111E PXE	Enabled	
OpROM		
En/Disable PXE boot for I82579LM/RTL8111E LAN		

Multi-Touch Panel PC

ACP-5217

Boot Option #X/		
XXXX Drive BBS		
Priorities		
The order of boot priorities.		

BBS Priorities



Boot Option #x	Disabled	
	Device name	
Sets the system boot order		

Setup submenu: Security



Administrator	Not set	
Password/		
User Password		

You can install a Supervisor password, and if you install a supervisor password, you can then install a user password. A user password does not provide access to many of the features in the Setup utility.

Install the Password:

Press Enter on this item, a dialog box appears which lets you enter a password. You can enter no more than six letters or numbers. Press Enter after you have typed in the password. A second dialog box asks you to retype the password for confirmation. Press Enter after you have retyped it correctly. The password is required at boot time, or when the user enters the Setup utility.

Removing the Password:

Highlight this item and type in the current password. At the next dialog box press Enter to disable password protection.

Setup submenu: Exit



Save Changes and Reset			
Reset the system after saving the changes			
Discard Changes and			
Reset			
Reset system setup without	saving any changes		
Restore Defaults			
Restore/Load Default values for all the setup options.			
Save as User Defaults			
Save the changes done so far as User Defaults			
Restore User Defaults			

Restore the User Defaults to all the setup options

Chapter

Driver Installation

The ACP-5217 comes with an AutoRun DVD-ROM that contains all drivers and utilities that can help you to install the driver automatically.

Insert the driver DVD, the driver DVD-title will auto start and show the installation guide. If not, please follow the sequence below to install the drivers.

Follow the sequence below to install the drivers:

- Step 1 Install Chipset Driver
- Step 2 Install VGA Driver
- Step 3 Install LAN1 Driver (Intel® LAN Chip)
- Step 4 Install LAN2 Driver (Realtek LAN Chip)
- Step 5 Install Audio Driver
- Step 6 Install ME Driver
- Step 7 Install RAID & AHCI Driver
- Step 8 Install TPM Driver
- Step 9 Install Touch Driver
- Step 10 Install USB3.0 Driver (Windows® 7 only)

Please read instructions below for further detailed installations.

Installation: 41

Insert the ACP-5217 DVD-ROM into the DVD-ROM drive. And install the drivers from Step 1 to Step 10 in order.

Step 1 – Install Chipset Driver

- 1 Click on the **STEP 1-CHIPSET** folder and select the OS folder your system is
- 2. Double click on the *infinst autol.exe* file located in each OS folder
- 3. Follow the instructions that the window shows
- 4. The system will help you install the driver automatically

Step 2 – Install VGA Driver

- 1. Click on the **STEP2-VGA** folder and select the OS folder. your system is
- 2. Double click on the **Setup.exe** file located in each OS folder
- Follow the instructions that the window shows
- 4. The system will help you install the driver automatically

Note 1:

- This motherboard supports VGA and LVDS display devices. In Single Display mode, use the hot keys to switch between VGA to LVDS device or vice versa. By default, press <Ctrl>+<Alt>+<F1> to switch to VGA device and press <Ctrl>+<Alt>+<F3> to switch to LVDS device.
- Before removing the current display

device, connect the display device that you want to use, and then press the hot keys to switch to that device.

<u>Note 2:</u> If the OS is Windows[®] XP, you have to install the driver of dotNet Framework first. Simply click on *dotnetfx35.exe* located in *dotNet Framwork* folder.

Step 3 –Install LAN 1 Driver (Intel® LAN Chip)

- Click on the STEP3-LAN1 folder and select the OS folder your system is
- Double click on the .exe file located in each OS folder
- Follow the instructions that the window shows
- 4. The system will help you install the driver automatically

Step 4 –Install LAN2 Driver (Realtek LAN Chip)

- Click on the STEP4-LAN2 folder and select the OS folder your system is
- 2. Double click on the setup.exe file located in each OS folder
- 3. Follow the instructions that the window shows
- 4. The system will help you install the driver automatically

Step 5 –Install Audio Driver

- Click on the STEP5-AUDIO folder and select the OS folder your system is
- Double click on the .exe file located in each OS folder
- 3. Follow the instructions that the window shows

4. The system will help you install the driver automatically

Step 6 – Install ME Driver

- 1. Click on the **STEP6-ME SW** folder and select the OS folder your system is
- 2. Double click on the **Setup.exe** file located in each OS folder
- 3. Follow the instructions that the window shows
- 4. The system will help you install the driver automatically

Step 7 – Install RAID & AHCI Driver

Please refer to the Appendix D RAID & AHCI Settings

Step 8 – Install TPM Driver

- Click on the **STEP8-TPM** folder and select the OS folder your system is
 - Double click on the **Setup.exe** file located in each OS

folder

- 3. Follow the instructions that the window shows
- The system will help you install the driver 4. automatically

Step 9 –Install Touch Driver

1. Click on the **STEP9-TOUCH** folder and select the folder of

WINXP 32

- 2. Double click on the ModifyDBArea
 - Follow the instructions that the window 3. shows
 - 4. The system will help you install the driver automatically

Step 10 -Install USB3.0 Driver

- 1. Click on the STEP10-USB3.0 folder and select the OS folder your system is
- 2. Double click on the Setup.exe file located in each OS folder
- 3. Follow the instructions that the window shows
- 4. The system will help you install the driver automatically



Programming the Watchdog Timer


A.1 Programming

ACP-5217 utilizes ITE IT8728F chipset as its watchdog timer controller.

Below are the procedures to complete its configuration and the AAEON intial watchdog timer program is also attached based on which you can develop customized program to fit your application.

Configuring Sequence Description

After the hardware reset or power-on reset, the ITE 8728F enters the normal mode with all logical devices disabled except KBC. The initial state (enable bit) of this logical device (KBC) is determined by the state of pin 121 (DTR1#) at the falling edge of the system reset during power-on reset.



There are three steps to complete the configuration setup: (1) Enter the MB PnP Mode; (2) Modify the data of configuration registers; (3) Exit the MB PnP Mode. Undesired result may occur if the MB PnP Mode is not exited normally.

(1) Enter the MB PnP Mode

To enter the MB PnP Mode, four special I/O write operations are to be performed during Wait for Key state. To ensure the initial state of the key-check logic, it is necessary to perform four write operations to the Special Address port (2EH). Two different enter keys are provided to select configuration ports (2Eh/2Fh) of the next step.

	Address Port	Data Port
87h, 01h, 55h, 55h:	2Eh	2Fh

(2) Modify the Data of the Registers

All configuration registers can be accessed after entering the MB PnP Mode. Before accessing a selected register, the content of Index 07h must be changed to the LDN to which the register belongs, except some Global registers.

(3) Exit the MB PnP Mode

Set bit 1 of the configure control register (Index=02h) to 1 to exit the MB PnP Mode.

WatchDog Timer Configuration Registers

LDN Index R/W Reset Configuration Register or Action

All 02H	W N/A	Configure Control
07H 71H	R/W 00H	WatchDog Timer Control Register
07H 72H	R/W 00H ter	WatchDog Timer Configuration Regis-
07H 73H	R/W 00H Register	WatchDog Timer Time-out Value

Configure Control (Index=02h)

This register is write only. Its values are not sticky; that is to say, a hardware reset will automatically clear the bits, and does not require the software to clear them.

Bit	Description
7-2	Reserved
1	Returns to the Wait for Key state. This bit is used when the configuration sequence is completed
0	Resets all logical devices and restores configuration registers to their power-on states.

WatchDog Timer Control Register (Index=71h, Default=00h)

Bit	Description
7	WDT is reset upon a CIR interrupt
6	WDT is reset upon a KBC (mouse) interrupt
5	WDT is reset upon a KBC (keyboard) interrupt
4	WDT is reset upon a read or a write to the Game Port base address
3-2	Reserved
1	Force Time-out. This bit is self-clearing
	· · · · · · · · · · · · · · · · · · ·
0	WDT Status
0	· · · · · · · · · · · · · · · · · · ·

WatchDog Timer Configuration Register (Index=72h, Default=00h)

Bit	Description
7	WDT Time-out value select
	1: Second
	0: Minute
6	WDT output through KRST (pulse) enable
5-4	Reserved
3-0	Select the interrupt level ^{Note} for WDT

WatchDog Timer Time-out Value Register (Index=73h,

Default=00h)

Bit	Description
7-0	WDT Time-out value 7-0

A.2 ITE8728F Watchdog Timer Initial Program

```
.MODEL SMALL
        CODE
Main:
        CALL Enter_Configuration_mode
        CALL Check_Chip
        mov cl, 7
        call Set_Logic_Device
        ;time setting
        mov cl, 10: 10 Sec
        dec al
Watch_Dog_Setting:
        ;Timer setting
        mov al, cl
        mov cl, 73h
        call Superio_Set_Reg
        ;Clear by keyboard or mouse interrupt
        mov al, 0f0h
        mov cl, 71h
        call Superio_Set_Reg
        ;unit is second.
        mov al, 0C0H
        mov cl, 72h
        call Superio_Set_Reg
```

; game port enable

mov cl, 9

call Set_Logic_Device

Initial OK:

CALL Exit_Configuration_mode

MOV AH,4Ch

INT 21h

Enter_Configuration_Mode PROC NEAR

MOV SI, WORD PTR CS: [Offset Cfg_Port]

MOV DX,02Eh

MOV CX,04h

Init_1:

MOV AL, BYTE PTR CS:[SI]

OUT DX,AL

INC SI

LOOP Init 1

RET

Enter_Configuration_Mode ENDP

Exit_Configuration_Mode PROC NEAR

MOV AX,0202h

CALL Write_Configuration_Data

RET

Exit_Configuration_Mode ENDP

Check_Chip PROC NEAR

MOV AL,20h

CALL Read_Configuration_Data

CMP AL,87h

JNE Not Initial

MOV AL,21h

CALL Read_Configuration_Data

CMP AL,12h

JNE Not_Initial

Need Initial:

STC

RET

Not Initial:

CLC

RET

Check_Chip ENDP

Read_Configuration_Data PROC NEAR

MOV DX, WORD PTR CS: [Cfg_Port+04h]

OUT DX,AL

```
MOV DX, WORD PTR CS: [Cfg_Port+06h]
IN AL, DX
RET
Read Configuration Data ENDP
Write_Configuration_Data PROC NEAR
MOV DX, WORD PTR CS: [Cfg Port+04h]
OUT DX,AL
XCHG AL, AH
MOV DX, WORD PTR CS: [Cfg_Port+06h]
OUT DX,AL
RET
Write_Configuration_Data ENDP
Superio_Set_Reg proc near
push ax
MOV DX, WORD PTR CS: [Cfg_Port+04h]
mov al,cl
out dx,al
pop ax
inc dx
out dx,al
ret
```

Superio_Set_Reg endp.Set_Logic_Device proc near

near

proc

Set_Logic_Device

```
push ax
push cx
xchg al,cl
mov cl,07h
call Superio_Set_Reg
pop cx
pop ax
ret
Set_Logic_Device endp
;Select 02Eh->Index Port, 02Fh->Data Port
Cfg_Port DB 087h,001h,055h,055h

DW 02Eh,02Fh
```

END Main

Note: Interrupt level mapping

0Fh-Dh: not valid

0Ch: IRQ12


•

03h: IRQ3

02h: not valid


01h: IRQ1

00h: no interrupt selected



I/O Information

B.1 I/O Address Map



ACP-5217

```
■ [000000B0 - 000000B1] Programmable interrupt controller
----1■ [000000B2 - 000000B3] Motherboard resources
.... 1000000B4 - 000000B51 Programmable interrupt controller
🚚 [000000B8 - 000000B9] Programmable interrupt controller
📲 [000000BC - 000000BD] Programmable interrupt controller
↓■ [000000C0 - 000000DF] Direct memory access controller
 ■ [000000E0 - 000000EF] Motherboard resources
 III [000000F0 - 000000FF] Numeric data processor
 [00000200 - 0000020F] Motherboard resources
 1000002E8 - 000002EF1 Communications Port (COM4)
 [000002F8 - 000002FF] Communications Port (COM2)
 [00000378 - 0000037F] Printer Port (LPT1)
 [000003B0 - 000003BB] Intel(R) HD Graphics 4000
 [000003C0 - 000003DF] Intel(R) HD Graphics 4000
 [000003E8 - 000003EF] Communications Port (COM3)
.... [000003F8 - 000003FF] Communications Port (COM1)
[00000400 - 00000453] Motherboard resources
[00000458 - 0000047F] Motherboard resources
 [000004D0 - 000004D1] Motherboard resources
[000004D0 - 000004D1] Programmable interrupt controller
□ [00000500 - 0000057F] Motherboard resources
 [00000680 - 0000069F] Motherboard resources
↓■ [00000A20 - 00000A2F] Motherboard resources
 ■ [00000A30 - 00000A3F] Motherboard resources
 [00000D00 - 0000FFFF] PCI Bus
 [00001000 - 00001003] Motherboard resources
 [0000164E - 0000164F] Motherboard resources
· [0000E000 - 0000EFFF] Intel(R) 7 Series/C216 Chipset Family PCI Express Root Port 2 - 1E12
 [0000F000 - 0000F03F] Intel(R) HD Graphics 4000
 4■ [0000F040 - 0000F05F] Intel(R) 7 Series/C216 Chipset Family SMBus Host Controller - 1E22
 [0000F060 - 0000F07F] Intel(R) 7 Series Chipset Family SATA AHCI Controller


← [0000F0A0 - 0000F0A3] Intel(R) 7 Series Chipset Family SATA AHCI Controller

(R) 7 Series Chipset Family SATA AHCI Controller
[0000F0D0 - 0000F0D7] Intel(R) 7 Series Chipset Family SATA AHCI Controller
[0000F0E0 - 0000F0E7] Intel(R) Active Management Technology - SOL (COM5)
```

B.2 Memory Address Map




B.3 IRQ Mapping Chart



B.4 DMA Channel Assignments



■ 4 Direct memory access controller



Miscellanea

C.1 General Cleaning Tips

You may need the following precautions before you begin to clean the computer. When you clean any single part or component for the computer, please read and understand the details below fully.

- Never spray or squirt the liquids directly onto any computer component. If you need to clean the device, please rub it with a piece of dry cloth.
- 2. Be cautious of the tiny removable components when you use a vacuum cleaner to absorb the dirt on the floor.
- Turn the system off before you start to clean up the component or computer.
- 4. Never drop the components inside the computer or get circuit board damp or wet.
- Be cautious of all kinds of cleaning solvents or chemicals when you use it for the sake of cleaning. Some individuals may be allergic to the ingredients.
- 6. Try not to put any food, drinks or cigarettes around the computer.

C.2 Cleaning tools

Although many companies have created products to help improve the process of cleaning your computer and peripherals users can also use household items to clean their computers and peripherals. Below is a listing of items you may need or want to use while cleaning your computer or computer peripherals.

Keep in mind that some components in your computer may only be able to be cleaned using a product designed for cleaning that component, if this is the case it will be mentioned in the cleaning tips.

- Cloth A piece of cloth is the best tool to use when rubbing up a component. Although paper towels or tissues can be used on most hardware as well, we still recommend you to rub it with a piece of cloth.
- Water or rubbing alcohol You may moisten a piece of cloth a bit with some water or rubbing alcohol and rub it on the computer. Unknown solvents may be harmful to the plastics parts.
- Vacuum cleaner Absorb the dust, dirt, hair, cigarette
 particles, and other particles out of a computer can be one
 of the best methods of cleaning a computer. Over time
 these items can restrict the airflow in a computer and cause
 circuitry to corrode.

- Cotton swabs Cotton swaps moistened with rubbing alcohol or water are excellent tools for wiping hard to reach areas in your keyboard, mouse, and other locations.
- Foam swabs Whenever possible it is better to use lint free swabs such as foam swabs.

Note:

We strongly recommended that you should shut down the system before you start to clean any single components.

Please follow the steps below.

- 1. Close all application programs
- 2. Close operating software
- 3. Turn off power switch
- 4. Remove all device
- 5. Pull out power cable

C.3 Scrap Computer Recycling

If the computer equipments need the maintenance or are beyond repair, we strongly recommended that you should inform us as soon as possible for the suitable solution. For the computers that are no longer useful or work well, please contact with worldwide distributors for recycling.

The worldwide distributors show on the following website:

http://www.aaeon.com/?TabIndex=Contact&TabID=Distributors

Note:

Follow the national requirements to dispose unit

C.4 Installing Accessories

Skype Phone Installation



Step 1: Fasten the two screws(2-SELF TAPPING SCREWS) to fix the Skype Bracket with the ACP-5217



MSR Installation




Step 1: Fasten the two screws (2-SELF TAPPING SCREWS) to fix the MSR Bracket with the ACP-5217



Bar Code Scanner Installation



Step 1: Fasten the three screws to fix the Bar Code Scanner with the backet



Step 2: Fasten the two screws (2-SELF TAPPING SCREWS) to fix the Bar Code Scanner with the ACP-5217





RAID & AHCI Settings

D.1 Setting RAID

OS installation to SETUP RAID Mode

Step 1: Extract the f6fly-x86.zip from "Driver CD ->

STEP7-RAID&AHCI\WinXP_32" and copy below files to diskette.



iaStor.inf







license.txt TXT 檔案 22 1 KB



iastor.cat 安全性目錄 7.76 KB




F6Readme.txt TXT 檔案 81.2 KB



iaStor.sys 系統檔案 459 KB




iaAHCLinf 安裝資訊 4.79 KB





Step 3: Configure SATA Controller to RAID mode in BIOS SETUP Menu:


Advanced -> SATA Configuration -> SATA Mode -> RAID Mode



Step 4: Configure DVD/CD-ROM drive as the first boot device.



Step 5: Save changes and exit BIOS SETUP



Step 6: Press CTRL-I to enter RAID Configuration Utility

```
Intel(R) Rapid Storage Technology - Option ROM - 11.0.0.1339
Copyright(C) 2003-11 Intel Corporation. All Rights Reserved.

RAID Volumes:
None defined.

Physical Devices:
ID Device Model Serial # Size Type/Status(Vol ID)
0 WDC WD2500KS-00M WD-WCANKD571398 232.8GB NOn-RAID Disk
1 MAXTOR STM332061 95229FB8 298.0GB NOn-RAID Disk
Press CIRL-ID to enter Configuration Utility...
```

Step 7: Choose "1. Create RAID Volume"

```
Intel(R) Rapid Storage Technology - Option ROM - 11.0.0.1339
       Copyright(C) 2003-11 Intel Corporation. All Rights Reserved.
                     ******** MAIN MENU ]*******
                                     4. Recovery Volume Options
5. Acceleration Options
6. Exit
     1. Create RAID Volume
       RAID Volumes:
None defined.
Physical Devices:
TD
   Device Model
                   Serial #
                                             Size Type/Status(Vol ID)
    WDC WD2500KS-00M WD-WCANKD571398
                                          232.8GB Non-RAID Di
    MAXTOR STM332061 9SZ29FB8
                                           298.0GB Non-RAID Disk
       [**]-Select
                         [ESC]-Exit
                                            [ENTER]-Select Menu
```

Step 8 - Configure RAID parameters for the system

```
Intel(R) Rapid Storage Technology - Option ROM - 11.0.0.1339
Copyright(C) 2003-11 Intel Corporation. All Rights Reserved.

[CREATE VOLUME MENU]

RAID Level: RAID(Stripe)

Strip Size: 128KB
Capacity: 465.8 GB
Sync: N/A
Create Volume

[HELP]

RAID 0: Stripes data (performance).
```


Step 9 – Choose "Create Volume" and confirmed in next warning message.

```
Intel(R) Rapid Storage Technology - Option ROM - 11.0.0.1339
         Copyright(C) 2003-11 Intel Corporation. All Rights Reserved.
                    Name: Volume0
RAID Level: RAID0(Stripe)
Disks: Select Disks
                  Strip Size: 128KB
Capacity: 465.8 GB
Sync: N/A
                             Create Volume
Press ENTER to create the specified volume.
         [**]Change [TAB]-Next [ESC]-Previous Menu [ENTER]-Select
         Intel(R) Rapid Storage Technology - Option ROM - 11.0.0.1339
         Copyright(C) 2003-11 Intel Corporation. All Rights Reserved.
                  Name: Volume0

RAID Level: RAID0(Stripe)
Disks: Select Disks
                  Strip Size: 128KB
Capacity: 465.8 GB
Sync: N/A
*********
                                                                 ********
********
             Are you sure you want to create this volume? (Y/N):
                 Press ENTER to create the specified volume.
         [**]Change [TAB]-Next [ESC]-Previous Menu [ENTER]-Select
```

Step 10 – Exit RAID Configuration Utility and Reboot to DVD/CD-ROM device to install OS

Step 11 - Press "F6" to install RAID driver



Step 12 - Press "S" to install RAID driver



Step 13 - Choose "Intel(R) Mobile Express Chipset SATA RAID

Controller"

```
You have chosen to configure a SCSI Adapter for use with Hindows, using a device support disk provided by an adapter manufacturer.

Select the SCSI Adapter you want from the following list, or press ESC to return to the previous screen.

Intel(R) Deskton/Horkstation/Server Express Chinset SATA RAID Controller Intel(R) Hobile Express Chipset SATA RAID Controller Intel(R) ICH7M/MDH SATA AHCI Controller Intel(R) ICH7M/MDH SATA AHCI Controller

ENTER=Select F3=Exit
```

Step 14 – It will show the model you selected and then press "ENTER". Windows Setup will continue to install OS.



D.2 Setting AHCI

OS installation to SETUP AHCI Mode

Step 1: Extract the f6fly-x86.zip from "Driver CD -> STEP7 -

RAID&AHCI\WinXP_32" and copy below files to diskette.




Step 2: Connect the USB Floppy drive to the board and insert the diskette from previous step.




Step 3: Configure SATA Controller to RAID mode in BIOS SETUP Menu:

Advanced -> SATA Configuration -> SATA Mode -> AHCI Mode



Step 4: Configure DVD/CD-ROM drive as the first boot device.




Step 5: Save changes and exit BIOS SETUP



Step 6 - Boot to DVD/CD-ROM device to install OS

Step 7 - Press "F6" to install AHCI driver




Step 8 - Press "S" to install AHCI driver



Step 9 – Choose "Intel(R) 7 Series Chipset Family SATA AHCI

Controller"



Step 10 – It will show the model you selected and then press "ENTER". Windows Setup will continue to install OS.

