

Report NO: 14P010011

# AEC-6402

## *Fanless Embedded Computer with Intel N2600 Processor*

### P5 Verification Test Report

Summary	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail <input type="checkbox"/> Pass with Deviation (Comment: _____)			
Test Results Category				
	Critical	Major	Minor	Enhancement
Defect Found	0	0	0	0
Defect Unsolved	0	0	0	0

Issue date

2014/06/25

Approval

Tom Lin

Test Engineer

Max Chang

**Version Released Records**

Date	Version	Change History	Note
2010/04/21	P3-1001	1. Re-composing test Items	
2010/06/01	P2P3-1001	1. New Test Report	
2010/06/21	P2P3-1002	1. Add BIOS -> SPI ROM Setting (South Bridge - GPIO)	
2010/12/02	P2P2-1003	1. New Test Report	
2011/02/23	P2P3-1101	1. Re-composing test Items	
2011/03/04	P2P3-1102	1. Add Specification Validation	
2012/05/29	P2P3-1201	1. Add Summary Table of DTS	
2012/11/30	P2P3-1202	1. Rename P2/P3 Test Plan & Report Template 2. Add 7.3. Windows XP Professional English Version 32/64Bit	

**Note :**

For all test items in this report, 3 results have been defined and described as following:

- Pass:            Functionality work perfectly  
Fail:            Functionality failed and must be resolved in the next version  
N/A:            Functionality Not Applicable or Not Available

This test report would be updated when re-test completed in product next change version.

## Specification Validation

### Main Specification

Item	Specification	Result			Note
		Pass	Fail	N/A	
Processor	Intel Cedar View N2600 1.6GHz processor	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Chipset	Intel NM10 (integration I/O chipset)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CPU Board	Cedar View	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
System Memory	DDRIII 1066 SODIMM X 1, Max.2GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Storage	Onboard Mini-PCIe half-size for mSATA	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Power	DC 12V in ( Optional: 2-pin power connector (DIP ) for 12V DC in )	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Front I/O	USB typeA x 2 for USB 2.0 (5V/0.5A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Mini HDMI connector x 1 to HDMI	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Push Button x 1 for power on/off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	2-pin for CAN bus (Differetial signal for CAN0H,CAN0L)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Rear I/O	Lockable DC jack x 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RJ-45 x2 for 10/100/1000 base-T	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RJ-45 x 2 for for RS-232/422/485 (BIOS section)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
On board connector	6x 1 pin-header (1.25mm , extra pin for disable ) USB x1 for Wifi	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mounting	VESA 75/100 / Din-rail /	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Power Supply	ATX Power function DC Input 12 V w/lock, built -in AC/DC power adapter w/lock	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Carton size	262(L)*175(W)*104(H) mm	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Color	Silver w/laser cut AAEON	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### O.S. Support

Item	Specification	Result			Note
		Pass	Fail	N/A	
Microsoft Windows	Windows XP Pro 32-bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Windows 7 32-bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Linux	Linux Kernel 3.2.0-23	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### Environmental Specifications

Item	Specification
Operating temperature	(0°C ~ 40°C) without Air→ mSATA (0°C ~ 50°C) with Air→ mSATA and the speed of air flow is 0.5M/sec
Storage temperature	(-20°C~ 60°C)
Storage humidity	5 ~ 95% @ 40C, non-condensing
Vibration	3g RMS / 5 ~ 500Hz / operation – mSATA
Shock	20G peak acceleration (11 msec. duration) – mSATA
Drop	TBD (1 Corner, 3 Edge, 6 Surface)
EMC	CE /FCC class A

**Note:** Please refer Environment Test Report for detail information

## Platform Information

Item	Device Information	Test Item
System Model/Version	AEC-6402 A1.0	1,2,3,4,5,6,7,8,9
CPU Board	AEC-6402	1,2,3,4,5,6,7,8,9
Carrier Board	N/A	N/A
BIOS / Version	AEC-6402 R1.0(A402AM10)(04/08/2014)	1,2,3,4,5,6,7,8,9
CPU Type	Intel® Cedar View™ Processor N2600 (1M Cache, 1.6 GHz)	1,2,3,4,5,6,7,8,9
Memory Type	Transcend DDR3 1333 4GB SEC 246 XYKO K4B2G0846D	1,2,3,4,5,6,7,8,9
SATA HDD (m-SATA)	Memo Right MSM-500 Series (MRMAJ5D016GN4M1100) 16GB	1,2,3,4,5,6,7,8,9
SATA DVD-ROM	N/A	N/A
USB DVD-ROM	Pioneer 8X (DVR-XD11T)	1,2,3,4,5,6,7,8,9
LCD Monitor	View Sonic VT-2430-NT monitor	1,2,3,4,5,6,7,8,9
LVDS	N/A	N/A
Compact Flash	N/A	N/A
Daughter Board	N/A	N/A
Expansion Board	N/A	N/A
Operating System	<input checked="" type="checkbox"/> English Ubuntu 12.04 – Kernel 3.2.0-23-generic	7-1
	<input checked="" type="checkbox"/> Windows 7 Ultimate 32bit	7-2
	<input checked="" type="checkbox"/> Windows XP Professional English SP3 32 Bit	7-3
Power Supply	ATX Power Supply : N/A	N/A
	AT Power Supply: N/A	N/A
	DC Adapter : FSP060-DBAE1	1,2,3,4,5,6,7,8,9
Battery Model	N/A	N/A
<b>Chipset Information with Windows 7 Ultimate English Version 32Bit Driver Version</b>		
Chipset Software	Intel® Chipset Device Software 9.2.2.1034(7/20/2011)	
PCH Bridge	Intel®NM10	
South Bridge	N/A	
Super IO Chipset	Fintek 81801D-I & Fintek 81216	
VGA Chipset	Intel® Graphics Media Accelerator 3600 Series 8.14.8.1086(08/17/2012)	
Audio Chipset	Realtek High Definition Audio 6.14.0.3081(6/9/2011)	
Ethernet Chipset	Realtek PCIe GBE Family Controller 7.43.321.2011(3/21/2011)	
Wireless	VIA 802.11b/g/n USB Wireless Network Adapter 1.3.0.0 (1/26/2011)	

## Summary Table of contents:

Platform Information .....	4
1. Hardware Test .....	6
1.1. CPU Compatibility Test .....	6
1.2. Memory Compatibility Test.....	6
1.3. SATA Compatibility Test .....	6
1.4. mSATA Compatibility Test .....	6
1.5. Compact Flash Compatibility Test .....	7
2. Basic Function Test.....	8
2.1. Video Function Test .....	8
2.2. Audio Function Test .....	9
2.3. LAN Function Test .....	10
2.4. Optional Function Test .....	12
3. Integration Test.....	13
3.1. USB Port Integration Test.....	13
3.2. Digital I/O Port Test.....	13
3.3. COM Port Integration Test .....	13
3.4. RS-422 / RS-485 Test.....	13
3.5. LPT Port Test.....	14
3.6. CAN BUS Test.....	14
3.7. Burn In Test .....	14
4. Application Test.....	15
4.1. PCI Slot Function (PCI Adapter Card) Test .....	15
4.2. PCI-Express Function Test.....	15
4.3. Mini PCI Card Compatibility Test .....	16
4.4. CardBus (PCMCIA) Compatibility Function Test .....	16
4.5. ISA Slot Function Test .....	16
4.6. Adapter Compatibility- Industry Control Card PC/104, PC/104+, PCI-104.....	16
4.7. SSD Modules Compatibility Test .....	17
4.8. Peripheral Compatibility- Storage Device Test .....	17
5. Time Accuracy Test.....	18
5.1. System Clock & RTC Clock Test.....	18
5.2. Booting Timer Test .....	18
5.3. Watchdog Timer Test.....	18
6. O.S. Compatibility Test .....	19
6.1. English Ubuntu 12.04 – Kernel 3.2.0-23-generic .....	19
6.2. Windows 7 Ultimate English Version 32/64Bit .....	20
6.3. Windows XP Professional English Version 32/64bit.....	21
7. BIOS Function Test .....	22
7.1. Advanced Test .....	22
7.2. Chipset Test.....	22
7.3. Boot Test .....	22
7.4. CMOS Backup / Clear CMOS Test .....	23
7.5. AAEON Tag Check Utility.....	23
7.6. Supervisor / User Password Test .....	23
7.7. PC Health Status .....	23
7.8. Hi-safe Test.....	23
8. Performance Test .....	24

# 1. Hardware Test

## 1.1. CPU Compatibility Test

CPU Information	Result			Note
	Pass	Fail	N/A	
Intel® Cedar View™ Processor N2600 (1M Cache, 1.6 GHz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows 7

## 1.2. Memory Compatibility Test

Memory Information	MEM V4.2			Note
	Pass	Fail	N/A	
DSL DDR3 1333 2GB CL9 Hynix H5TQ2G83CFR	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Transcend DDR3 1333 4GB SEC 246 XYKO K4B2G0846D	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
innoDisk DDR3 1333 2GB Micron 2AD22D9NGZ	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## 1.3. SATA Compatibility Test

### 1.3.1 Onboard SATA (IDE) Test

SATA Device Information	Result			Note
	Pass	Fail	N/A	
Seagate ST9120823AS 2.5" 120G	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Hitachi HDS721050CLA362 3.5" 500G	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
TOSHIBA MK1665GSX 2.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Seagate ST3250318AS 3.5" 250GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
TOSHIBA MK1060GSC 2.5" 100G	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 1.3.2 Onboard SATA (RAID) Test

SATA RAID Test		Result			Note
		Pass	Fail	N/A	
RAID-0 (HDDx2) Striping/Span Test	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-1 (HDDx2) Mirror Test	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-5 (HDDx3) Striping/Span Test Rotation Parity	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-10 (HDDx3) Striping/Span Test Mirroring	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	4	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 1.3.3 Onboard SATA (AHCI) Test

SATA AHCI Test	Result			Note
	Pass	Fail	N/A	
TOSHIBA MK1060GSC 2.5" 100G	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

## 1.4. mSATA Compatibility Test

m-SATA Information	Result			Note
	Pass	Fail	N/A	
Memo Right MSM-500 Series (MRMAJ5D016GN9M1C00)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Innosisk mSATA mini 3ME 64GB (DEMMSM-64GD07SW1DC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SanDisk SDSA5FK-032G-Q	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 1.5. Compact Flash Compatibility Test

Compact Flash Information	Result			Note
	Pass	Fail	N/A	
Innodisk CFast standard 4GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Transcend Cfast 500series 16GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

## 2. Basic Function Test

### 2.1. Video Function Test

#### 2.1.1. Single Output Function Test

Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version													
CPU	Intel® Cedar View™ Processor N2600 (1M Cache, 1.6 GHz)												
Memory	Transcend DDR3 1333 4GB SEC 246 XYKO K4B2G0846D												
HDD	Innosisk mSATA mini 3ME 64GB (DEMSM-64GD07SW1DC)												
HDMI	View Sonic VT-2430-NT monitor												
DVI	N/A												
LVDS	N/A												
Color Quality	<input checked="" type="checkbox"/> 16bit <input type="checkbox"/> 24bit <input checked="" type="checkbox"/> 32bit												
Resolution	VGA			DVI			HDMI			LVDS			Note
	Pass	Fail	N/A	Pass	Fail	N/A	Pass	Fail	N/A	Pass	Fail	N/A	
640X480	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
800X600	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1024X768	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1152X864	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X600	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X720	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X768	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X960	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X1024	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1400X1050	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X900	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X1200	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1680X1050	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1792X1344	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1856X1392	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1080	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1200	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1440	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2048X1536	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Rotation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Note: Pay attention with Full Screen under POST screen and Text Mode.

#### 2.1.2. Dual Output Function Test

Selection	Output	Result			Note
		Pass	Fail	N/A	
Dual Display Clone	VGA + DVI	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	



### 2.1.3. Video Resolution Test

Test points:

1. Power on without inserting any VGA connector until system reaches Windows desktop
2. Plug VGA connector into test machine while system reaches Windows then check VGA driver and display
3. Check VGA output Brightness is normal and it shows "Ghost Image" / "Flicker" or not

	Result			Note
	Pass	Fail	N/A	
In Windows Desktop	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 2.1.4. Video Resolution Test

LVDS Model	Result			Note
	Pass	Fail	N/A	
1_AUO G065VN01 V.0 / 6.5" / 640x480 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2_AUO G065VN01 V.0 / 6.5" / 640x480 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3_Data Image 7" / 800*480 / 18bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
4_AU G084SN05 V.3 / 8.4" / 800*600 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
5_AU B104SN02 V.0 / 10.4" / 800*600 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
6_AUO G084SN05 v7 / 8.4" / 800*600 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
7_AU G150XG01 V.0 / 15" / 1024*768 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
8_AU M150XN07 V.2 / 15" / 1024x768 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
9_Toshiba /12.1"/1280 x 768 x 18bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
10_AU M170EG01 V.D/ 17" / 1280*1024 / 48bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
11_AU M170XW01 V.1 / 17" / 1280x768 / 24bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
12_AUO T260XW02 / 26" / 1366x768 / 24bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
13_AU M201UN02 V.5 / 20.1" / 1600x1200x48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
14_AUO T370HW01 / 37" / 1920x1080 / 48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
15_AUO M190PW01 V0 / 19"/1440X900/48 bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 2.2. Audio Function Test

[ ] No Support

Function Test	Result			Note
	Pass	Fail	N/A	
HDMI Output	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CD_In	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Line In	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
MICROPHONE	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
6-channel mode for 5.1 speaker output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
8-channel mode for 7.1 speaker output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
S/P DIF function Test	Input	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

## 2.3. LAN Function Test

[ ] No Support

Connect two computers via different speed LAN HUB by using "Ping" instruction (1000 times)							
1000MBps LAN HUB	D-Link DGS-1008D						
100MBps LAN HUB	HP J4095A 24 Ports						
10MBps LAN HUB	SVEC FD916H						
OnBoard LAN1	Realtek PCI Express RTL 8111E Giga LAN				MAC Address	00-E0-4C-68-00-1F	
OnBoard LAN2	Realtek PCI Express RTL 8111E Giga LAN				MAC Address	00-E0-4C-68-00-2F	
LAN Speed	LAN 1			LAN 2			Note
	Pass	Fail	N/A	Pass	Fail	N/A	
1000MBps	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
100MBps	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
10MBps	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Wake On LAN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	DOS S5 & OS S5
Boot ROM to Novell 4.11 [RPL]	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
LAN Boot (PXE)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Internet Browser (DHCP Server)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 2.3.2. Throughput Test

[ ] No Support

DUT Platform Information:

<input type="checkbox"/>	Fedora Core 13
<input type="checkbox"/>	Cent 5.5
<input checked="" type="checkbox"/>	Ubuntu 12.04 3.2.0-23-generic
<input type="checkbox"/>	Red Hat

Note : Connection-Level Performance (Interaction Constants Duration Time Set to 60 Sec.)


Graphics Media	Ubuntu 12.04 3.2.0-23-generic Default setting
LAN	LAN1→ Realtek PCI Express RTL 8111E Giga LAN Ethernet: 8.023.00-NAPI LAN2→ Realtek PCI Express RTL 8111E Giga LAN Ethernet: 8.023.00-NAPI
Audio Driver	Ubuntu 12.04 3.2.0-23-generic Default setting

SMB Platform Information:

Chassis	SPIRENT Smartbits 600B
Chassis Version	2.80.003 (Cur) 2.50.000
Chassis Serial #	06014047
Library	6.00-29
API	5.50.42.01
File	0550042
Module	2 * LAN-3324A SmartMetrics XD 4-Port 10/100/1000Base-T Gigabit Ethernet
Test Software	SmartFlow5.50.42.1

Test Result:


- Half Direction (LAN1: Realtek PCI Express RTL 8111E Giga LAN Ethernet → LAN2: Realtek PCI Express RTL 8111E Giga LAN Ethernet)



Throughput vs Frame Size

<u>Name/FrameSize</u>	<u>64</u>	<u>128</u>	<u>256</u>	<u>512</u>	<u>1024</u>	<u>1280</u>	<u>1518</u>
Total	11.828125	18.7890625	28.84375	42.765625	59.0078125	65.96875	74.4765625
A Group	11.828125	18.7890625	28.84375	42.765625	59.0078125	65.96875	74.4765625
A 1-1->1-2	N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. Binary Direction (LAN1: Realtek PCI Express RTL 8111E Giga LAN Ethernet → LAN2: Realtek PCI Express RTL 8111E Giga LAN Ethernet)



Throughput vs Frame Size

<u>Name/Framesize</u>	<u>64</u>	<u>128</u>	<u>256</u>	<u>512</u>	<u>1024</u>	<u>1280</u>	<u>1518</u>
Total	9.5078125	14.1484375	24.203125	35.8046875	47.40625	52.046875	55.9140625
A Group	9.5078125	14.1484375	24.203125	35.8046875	47.40625	52.046875	55.9140625
A 1-1->1-2	N/A	N/A	N/A	N/A	N/A	N/A	N/A
A 1-2->1-1	N/A	N/A	N/A	N/A	N/A	N/A	N/A

2.4. Optional Function Test

[ ] No Support

Function Test	Result			Note
	Pass	Fail	N/A	
3G Module	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
GPS	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Wireless LAN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Bluetooth	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 3. Integration Test

Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version	
<b>CPU</b>	Intel® Cedar View™ Processor N2600 (1M Cache, 1.6 GHz)
<b>Memory</b>	Transcend DDR3 1333 4GB SEC 246 XYKO K4B2G0846D
<b>HDD</b>	Innosisk mSATA mini 3ME 64GB (DEMSM-64GD07SW1DC)
Chipset Information with Windows 7 Ultimate English Version 32Bit Driver Version	
Chipset Software	Intel® Chipset Device Software 9.2.2.1034(7/20/2011)
PCH Bridge	Intel®NM10
South Bridge	N/A
Super IO Chipset	Fintek 81801D-I & Fintek 81216
VGA Chipset	Intel® Graphics Media Accelerator 3600 Series 8.14.8.1086(08/17/2012)
Audio Chipset	Realtek High Definition Audio 6.14.0.3081(6/9/2011)
Ethernet Chipset	Realtek PCIe GBE Family Controller 7.43.321.2011(3/21/2011)
Wireless	VIA 802.11b/g/n USB Wireless Network Adapter 1.3.0.0 (1/26/2011)

#### 3.1. USB Port Integration Test

Item	USB Port	Boot			Function(Win7)			Note
		Pass	Fail	N/A	Pass	Fail	N/A	
USB HDD		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Transcend USB3.0 8G Transcend USB3.0 32G
USB FDD Mitsumi D353GUE		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SONY USB2.0 DVD-R/W DRX-830UL		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Hub Test (Connect USB Device) HUB Port1: USB Keyboard / HUB Port2: USB Mouse / HUB Port3: USB HDD								
USB 2.0 HUB PowerSync / USB 2.0 4 Port HU-155					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### 3.2. Digital I/O Port Test

DIO Address (0x6Eh)	Result			Note
	Pass	Fail	N/A	
DIO VCC +3.3V	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

#### 3.3. COM Port Integration Test

Test Item	Result			Note
	Pass	Fail	N/A	
Serial Modem Dial Out	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Com1~Com2
Serial Modem Ring In	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Test by Modem (Not Supply)
Serial Modem +12V	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Test by Multimeter
Serial Modem +5V	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Test by Multimeter

#### 3.4. RS-422 / RS-485 Test

Test Item	Result			Note
	Pass	Fail	N/A	
RS-422 for COM1 & COM2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Use loopback and WINSSD.exe to test RS-422 port in Windows
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The communication between the RS-485 ports of two boards is linked with one 1200M cable on Windows Terminal
RS-485 for COM1 & COM2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Use ICP CON I-7044D D/IO Module in Windows(Support Auto flow control)
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The communication between the RS-485 ports of two boards is linked with one 1200M cable on Windows Terminal

### 3.5. LPT Port Test

Test Item	Result			Note
	Pass	Fail	N/A	
XEROX Phaser 3124 Laser Printer	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 3.6. CAN BUS Test

CAN BUS Compatibility Test	Result			Note
	Pass	Fail	N/A	
ICP I-7565-H2-G CR	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
40 meter transmission test	Result			Note
	Pass	Fail	N/A	
20K Baud rate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
50K Baud rate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
100K Baud rate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
250K Baud rate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
500K Baud rate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1M Baud rate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 3.7. Burn In Test

Under Room Temperature: 26 °C

Test Item	Result			Note
	Pass	Fail	N/A	
Burn In Test V7.1 Pro	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Windows 7 Ultimate English Version 32

Note: COM PORT Speed Set to 115200.

## 4. Application Test

### 4.1. PCI Slot Function (PCI Adapter Card) Test

[ X ] No Support

Adapter VGA Card	Set Simultaneous Display and Reboot			Note
	Pass	Fail	N/A	
CHAINTECH NVIDIA GeForce4 MX440-8X	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Adapter Sound Card	Play Sound			Note
	Pass	Fail	N/A	
Creative Sound BLASTER Live5.1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Adapter SCSI Card	Copy files to SCSI HDD			Note
	Pass	Fail	N/A	
ADAPTEC Ultra160 SCSI ASC-29160	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Adapter Image Capture Card	Connect to CCD			Note
	Pass	Fail	N/A	
I-VIEW CP-1400AS (with Age STD-477FAI CCD)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Adapter LAN Card	Connect to Internet			Note
	Pass	Fail	N/A	
Intel GD82559 10/100 Mbps Fast Ethernet Adapter	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
INTEL PWLA8391GTBLK Pro/1000 Giga LAN Card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Adapter RAID Card	RAID 0 , 1 , 10 Function Test			Note
	Pass	Fail	N/A	
ADAPTEC 1420SA RoHS 4-Port SATA II RAID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 4.2. PCI-Express Function Test

PCI-Express x1	Function Test			Note
	Pass	Fail	N/A	
SUNIX SATA1414 eSATA & SATAII x1Express card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Syskonnect SK-9E21D 10 /100/1000 Base-T Adapter PCI-Express x1 LAN Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCI-Express x4	Function Test			Note
	Pass	Fail	N/A	
Adaptec AAR-1430SA SATAII HostRAID Controllers PCI-Express x4 RAID Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCI-Express x16	Function Test			Note
	Pass	Fail	N/A	
ASUS EAX1600PRO/TD/256M/A (ATI Chipset) PCI-Express x16 VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
WINFAST PX6200 TC TDH PCI-Express x16 VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Express card	Function Test			Note
	Pass	Fail	N/A	
SUNIX SATA II Express card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
SunBox 34mm Giga LAN Express Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Mini PCI Express Card	Function Test			Note
	Pass	Fail	N/A	
Sil3132 Mini PCI-E Function Test Card (USB Interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3132ME Sil3132Mini PCI-E SATA RAID Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Detect PASS

(PCI-e interface)				
Aether COM-ME232s2 serial port PCI-E interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	115200
AzureWave AW-NE768H 802.11 b/g/n wireless card (PCI-E interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
AzureWave AW-NB041H Wireless + BT (PCI-E+USB interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Sierra Wireless MC8790 3G	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
AzureWave AW-NB037 Wireless + BT	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 4.3. Mini PCI Card Compatibility Test

[ X ] No Support

Device Item	Function Test			Note
	Pass	Fail	N/A	
Mini PCI.10/100 Base-Tx LAN (W/Intel.82551QM .A1.0) (Model:PER-C10L)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
GM-101 WLAN 11b/g 54Mbps Mini PCI Card (Model: VNT6655AM)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ADLINK mPCI-8750 ATI Rage XL Mini PCI VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 4.4. CardBus (PCMCIA) Compatibility Function Test

[ X ] No Support

Device Item	Bit	Function Test			Note
		Pass	Fail	N/A	
Intel PRO/Wireless 2011B LAN PC Card (WPC2011BWW)	Slot 1 (Up)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[PC-200200]
	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Kingston datapack DP-PCM2 / 2GB (PC Card Typell HDD)	Slot 1 (Up)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[PC-200201]
	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCi GW-NS54SG Cardbus Adapter Wireless LAN Type-II	Slot 1 (Up)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[PC-200502]
	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCi GW-NS54SG Cardbus Adapter Wireless LAN Type-II	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[PC-200502]

### 4.5. ISA Slot Function Test

[ X ] No Support

Test Item	Result	Result			Note
		Pass	Fail	N/A	
SCSI Card Adaptec AHA-1520B SCSI Card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[SS-002]	
LAN Card NE2000 Compatible LAN Card (RTL8019AS)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[NW-014]	
VGA Card CIRRUS LOGIC 5429 FCC ID:ICUVGA-GWV27A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[VC-008]	

### 4.6. Adapter Compatibility- Industry Control Card PC/104, PC/104+, PCI-104

[ X ] No Support

#### 4.6.1. Device List: PC/104 Module

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PCM-3660	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	



**4.6.2. Device List: PC/104+ Module**

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PCM-3430	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

**4.6.3. Device List: PCI-104 Module**

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PCM-3730	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

**4.6.4. Device List: PCI/104 Express Module**

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PER-123	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

**4.7. SSD Modules Compatibility Test**

SSD HDD Compatibility Test:

Cable Type:  IDE  SATA2  MLC  SLC

Test Item	Result			Note
	Pass	Fail	N/A	
Transcend SSD 16G - TS16GSSD25S	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

**4.8. Peripheral Compatibility- Storage Device Test** No Support**4.8.1. Disk on Chip (DOC) Test**

Test Item		Result			Note
		Pass	Fail	N/A	
DOC 2000 Model	16MB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M-System / MD2200-D16
DOC 2000 Onboard Address	CC00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	D000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	D400	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	D800	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	DC00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Disable	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

**4.8.2. Disk on module (DOM) Test**

Test Item	Result			Note
	Pass	Fail	N/A	
Transcend / TS512MDOM40V / 512MB / IDE 40 Pin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Transcend / TS512MDOM44V / 512MB / IDE 44 Pin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## 5. Time Accuracy Test

### 5.1. System Clock & RTC Clock Test

Under Room Temperature: 26 °C

Function	Item	Time Interval	Criteria	Actual		Result			Note
						Pass	Fail	N/A	
RTC Clock in Power On Mode		24 hrs	+/-2 sec	+1	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RTC Clock in Power Off Mode		24 hrs	+/-2 sec	+1	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 5.2. Booting Timer Test

Installation	Actual		Note
System Booting Time	5.2	Sec	Press the Power Button till "Beep" Sound appears

### 5.3. Watchdog Timer Test

Use Function as below: Hi-safe

[ ] No Support.

Time-Out Interval	Criteria	Actual		Result			Note
				Pass	Fail	N/A	
10 sec	+/-2 sec	10.1	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
60 sec	+/-2 sec	60.23	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
255 sec	+/-2 sec	252.18	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Note : Under Room Temperature: 26°C / DOS Mode

## 6. O.S. Compatibility Test

### 6.1. English Ubuntu 12.04 – Kernel 3.2.0-23-generic

[ ] No Support

Driver Information:

Chipset Software	Ubuntu 12.04 default driver
Graphics Media	Ubuntu 12.04 default driver
Audio Driver	Ubuntu 12.04 default driver
LAN Driver	Ubuntu 12.04 default driver

Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
English Ubuntu 12.04 – Kernel 3.2.0-23-generic	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Type uname -a

Test Result:

Test Item	Result			Note
	Pass	Fail	N/A	
<b>Display Function Test</b>				
HDMI -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Network Function Test</b>				
Connect to Internet – LAN 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Wireless (default driver)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Audio Function Test</b>				
Play Audio Function Test (HDMI output)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Play Audio Test
<b>Base Function Test</b>				
Mouse Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Keyboard Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Console Redirection	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
CD-ROM Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USB
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>X Windows Application</b>				
Start Button Office	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Office function
X-Window	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Startx – Desktop in Linux
<b>Command Test On Text Mode: Attention Delay Phenomenon</b>				
uname -a	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Show information
Shutdown	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 0 or shutdown -h now
Restart the Computer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 6 or shutdown -r now
Halt	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Power Off Mode
ls / clear .....; cd /dev /ls -l	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Command instruction

## 6.2. Windows 7 Ultimate English Version 32/64Bit

[ ] No Support

[X] x32 Driver Information:

Chipset Software	Intel(R) Chipset Device Software 9.2.2.1034(7/20/2011)
Graphics Media	Intel® Graphics Media Accelerator 3600 Series 8.14.8.1086(08/17/2012)
Audio Driver	N/A
LAN Driver	Realtek PCIe GBE Family Controller 7.43.321.2011(3/21/2011)

### Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows 7 Ultimate ACPI Mode (AHCI)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
<b>Single Display</b>				
HDMI -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Boot - Windows 7 Ultimate Advanced Options Menu</b>				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Basic Function Test</b>				
PS/2 Mouse and Keyboard	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
COM Port Mouse detect	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>LAN Function Test</b>				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Bluetooth	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Wireless	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Audio Function Test</b>				
Line Out Test (HDMI Output)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Line In Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Microphone Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
S/P DIF Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
<b>Start Menu</b>				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby(S1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Support USB KB/MS
Standby(S3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 6.3. Windows XP Professional English Version 32/64bit

[ ] No Support

[X] x32 Driver Information:

Chipset Software	Intel(R) Chipset Device Software 9.2.2.1034(7/20/2011)
Graphics Media	Intel(R) Corporation Atom? 2000/D2000 Series 1.15.0.3190(9/18/2012)
Audio Driver	N/A
LAN Driver	Realtek PCIe GBE Family Controller 5.792.1208.2011(12/8/2011)

#### Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows XP Professional English SP3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
<b>Single Display</b>				
HDMI -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Boot - Windows XP Professional Advanced Options Menu</b>				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Basic Function Test</b>				
PS/2 Mouse and Keyboard	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
COM Port Mouse detect	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>LAN Function Test</b>				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Wireless	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Audio Function Test</b>				
Line Out Test (HDMI Output)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	XP not Supply
Line In Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Microphone Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
S/P DIF Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
<b>Start Menu</b>				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby(S1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Support USB KB/MS
Standby(S3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## 7. BIOS Function Test

Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version	
CPU	Intel® Cedar View™ Processor N2600 (1M Cache, 1.6 GHz)
Memory	Transcend DDR3 1333 4GB SEC 246 XYKO K4B2G0846D
HDD	Innosisk mSATA mini 3ME 64GB (DEMMSM-64GD07SW1DC)

### 7.1. Advanced Test

Test Item	Result			Note	
	Pass	Fail	N/A		
ACPI settings	Enable Hibernation	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	Sleeps state (S1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Sleeps state (S3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Sleeps state (Auto)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Sleeps state (Disable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RTC Wake Setting	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CPU configuration	Hyper-threading	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	CPU Smart Thermal Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
IDE configuration	SATA controller	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	AHCI mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	IDE mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB configuration	Legacy USB Support	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Com port configuration (F81801 & F81216)	Serial port 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	Serial port 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RS232	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RS422	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RS485	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 7.2. Chipset Test

Test Item	Result			Note		
	Pass	Fail	N/A			
Host Bridge	Fixed Graphics Memory size 128MB/256MB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
South Bridge	Onboard Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	Power mode	AT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		ATX	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Restore AC power loss	Power off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Power on	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Last State		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

### 7.3. Boot Test

Test Item	Result			Note
	Pass	Fail	N/A	
Quiet Boot	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Launch LAN PXE OpROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From Hard Disk	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From CDROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB HDD	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB Floppy	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB CD-ROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot from LAN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Disable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### 7.4. CMOS Backup / Clear CMOS Test

Test Item	Result			Note
	Pass	Fail	N/A	
CMOS Backup	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear Date and time
Clear CMOS Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear Date and time

#### 7.5. AAEON Tag Check Utility

Test Item	Result			Note
	Pass	Fail	N/A	
Check AAEON BIOS OK	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AONCHECK.EXE

#### 7.6. Supervisor / User Password Test

Test Item	Result			Note
	Pass	Fail	N/A	
Supervisor Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
User Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### 7.7. PC Health Status

Test Point: The value between Actual Voltage and Voltage Monitor must be + /- 5%

Voltage Monitoring Test	Result			BIOS (V)	Actual (V)	Note
	Pass	Fail	N/A			
CPU temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	47°C	42.4°C	
System temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42°C	39.0°C	
CPU_Vcore	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.056V	1.01	
Vcc_DIMM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.528V	1.52	
3.3V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.344V	3.35	
3VSB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.44V	3.36	
VBAT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.312V	3.25	

#### 7.8. Hi-safe Test

Test Item	Result			Note	
	Pass	Fail	N/A		
Version(20140113)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
System Information	CPU Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Model Name	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Display Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RAM Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Support single DIMM
H/W Monitor	Info	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Fan Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Voltage	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
WatchDog	10sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Actual 10.1 sec
	1min	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Actual 60.23sec
	255sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Actual 252.18sec
	Auto Reload	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SMBus	SMBus IO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SMBus Address 0xF000
	Read Byte	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Slave Address A2h
	Read Word	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Result / Read	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## 8. Performance Test

Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version	
CPU	Intel® Cedar View™ Processor N2600 (1M Cache, 1.6 GHz)
Memory	DSL DDR3 1333 2GB CL9 Hynix H5TQ2G83CFR
HDD	Memo Right MSM-500 Series (MRMAJ5D016GN9M1C00)

### 8.1. Performance Test

Test Result: (Display set 1920\*1080 test)

Testing Software	Scope		Note
	AAEON	Ref.	
<b>CPU Mark99</b>			<b>Windows 7</b>
Scores	115	-	

Testing Software	Scope		Note
	AAEON	Ref.	
<b>PCMark2002</b>			<b>Windows 7</b>
CPU	N/A	-	
Memory	6351	-	
HDD	1864	-	
Benchmark (A)	-		
<b>PCMark2005</b>			<b>Windows 7</b>
PCMark	N/A	-	PCMarks
CPU	1899	-	
Memory	2338	-	
Graphics	541	-	
HDD	10143	-	
Benchmark (B)	-		
Average Efficiency	-		

Testing Software	Scope		Note
	AAEON	Ref.	
<b>3Dmark2003 v360</b>			<b>Windows 7</b>
3Dmark Score	1002	-	
CPU Score	256	-	
Benchmark (A)	-		
<b>3Dmark2006 v120</b>			<b>Windows 7</b>
3Dmark Score	227	-	
SM2.0	88	-	
HDR/SM3.0	70	-	
CPU Score	828	-	



Testing Software	Scope		Note
	AAEON	Ref.	
<b>Final Reality V1.01—BenchMark Test</b>			<b>Windows 7</b>
2D image	21.66	-	
3D	3.21	-	
Bus transfer	6.61	-	
Overall	9.26	-	
Benchmark (A)	-		Reality marks

Testing Software	Scope		Note
	AAEON	Ref.	
<b>Performance Test 7.0</b>			<b>Windows 7</b>
PassMark Rating	208.9	-	
CPU Mark	615.6	-	
2D Graphics Mark	35.3	-	
3D Graphics Mark	57.7	-	
Memory Mark	228.4	-	
Disk Mark	495.8	-	
Benchmark (A)	-		

Testing Software	Scope		Note
	AAEON	Ref.	
<b>Windows experience index</b>			<b>Windows 7</b>
Processor	3.3	-	
Memory	4.6	-	
Graphics	5.9	-	
Gaming graphics	3.2	-	
Primary hard disk	5.9	-	