

Report NO: 12IP010001

# LIB75A

## Intel B75 chipset Mini-ITX Board

### P5 Verification Test Report

Summary	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail <input type="checkbox"/> Pass with Deviation (Comment: _____)			
	Test Results Category			
	Critical	Major	Minor	Enhancement
Defect Found	0	0	0	0
Defect Unsolved	0	0	0	0

Issue date

2012/09/04

Approval

Tom Lin

Test Engineer

Jack Huang

**Version Released Records**

Date	Version	Change History	Note
2010/04/21	P3-1001	1. Re-composing test Items	
2010/06/01	P2P3-1001	1. New Test Report	
2010/06/21	P2P3-1002	1. Add BIOS -> SPI ROM Setting (South Bridge - GPIO)	
2010/12/02	P2P2-1003	1. New Test Report	
2011/02/23	P2P3-1101	1. Re-composing test Items	
2011/03/04	P2P3-1102	1. Add Specification Validation	

**Note :**

For all test items in this report, 3 results have been defined and described as following:

- Pass:            Functionality work perfectly
- Fail:            Functionality failed and must be resolved in the next version
- N/A:            Functionality Not Applicable or Not Available

**This test report would be updated when re-test completed in product next change version.**

## Specification Validation

### Main Specification

Item	Specification	Result			Note
		Pass	Fail	N/A	
Form Factor	Mini-ITX motherboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Processor	Intel® Socket 1155 for 2nd Generation Core™ i7/Core™ i5/Core™ i3 Processors (IVY Bridge Platform) Supports Intel® 22 nm CPU up to 95W Supports Intel® Turbo Boost Technology 2.0 * The Intel® Turbo Boost Technology 2.0 support depends on the CPU types.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
System Memory	2 x DIMM 240-pin, Max. 16GB (8GB per DIMM), DDR3 1333/1066 MHz Memory Dual Channel Memory Architecture (supporting 1600 for IVY bridge CPU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Chipset	Intel® B75	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Ethernet	10/100/1000Base-TX Ethernet x 2 (Realtek RTL8111F-VB-CG)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
I/O Chip	ITE 8728F	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Storage	4x SATA ports, - 1 x SATA 6.0 Gb/s - 2 x SATA 3.0 Gb/s	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SSD	N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Digital I/O	8-bit Digital I/O interface (4-in /4-out)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
TPM	Infineon SLB9635 TT 1.2 (Optional)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LPT	NA	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
WDT	1~255 step by software program	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HW Monitor	Monitors CPU/system temperature and overheat alarm Monitors Vcore/5V/3.3V/12V voltages and failure alarm Monitors CPU/system fan speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio	1 x Realtek ALC887-VD2-CG	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Expansion Interface	1 x PCIe 2.0 [x16] (support PCIe 3.0 for IVY bridge CPU)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Power Requirement	1 x 24pin ATX connector 1 x 4pin ATX 12V Power connector 1 x CPU fan, 1 x System fan with 4-pin wafer for Smart FAN support (selectable AT/ATX mode for power on)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Board Size (L x W)	6.7" x 6.7" (170 x 170 mm)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Display					
Chipset	Intel® Ivy Bridge + B75	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Resolution	- Supports RGB with max. Resolution 1920 x 1200 @ 75 Hz - Supports HDMI with Resolution 1080 @ 60 Hz Maximum shared memory of 1748 MB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Output Interface	1 x VGA, 3 x HDMI on Rear IO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
I/O					
Serial Port	1 x RS-232/422/485 supports 5/12V 1 x RS-232	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
KB & Mouse	2 x PS/2 Port (KB & MS)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Universal Serial Bus	2 x USB 3.0 (On rear I/O), 2 x USB 3.0 (Box header 2.00mm) 2 x USB 2.0 (On rear I/O), 4 x USB 2.0 (Pin header 2.00mm)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio	3 x Audio Jack w/BTX Type (Mic-in, Line-out, Line-in) on Rear IO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Ethernet	2 x RJ45 on Rear IO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Display	1 x VGA, 3 x HDMI on Rear IO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### O.S. Support

Item	Specification	Result			Note
		Pass	Fail	N/A	
Microsoft Embedded	Windows CE	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	Windows XP Embedded	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Microsoft Windows	Windows XP Pro, 32bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Windows 7, 32bit / 64bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Linux	Linux kernel 2.6.x or above	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### Environmental Specifications

Item	Specification
Operating temperature	32~140°F (0~60°C)
Storage temperature	-4~158°F (-20~70°C)
Operating Humidity	10~80%, non-condensing
Power Compliance	Compliant with EuP/ErP
Vibration	N/A
Shock	N/A
Drop	N/A
EMI	CE & FCC Class A

**Note:** Please refer Environment Test Report for detail information

## Platform Information

Item	Device Information	Test Item
PCB Model / Version	EMB-B75A A1.02	1,2,3,4,5,6,7,8,9
BIOS / Version	EMB-B75A R1.1(EM75AM11) (08/31/2012)	1,2,3,4,5,6,7,8,9
CPU Type	Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)	1,2,3,4,5,6,7,8,9
Memory Type	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2 (Total 16GB, Win7_32 use 3.92GB)	1,2,3,4,5,6,7,8,9
SATA HDD	WDC WD6402AAEX-00Z3A0 3.5" 7200rpm 640GB	1,2,3,4,5,6,7,8,9
SATA DVD-ROM	LG H.L GH20 NS15 8X	1,2,3,4,5,6,7,8,9
USB DVD-ROM	ASUS SDRW-08D2S-U/DBLK/G/AS	1,2,3,4,5,6,7,8,9
LCD Monitor	LG E2260 22" LED monitor	1,2,3,4,5,6,7,8,9
LVDS	N/A	1,2,3,4,5,6,7,8,9
Cfast	N/A	1,2,3,4,5,6,7,8,9
Daughter Board	N/A	N/A
Expansion Board	N/A	N/A
Operating System	<input checked="" type="checkbox"/> English Fedora 15 Kernel 2.6.38.6-26.fc15.i686	7-1
	<input checked="" type="checkbox"/> Windows 7 Ultimate 32/64Bit	7-2
	<input checked="" type="checkbox"/> Windows XP Professional English SP3 32 Bit	7-3
Power Supply	ATX Power Supply : Zippy HG2-6400P 400W	1,2,3,4,5,6,7,8,9
	AT Power Supply: Zippy HG2-6400P 400W	1,2,3,4,5,6,7,8,9
	DC Adapter : N/A	N/A
Battery Model	N/A	N/A
<b>Chipset Information with Windows 7 Ultimate English Version 32Bit Driver Version</b>		
Chipset Software	Intel Chipset Device Software 9.3.0.1019(2011/12/6)	
PCH Bridge	Intel B75	
Super IO Chipset	Fintek F81866D	
VGA Chipset	Intel(R) HD Graphics 4000 8.15.10.2712(2012/03/26)	
Audio Chipset	Realtek High Definition Audio 6.0.1.6602(2012/03/27)	
Ethernet Chipset	Realtek PCIe GBE Family Controller 7.53.216.2012 (2012/02/16)	

## Summary Table of contents:

Platform Information .....	5
1. Hardware Test .....	7
1.1. CPU Compatibility Test .....	7
1.2. Memory Compatibility Test .....	7
1.3. SATA Compatibility Test .....	7
1.4. CF Card Compatibility Test .....	8
2. Basic Function Test.....	9
2.1. Video Function Test .....	9
2.2. Audio Function Test .....	11
2.3. LAN Function Test .....	11
2.4. Jumper Setting Test .....	13
3. Integration Test.....	14
3.1. USB Port Integration Test.....	14
3.2. Digital I/O Port Test.....	14
3.3. COM Port Integration Test .....	14
3.4. RS-422 / RS-485 Test.....	14
3.5. LPT Port Test.....	15
3.6. Burn In Test .....	15
4. Application Test.....	16
4.1. PCI Slot Function (PCI Adapter Card) Test .....	16
4.2. PCI-Express Function Test.....	16
4.3. Mini PCI Card Compatibility Test .....	17
4.4. CardBus (PCMCIA) Compatibility Function Test .....	17
4.5. ISA Slot Function Test .....	17
4.6. Adapter Compatibility- Industry Control Card PC/104, PC/104+, PCI-104.....	18
4.7. SSD Modules Compatibility Test .....	18
4.8. mSATA Modules Compatibility Test .....	18
4.9. Peripheral Compatibility- Storage Device Test .....	18
4.10. Riser Card Function Test.....	19
5. Power Consumption Test .....	20
5.1. AT/ATX Power Consumption .....	20
5.2. PC Health Status .....	20
6. Time Accuracy Test.....	21
6.1. System Clock & RTC Clock Test.....	21
6.2. Booting Timer Test .....	21
6.3. Watchdog Timer Test .....	21
7. O.S. Compatibility Test .....	22
7.1. English Fedora 15 Kernel 2.6.38.6-26.fc15.i686.....	22
7.2. Windows 7 Ultimate English Version 32/64Bit .....	23
7.3. Windows XP Professional English Version 32 .....	24
8. BIOS Function Test .....	25
8.1. Advanced Test .....	25
8.2. Chipset Test.....	25
8.3. Boot Test .....	26
8.4. CMOS Backup / Clear CMOS Test .....	26
8.5. AAEON Tag Check Utility.....	26
8.6. Supervisor / User Password Test .....	26
9. Performance Test .....	27

# 1. Hardware Test

## 1.1. CPU Compatibility Test

CPU Information	Result			Note
	Pass	Fail	N/A	
Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows XP,7,
Intel® Core™ i7-3770 Processor (8M Cache, 3.4 GHz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows XP,7, Linux
Intel® Core™ i7-2600 Processor (8M Cache, 3.4 GHz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows,7,
Intel® Core™ i5-3550 Processor (6M Cache, 3.3 GHz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows XP,7, Linux
Intel® Core™ i5-2400 Processor (6M Cache, 3.1 GHz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows,7,
Intel® Core™ i3-3220T Processor (3M Cache, 2.8 GHz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows,7,

## 1.2. Memory Compatibility Test

Memory Information	MEM V4.0			Note
	Pass	Fail	N/A	
panram DDR3 1333/8GB CL9 F105X8A0W405	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2
panram DDR3 1333/4GB CL9 Hynix H5TQ2G83CFR	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2
Transcend DDR3 1333/4GB CL9 SEC K4B2G0846C	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2
Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2
Kingston DDR3 1333/4GB Kingston 02568JENCNGD9U	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2
Kingston DDR3 1066/4GB ELPIDA J2108BCSE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2

## 1.3. SATA Compatibility Test

### 1.3.1 Onboard SATA (IDE) Test

SATA Device Information		Result			Note
		Pass	Fail	N/A	
HDD	Seagate ST32000641AS 3.5" 2TB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD	Seagate ST380815AS 3.5" 80GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD	Seagate ST3160811AS 3.5" 160GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD	Seagate ST9160412AS 2.5" 160GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD	Hitachi HTS543225A7A384 2.5" 250GB.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD	WDC WD6402AAEX-00Z3A0 3.5" 7200rpm 640GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DVD	LG H.L GH20 NS15 8X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 1.3.2 Onboard SATA (RAID) Test

SATA RAID Test		Result			Note
		Pass	Fail	N/A	
RAID-0 (HDDx2) Striping/Span Test	1 Seagate ST9160412AS 2.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	SATA1/2 Win7-64
	2 Seagate ST3160811AS 3.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-1 (HDDx2) Mirror Test	1 Seagate ST380815AS 3.5" 80GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	SATA1/2 WinXP-64
	2 Seagate ST3160811AS 3.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-5 (HDDx3) Striping/Span Test Rotation Parity	1 Seagate ST9160412AS 2.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	SATA1/2/3 WinXP-32
	2 Seagate ST3160811AS 3.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3 Seagate ST380815AS 3.5" 80GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-10 (HDDx4) Striping/Span Test Mirroring	1 Seagate ST9160412AS 2.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	SATA1/2/3/4 Win7-32
	2 Seagate ST3160811AS 3.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3 Seagate ST380815AS 3.5" 80GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	4 Hitachi HDS721050CLA362 500GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 1.3.3 Onboard SATA (AHCI) Test

SATA AHCI Test	Result			Note
	Pass	Fail	N/A	
WDC WD6402AAEX-00Z3A0 3.5" 7200rpm 640GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Seagate ST500DM002 3.5" 7200rpm 500GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 1.4. CF Card Compatibility Test

CFast Information	Result			Note
	Pass	Fail	N/A	
Transcend Compact Flash 4GB ULTRA	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
innodisk 32GB D150 Series (CF SATA)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	



## 2. Basic Function Test

### 2.1. Video Function Test

#### 2.1.1. Single Output Function Test

Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version										
CPU	Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)									
Memory	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2									
HDD	Seagate ST500DM002 3.5" 7200rpm 500GB									
VGA	DELL U2410									
HDMI	DELL U2410									
LVDS	N/A									
Color Quality	<input checked="" type="checkbox"/> 16bit <input type="checkbox"/> 24bit <input checked="" type="checkbox"/> 32bit									
Resolution	VGA			HDMI1 & HDMI2 & HDMI3			LVDS			Note
	Pass	Fail	N/A	Pass	Fail	N/A	Pass	Fail	N/A	
640X480	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
800X600	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1024X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1152X864	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X600	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X720	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X960	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X1024	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1360X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1366X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1400X1050	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X900	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X1200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1680X1050	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1792X1344	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1856X1392	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1080	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1440	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2048X1536	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Rotation	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Rotation ( 0 / 90 /180 /270)

Note: Pay attention with Full Screen under POST screen and Text Mode.

#### 2.1.2. Dual Output Function Test

Selection	Output	Result			Note
		Pass	Fail	N/A	
Dual Display Clone	VGA +HDMI1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Clone	VGA + HDMI2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Clone	VGA + HDMI3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Clone	HDMI1 + HDMI2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Dual Display Clone	HDMI1 + HDMI3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Clone	HDMI2 + HDMI3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Clone	HDMI1 + HDMI2 + HDMI3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Clone	VGA + HDMI2 + HDMI3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Clone	HDMI1 + VGA + HDMI3	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dual Display Clone	HDMI1 + HDMI2 + VGA	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 2.1.3. Video Resolution Test

Test points:

1. Power on without inserting any VGA connector until system reaches Windows desktop
2. Plug VGA connector into test machine while system reaches Windows then check VGA driver and display
3. Check VGA output Brightness is normal and it shows "Ghost Image" / "Flicker" or not

	Result			Note
	Pass	Fail	N/A	
In Windows Desktop	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 2.1.4. Video Resolution Test

LVDS Model		Result			Note
		Pass	Fail	N/A	
LVDS	1_AUO G065VN01 V.0 / 6.5" / 640x480 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2_AUO G065VN01 V.0 / 6.5" / 640x480 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3_Data Image 7" / 800*480 / 18bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	4_AU G084SN05 V.3 / 8.4" / 800*600 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	5_AU B104SN02 V.0 / 10.4" / 800*600 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	6_AUO G084SN05 v7 / 8.4" / 800*600 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	7_AU G121XN01 V.0 / 15" / 1024*768 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	8_AU M150XN07 V.2 / 15" / 1024x768 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	9_Toshiba /12.1"/1280 x 768 x 18bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	10_AU M170EG01 V.D/ 17" / 1280*1024 / 48bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	11_AU M170XW01 V.1 / 17" / 1280x768 / 24bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	12_AUO T260XW02 / 26" / 1366x768 / 24bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	13_AU M201UN02 V.5 / 20.1" / 1600x1200x48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	14_AUO T370HW01 / 37" / 1920x1080 / 48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	15_AUO M190PW01 V0 / 19"/1440X900/48 bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	







## 2.2. Audio Function Test

[ ] No Support

Function Test	Result			Note
	Pass	Fail	N/A	
L (Left) Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
R (Right) Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Line In	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
MICROPHONE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6-channel mode for 5.1 speaker output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
8-channel mode for 7.1 speaker output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
S/P DIF function Test	Input	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

## 2.3. LAN Function Test

[ ] No Support

Connect two computers via different speed LAN HUB by using "Ping" instruction (1000 times)										
1000MBps LAN HUB		D-Link DGS-1008D								
100MBps LAN HUB		HP J4095A 24 Ports								
10MBps LAN HUB		SVEC FD916H								
OnBoard LAN1		Realtek RTL 8111E 10/100/1000MB					MAC Address		00-07-32-19-70-73	
OnBoard LAN2		Realtek RTL 8111E 10/100/1000MB					MAC Address		00-E0-4C-68-00-D4	
LAN Speed	Link / Speed LED	Active LED	LAN 1			LAN 2			Note	
			Pass	Fail	N/A	Pass	Fail	N/A		
1000MBps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
100MBps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10MBps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Wake On LAN			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Boot ROM to Novell 4.11 [RPL]			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
LAN Boot (PXE)			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Internet Browser (DHCP Server)			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

### 2.3.2. Throughput Test

#### DUT Platform Information:

<input type="checkbox"/>	Fedora Core 13
<input type="checkbox"/>	Cent 5.5
<input checked="" type="checkbox"/>	Ubuntu 10.10 – Kernel 2.6.35-22-generic
<input type="checkbox"/>	Red Hat

Note : Connection-Level Performance (Interaction Constants Duration Time Set to 60 Sec.)


Graphics Media	Ubuntu 10.10 Default setting
LAN	LAN2→ Realtek RTL 8111E 10/100/1000MB Ethernet: 8.031.00-NAPI
	LAN2→ Realtek RTL 8111E 10/100/1000MB Ethernet: 8.031.00-NAPI
Audio Driver	Ubuntu 10.10 Default setting

#### SMB Platform Information:

Chassis	SPIRENT Smartbits 600B
Chassis Version	2.80.003 (Cur) 2.50.000
Chassis Serial #	06014047
Library	6.00-29
API	5.50.42.01
File	0550042
Module	2 * LAN-3324A SmartMetrics XD 4-Port 10/100/1000Base-T Gigabit Ethernet
Test Software	SmartFlow5.50.42.1

#### Test Result:

- Half Direction (LAN1: Realtek RTL 8111E 10/100/1000MB Ethernet → LAN2: Realtek RTL 8111E 10/100/1000MB)




2.

Throughput vs Frame Size

<u>Name/Frame size</u>	<u>64</u>	<u>128</u>	<u>256</u>	<u>512</u>	<u>1024</u>	<u>1280</u>	<u>1518</u>
Total	19.5625	31.9375	50.5	74.4765625	100	100	100
A Group	19.5625	31.9375	50.5	74.4765625	100	100	100
A 1-3->1-4	N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. Binary Direction (LAN2: Realtek RTL 8111E 10/100/1000MB ↔ LAN2: Realtek RTL 8111E 10/100/1000MB)



Throughput vs Frame Size

<u>Name/Frame size</u>	<u>64</u>	<u>128</u>	<u>256</u>	<u>512</u>	<u>1024</u>	<u>1280</u>	<u>1518</u>
Total	18.7890625	28.0703125	38.8984375	61.328125	96.1328125	99.2265625	100
A Group	18.7890625	28.0703125	38.8984375	61.328125	96.1328125	99.2265625	100
A 1-3->1-4	N/A	N/A	N/A	N/A	N/A	N/A	N/A
A 1-4->1-3	N/A	N/A	N/A	N/A	N/A	N/A	N/A

## 2.4. Jumper Setting Test

Function Test		Result			Note
		Pass	Fail	N/A	
J1- Clear CMOS jump		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
J2- COM1 Ring/+5V/+12V Selection		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12V/5V/ RI
J3- AT& ATX PWR select		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
J4- Front plane	1-2 PWR LED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	3-4 HDD LED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	5-6 PWR button	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	7-8 HW-Reset	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 3. Integration Test

	<b>Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version</b>
<b>CPU</b>	Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)
<b>Memory</b>	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2 (Total 16GB, Win7_32 use 3.92GB)
<b>HDD</b>	Seagate ST500DM002 3.5" 7200rpm 500GB
	<b>Chipset Information with Windows 7 Ultimate English Version 32Bit Driver Version</b>
<b>Chipset Software</b>	Intell Chipset Device Software 9.3.0.1019(2011/12/6)
<b>PCH Bridge</b>	Intell B75
<b>Super IO Chipset</b>	ITE 8728F
<b>VGA Chipset</b>	Intel(R) HD Graphics 4000 8.15.10.2712(2012/03/26)
<b>Audio Chipset</b>	Realtek High Definition Audio 6.0.1.6602(2012/03/27)
<b>Ethernet Chipset</b>	Realtek PCIe GBE Family Controller 7.53.216.2012 (2012/02/16)

#### 3.1. USB Port Integration Test

Item	USB Port	Boot			Function(XP)			Note
		Pass	Fail	N/A	Pass	Fail	N/A	
USB HDD		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB FDD Mitsumi D353GUE		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Asus SDRW-08D2S-U USB2.0 DVD-R/W 8X		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Hub Test (Connect USB Device) HUB Port1: USB Keyboard / HUB Port2: USB Mouse / HUB Port3: USB HDD								
USB 2.0 HUB PowerSync / USB 2.0 4 Port HU-155					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### 3.2. Digital I/O Port Test

DIO Address	Result			Note
	Pass	Fail	N/A	
DIO VCC +5V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### 3.3. COM Port Integration Test

Test Item	Result			Note
	Pass	Fail	N/A	
Serial Modem Dial Out	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Serial Modem	Ring In	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Test by Modem
	+12V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Test by Multimeter
	+5V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Test by Multimeter

#### 3.4. RS-422 / RS-485 Test

Test Item	Result			Note
	Pass	Fail	N/A	
RS-422 for COM2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Use loopback and WINSSD.exe to test RS-422 in Windows
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The communication between the RS-485 pots of two boards is linked by one 1200M cable on Windows Terminal
RS-485 for COM2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Use ICP CON I-7044D D/IO Module in Windows(Support Auto flow control)
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The communication between the RS-485 pots of two boards is linked by one 1200M cable on Windows Terminal

### 3.5. LPT Port Test

Test Item	Result			Note
	Pass	Fail	N/A	
XEROX Phaser 3124 Laser Printer	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 3.6. Burn In Test

Under Room Temperature: 26 °C

Test Item	Result			Note
	Pass	Fail	N/A	
Burn In Test V7.0 Pro	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Windows 7 Ultimate SP1 English Version 32Bit

Note: COM PORT Speed Set to 115200.

## 4. Application Test

### 4.1. PCI Slot Function (PCI Adapter Card) Test

Adapter VGA Card	Set Simultaneous Display and Reboot			Note
	Pass	Fail	N/A	
CHAINTECH NVIDIA GeForce4 MX440-8X	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter Sound Card	Play Sound			Note
	Pass	Fail	N/A	
Creative Sound BLASTER Live5.1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter SCSI Card	Copy files to SCSI HDD			Note
	Pass	Fail	N/A	
ADAPTEC Ultra160 SCSI ASC-29160	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter Image Capture Card	Connect to CCD			Note
	Pass	Fail	N/A	
I-VIEW CP-1400AS (with Age STD-477FAI CCD)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter LAN Card	Connect to Internet			Note
	Pass	Fail	N/A	
Intel GD82559 10/100 Mbps Fast Ethernet Adapter	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
INTEL PWLA8391GTBLK Pro/1000 Giga LAN Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter RAID Card	RAID 0 , 1 , 10 Function Test			Note
	Pass	Fail	N/A	
ADAPTEC 1420SA RoHS 4-Port SATA II RAID	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 4.2. PCI-Express Function Test

PCI-Express x1	Function Test			Note
	Pass	Fail	N/A	
SUNIX SATA1414 eSATA & SATAII x1Express card	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Need Select Gen1
DiGiFusion PES311A SATAIII PCI-E x1 card	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Uptech UTB230 USB3.0	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Intel GIGABIT CT DESKTOP ADAPTER LAN Card	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCI-Express x4	Function Test			Note
	Pass	Fail	N/A	
Intel Gigabit ET2 Quad Port Svr Adptr PCI-Express x4 LAN Card	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCI-Express x16	Function Test			Note
	Pass	Fail	N/A	
ASUS ENGT220/DI/1GD2(LP) (NVIDIA Chipset) PCI-Express x16 VGA Card	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ATI AX4650 1GBD2 (ATI Chipset) PCI-Express x16 VGA Card	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
GIGABYTE CV-N240OC NVIDIA GT240 Series PCI-Express x16 VGA Card	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Express card	Function Test			Note
	Pass	Fail	N/A	
SUNIX SATA II Express card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
SunBox 34mm Giga LAN Express Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Mini PCI Express Card	Function Test			Note
	Pass	Fail	N/A	



Ralink RT2571WF WLAN Mini Card (USB Interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Sil3132 Mini PCI-E Function Test Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Gen1
SIERRA WIRELESS MC8790 (3G)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Aether COM-ME232s2 serial port (PCI-E interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	115200
AzureWave AW-NE768H 802.11 b/g/n wireless card (PCI-E interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
AzureWave AW-NB041H Wireless + BT (PCI-E+USB interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 4.3. Mini PCI Card Compatibility Test

Device Item	Function Test			Note
	Pass	Fail	N/A	
Mini PCI.10/100 Base-Tx LAN (W/Intel.82551QM .A1.0) (Model:PER-C10L)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
GM-101 WLAN 11b/g 54Mbps Mini PCI Card (Model: VNT6655AM)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ADLINK mPCI-8750 ATI Rage XL Mini PCI VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 4.4. CardBus (PCMCIA) Compatibility Function Test

Device Item	Bit	Function Test			Note
		Pass	Fail	N/A	
Intel PRO/Wireless 2011B LAN PC Card (WPC2011BWW)	Slot 1 (Up)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[PC-200200]
	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Kingston datapack DP-PCM2 / 2GB (PC Card TypeII HDD)	Slot 1 (Up)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[PC-200201]
	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Pci GW-NS54SG Cardbus Adapter Wireless LAN Type-II	Slot 1 (Up)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[PC-200502]
	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Pci GW-NS54SG Cardbus Adapter Wireless LAN Type-II	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[PC-200502]

### 4.5. ISA Slot Function Test

Test Item		Result			Note
		Pass	Fail	N/A	
SCSI Card	Adaptec AHA-1520B SCSI Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[SS-002]
LAN Card	NE2000 Compatible LAN Card (RTL8019AS)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[NW-014]
VGA Card	CIRRUS LOGIC 5429 FCC ID :ICUVGA-GWV27A	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[VC-008]

## 4.6. Adapter Compatibility- Industry Control Card PC/104, PC/104+, PCI-104

### 4.6.1. Device List: PC/104 Module

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PCM-3660	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 4.6.2. Device List: PC/104+ Module

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PCM-3430	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 4.6.3. Device List: PCI-104 Module

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PCM-3730	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 4.6.4. Device List: PCI/104 Express Module

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PER-123	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

## 4.7. SSD Modules Compatibility Test

### SSD HDD Compatibility Test:

Cable Type:  IDE  SATA2  MLC  SLC

Test Item	Result			Note
	Pass	Fail	N/A	
Transcend SSD 16G - TS16GSSD25S	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## 4.8. mSATA Modules Compatibility Test

Test Item		Result			Note
		Pass	Fail	N/A	
Transcend mSATA TS32GMSA300	32GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
InnoDisk mSATA DRPS-32GJ20BC1QN	32GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

## 4.9. Peripheral Compatibility- Storage Device Test

### 4.9.1. Disk on Chip (DOC) Test

Test Item		Result			Note
		Pass	Fail	N/A	
DOC 2000 Model	16MB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	M-System / MD2200-D16
DOC 2000 Onboard Address	CC00	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	D000	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	D400	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	D800	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	DC00	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
--	------	--------------------------	--------------------------	-------------------------------------	--

#### 4.9.2. Disk on module (DOM) Test

Test Item	Result			Note
	Pass	Fail	N/A	
Transcend / TS512MDOM40V / 512MB / IDE 40 Pin	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Transcend / TS512MDOM44V / 512MB / IDE 44 Pin	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

#### 4.10. Riser Card Function Test

Test Item	Result			Note
	Pass	Fail	N/A	
LAN	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCI Slot	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCI-e Slot	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

## 5. Power Consumption Test

Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version	
CPU	Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)
Memory	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2
HDD	Seagate ST500DM002 3.5" 7200rpm 500GB

### 5.1. AT/ATX Power Consumption

Test Equipment	
Equipment	Programmable power supply
Manufacturer	GW INSTEK
Model name	PSH-3630

Test Environment					
Power Model	Zippy HG2-6400P 400W				
Keyboard	USB Microsoft 1366				
Mouse	USB Microsoft 1113				
24Pin ATX Mode	Voltage(V)	Current(A)		Total Watt(W)	Note
Power on (Max)	+12V	3.54	A	56.89 (W)	
	+5V	1.98			
	+3.3V	0.86			
	5VSB	0.27			
Windows 7 SP1 32bit Idle mode	+12V	0.37	A	13.33 (W)	
	+5V	1.05			
	+3.3V	0.8			
	5VSB	0.2			
Suspend in Window7 (S3)	+12V	0	A	1 (W)	
	+5V	0			
	+3.3V	0			
	5VSB	0.2			
(Full Loading Mode) Windows 7 SP1 with Prime 95 Full Loading Test	+12V	4.68	A	72.98 (W)	Prime95 Version 259 1.26
	+5V	2.53			
	+3.3V	0.96			
	5VSB	0.2			
5VSB in Power Off	5VSB	0.03	A	0.15(W)	BIOS Erp Enable ErP/EuP 2.0 < 0.5W
5VSB in Power Off	5VSB	0.20	A	1.00(W)	BIOS Erp Disabled

### 5.2. PC Health Status

Test Point: The value between Actual Voltage and Voltage Monitor must be + /- 5%

Voltage Monitoring Test	Result			BIOS	Actual	Note
	Pass	Fail	N/A			
CPU Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	48°C	N/A	
PCH Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42°C	N/A	
CPU FAN Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3792 RPM	N/A RPM	
SYSTEM FAN Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4520 RPM	N/A RPM	
+VCORE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.984V	0.95V	
+V3.3S	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.408V	3.31V	
+V5S	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5.130V	5.08V	
+V12S	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.096V	12.07V	

## 6. Time Accuracy Test

### 6.1. System Clock & RTC Clock Test

Under Room Temperature: 26 °C

Function	Item	Time Interval	Criteria	Actual	Result			Note
					Pass	Fail	N/A	
RTC Clock in Power On Mode		24 hrs	+/-2 sec	+1.5 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RTC Clock in Power Off Mode		24 hrs	+/-2 sec	+1 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 6.2. Booting Timer Test

Installation	Actual	Note
System Booting Time	3.8 Sec	Press the Power Button till "Beep" Sound appears

### 6.3. Watchdog Timer Test

Use Function as below:

[ ] No Support.

Time-Out Interval	Criteria	Actual	Result			Note
			Pass	Fail	N/A	
10 sec	+/-10%	9.88 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. 選擇 F4 IO/IO SPACE/位置輸入 0x0A10 2. Offset:0X0A 的 bit0 填 1(enable Watchdog time out output via WDTRST#) 3. Offset:0X06 填 WDT 的秒數 4. Offset:0X05 填 0x20 Enable WDT function
60 sec	+/-10%	60.68 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
255 sec	+/-10%	260.1 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Note : Under Room Temperature: 26°C / DOS Mode

## 7. O.S. Compatibility Test

### 7.1. English Fedora 15 Kernel 2.6.38.6-26.fc15.i686

[ ] No Support

Driver Information:

Chipset Software	English Fedora 15 default driver
Graphics Media	English Fedora 15 default driver
Audio Driver	LinuxPkg_5.17rc1.tar
LAN Driver	English Fedora 15 default driver

Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
Fedora 15 Kernel 2.6.38.6-26.fc15.i686	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Type uname -a

Test Result:

Test Item	Result			Note
	Pass	Fail	N/A	
<b>Display Function Test</b>				
VGA – Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDMI—Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Network Function Test</b>				
Connect to Internet – LAN 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Connect to Internet – LAN 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Audio Function Test</b>				
Play Audio Function Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Play Audio Test
<b>Base Function Test</b>				
Mouse Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USB
Keyboard Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USB
Console Redirection	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
CD-ROM Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USB DVD ROM
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>X Windows Application</b>				
Start Button Office	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Office function
X-Window	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Startx – Desktop in Linux
<b>Command Test On Text Mode: Attention Delay Phenomenon</b>				
uname -a	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Show information
Shutdown	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 0 or shutdown -h now
Restart the Computer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 6 or shutdown -r now
Halt	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Power Off Mode
ls / clear .....; cd /dev /ls -l	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Command instruction

## 7.2. Windows 7 Ultimate English Version 32/64Bit

[ X ] x32 Driver Information:

Chipset Software	Intel(R) Chipset Device Software 9.3.0.1021(2012/07/04)
Graphics Media	Intel(R) HD Graphics 4000 9.17.10.2817(2012/07/20)
Audio Driver	Realtek High Definition Audio 6.0.1.6662(2012/06/19)
LAN Driver	Realtek PCIe GBE Family Controller 7.61.612.2012 (2012/06/12)

[ X ] x64 Driver Information:

Chipset Software	Intel(R) Chipset Device Software 9.3.0.1021(2012/07/04)
Graphics Media	Intel(R) HD Graphics 4000 9.17.10.2817(2012/07/20)
Audio Driver	Realtek High Definition Audio 6.0.1.6662(2012/06/19)
LAN Driver	Realtek PCIe GBE Family Controller 7.61.612.2012 (2012/06/12)

Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows 7 Ultimate SP1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
<b>Single Display</b>				
VGA -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDMI -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Boot - Windows 7 Ultimate Advanced Options Menu</b>				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Basic Function Test</b>				
PS/2 Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
COM Port Mouse detect	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 3.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>LAN Function Test</b>				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Audio Function Test</b>				
Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Line In Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDMI Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Start Menu</b>				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby(S1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Support PS/2&USB KB/MS
Standby(S3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 7.3. Windows XP Professional English Version 32

[ X ] x32 Driver Information:

Chipset Software	Intel(R) Chipset Device Software 9.3.0.1019(2011/12/6)
Graphics Media	Intel(R) HD Graphics 4000 6.14.10.5421(2012/07/27)
Audio Driver	Realtek High Definition Audio 5.10.0.6662(2012/06/19)
LAN Driver	Realtek PCIe GBE Family Controller 5.798.523.2012 (2012/05/23)

Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows XP Professional English SP3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
<b>Single Display</b>				
VGA -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDMI—Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Boot - Windows XP Professional Advanced Options Menu</b>				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Basic Function Test</b>				
PS/2 Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
COM Port Mouse detect	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 3.0 Removable Devices	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Drive not support
<b>LAN Function Test</b>				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Audio Function Test</b>				
Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Line In Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDMI Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Start Menu</b>				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby(S1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Support PS/2&USB KB/MS
Standby(S3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	



## 8. BIOS Function Test

Hardware Information with XP Professional English SP3 32 Bit Driver Version	
CPU	Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)
Memory	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2
HDD/CFD	Seagate ST500DM002 3.5" 7200rpm 500GB

### 8.1. Advanced Test

Test Item		Result			Note
		Pass	Fail	N/A	
ACPI settings	Suspend Disabled	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	Sleeps state (S1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Sleeps state (S3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Trusted Computing	TPM SUPPORT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CPU configuration	Hyper-threading	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
SATA configuration	SATA controller	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	AHCI mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	IDE mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB configuration	Legacy USB Support	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Com port configuration	Serial port 1~2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	RS232	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RS422	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RS485	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ERP Function	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Digital IO		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 8.2. Chipset Test

Test Item		Result			Note
		Pass	Fail	N/A	
System Agent (SA) Configuration	Graphics Configuration	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCH-IO Configuration	Resume on PCIE Wake	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Resume on PCI PME	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Resume on Ring	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If use H/W A1.02 need rework R834,836 to 4.7k ,R835,837 to 10k
	AC Power Loss	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Power Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 8.3. Boot Test

Test Item	Result			Note
	Pass	Fail	N/A	
Boot up Numlock State	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Quiet Boot	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From Hard Disk	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From CDROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB HDD	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB Floppy	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB CD-ROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot from LAN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Disable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 8.4. CMOS Backup / Clear CMOS Test

Test Item	Result			Note
	Pass	Fail	N/A	
CMOS Backup	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear Date and time
Clear CMOS Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear Date

### 8.5. AAEON Tag Check Utility

Test Item	Result			Note
	Pass	Fail	N/A	
Check AAEON BIOS OK	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AONCHECK.EXE

### 8.6. Supervisor / User Password Test

Test Item	Result			Note
	Pass	Fail	N/A	
Administrator Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
User Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## 9. Performance Test

Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version	
CPU	Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)
Memory	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2
HDD	Seagate ST500DM002 3.5" 7200rpm 500GB

### 9.1. Performance Test

Test Result: (Display set 1024\*768 test)

Testing Software	Scope		Note
	AAEON	Ref.	
<b>CPU Mark99</b>			<b>Windows 7</b>
Scores	612	-	

<b>PCMark2005</b>			<b>Windows 7</b>
PCMark	N/A	-	PCMarks
CPU	14280	-	
Memory	14255	-	
Graphics	7805	-	
HDD	7863	-	
Benchmark (B)	-	-	
Average Efficiency	-	-	

<b>PCMark Vantage</b>			<b>Windows 7</b>
PCMark	10701	-	PCMarks
Memories	6002	-	
TV and Movies	7015	-	
Gaming	7140	-	
Music	9774	-	
Communications	13617	-	
Productivity	7875	-	
HDD	5150	-	

Testing Software	Scope		Note
	AAEON	Ref.	
<b>3Dmark2003 v360</b>			<b>Windows 7</b>
3Dmark Score	15433	-	Select All
CPU Score	2741	-	
Benchmark (A)	-	-	
<b>3Dmark2006 v120</b>			<b>Windows 7</b>
3Dmark Score	6740	-	Select All
SM2.0	2137	-	
HDR/SM3.0	2718	-	
CPU Score	7219	-	

Testing Software	Scope		Note
	AAEON	Ref.	
<b>Final Reality V1.01—BenchMark Test</b>			<b>Windows 7</b>
2D image	77.23	-	
3D	7.15	-	
Bus transfer	65.18	-	
Overall	36.88	-	Reality marks
Benchmark (A)	-		

Testing Software	Scope		Note
	AAEON	Ref.	
<b>Performance7</b>			<b>Windows 7</b>
PassMark Rating	1896.5	-	
CPU Mark	8822.6	-	
2D Graphics Mark	420.9	-	
3D Graphics Mark	566.3	-	
Memory Mark	1485.1	-	
Disk Mark	940.7		

Testing Software	Scope		Note
	AAEON	Ref.	
<b>Windows experience index</b>			<b>Windows 7</b>
Processor	5.9	-	
Memory	7.7	-	
Graphics	6.5	-	
Gaming graphics	6.5	-	
Primary hard disk	5.9	-	