

Report NO: 13I010001

FSB-B75G

PICMG 1.0 Full-Size SBC

P5 Verification Test Report

Summary	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail <input type="checkbox"/> Pass with Deviation (Comment: _____)			
	Test Results Category			
	Critical	Major	Minor	Enhancement
Defect Found	0	0	0	0
Defect Unsolved	0	0	0	0

Issue date

2013/01/24

Approval

Tom Lin

Test Engineer

Jack Huang

Version Released Records

Date	Version	Change History	Note
2010/04/21	P3-1001	1. Re-composing test Items	
2010/06/01	P2P3-1001	1. New Test Report	
2010/06/21	P2P3-1002	1. Add BIOS -> SPI ROM Setting (South Bridge - GPIO)	
2010/12/02	P2P2-1003	1. New Test Report	
2011/02/23	P2P3-1101	1. Re-composing test Items	
2011/03/04	P2P3-1102	1. Add Specification Validation	

Note :

For all test items in this report, 3 results have been defined and described as following:

Pass: Functionality work perfectly
Fail: Functionality failed and must be resolved in the next version
N/A: Functionality Not Applicable or Not Available

This test report would be updated when re-test completed in product next change version.

Specification Validation

Main Specification

Item	Specification	Result			Note
		Pass	Fail	N/A	
Form Factor	Mini-ITX motherboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Processor	Intel® Ivy Bridge Core™ i3/i5/i7 LGA 1155 Processors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
System Memory	2 x 240-pin Dual channel Non-ECC DDRIII 1333/1600 MHz memory DIMM Slot up to 16GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Chipset	Intel® B75	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Ethernet	2 x RJ-45 ports on bracket Realtek 8111E controller	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
I/O Chip	Winbond W83627DHG-P	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Serial ATA	1 x SATA III port, 2 x SATA II ports on board 1 x CFast (Optional)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Floppy Drive	Optional	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
GPIO	8-bit DIO , 4-bit input / 4-bit output	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Parallel Port	1 x LPT Ports	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Watchdog Timer	1~255 sec/min by s/w programmable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Power Requirement	ATX 2.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dimension (L) x (W)	13.3" x 5" (339 mm x 126 mm)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Display					
Chipset	Intel® B75 Integrated Intel® HD Graphics	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Resolution	1 x DB-15 VGA port on bracket	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Output Interface	1 x VGA,	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Expansion Interface	Follow PICMG 1.0 Regulation	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
I/O					
Serial Port	2 x COM ports: COM 1: RS-232 COM 2: RS-232/422/485, with Box header	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
KB & Mouse	1 x PS/2 keyboard/Mouse (4x2 pin header)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Universal Serial Bus	USB 3.0 x 4 (Internal 10 x 2 pin header x 2) USB2.0 x 6 (onboard Dual TYPE-A Connector x 2, Internal 5 x 2-pin header x 2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio (Optional)	HDAC Daughter board , Mic-in/Line-in/Line-out	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

O.S. Support

Item	Specification	Result			Note
		Pass	Fail	N/A	
Microsoft Embedded	Windows CE	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	Windows XP Embedded	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Microsoft Windows	Windows XP Pro, 32bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Windows 7, 32bit / 64bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Linux	Linux kernel 2.6.x or above	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Environmental Specifications

Item	Specification
Operating temperature	32~140°F (0~60°C)
Storage temperature	N/A
Operating Humidity	N/A
Power Compliance	N/A
Vibration	N/A
Shock	N/A
Drop	N/A
Certification	CE & FCC Class A

Note: Please refer Environment Test Report for detail information

Platform Information

Item	Device Information	Test Item
PCB Model / Version	FSB-B75G A0.1	1,2,3,4,5,6,7,8,9,10
BIOS / Version	FSB-B75G R1.0(F75GAM10) (01/14/2013)	1,2,3,4,5,6,7,8,9,10
CPU Type	Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)	1,2,3,4,5,6,7,8,9,10
Memory Type	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2 (Total 16GB, Win7_32 use 3.92GB)	1,2,3,4,5,6,7,8,9,10
SATA HDD	WDC WD6402AAEX-00Z3A0 3.5" 7200rpm 640GB	1,2,3,4,5,6,7,8,9,10
SATA DVD-ROM	LG H.L GH20 NS15 8X	1,2,3,4,5,6,7,8,9,10
USB DVD-ROM	ASUS SDRW-08D2S-U/DBLK/G/AS	1,2,3,4,5,6,7,8,9,10
LCD Monitor	BenQ LX2420	1,2,3,4,5,6,7,8,9,10
LVDS	N/A	1,2,3,4,5,6,7,8,9,10
Cfast	Apacer CFast 32GB	1,2,3,4,5,6,7,8,9,10
Daughter Board	N/A	N/A
Expansion Board	N/A	N/A
Operating System	<input checked="" type="checkbox"/> Fedora 15 Kernel 2.6.38.6-26.rc1.fc15.i686	7-1
	<input checked="" type="checkbox"/> Windows 7 Ultimate 32/64Bit	7-2
	<input checked="" type="checkbox"/> Windows XP Professional English SP3 32 Bit	7-3
Power Supply	ATX Power Supply : Zippy HG2-6400P 400W	1,2,3,4,5,6,7,8,9,10
	AT Power Supply: Zippy HG2-6400P 400W	1,2,3,4,5,6,7,8,9,10
	DC Adapter : N/A	N/A
Battery Model	N/A	N/A
Chipset Information with Windows 7 Ultimate English Version 32Bit Driver Version		
Chipset Software	Intel(R) Chipset Device Software 9.3.0.1021(2012/07/04)	
PCH Bridge	Intell B75	
Super IO Chipset	Winbond W83627DHG-P	
VGA Chipset	Intel(R) HD Graphics 4000 8.15.10.2778(2012/07/04)	
Audio Chipset	Realtek High Definition Audio 6.0.1.6662(2012/06/19)	
Ethernet Chipset	Realtek PCIe GBE Family Controller 7.58.411.2012 (2012/04/11)	

Summary Table of contents:

Platform Information	5
1. Hardware Test	7
1.1. CPU Compatibility Test	7
1.2. Memory Compatibility Test	7
1.3. SATA Compatibility Test	7
1.4. CF Card Compatibility Test	8
2. Basic Function Test.....	9
2.1. Video Function Test	9
2.2. Audio Function Test	11
2.3. LAN Function Test	11
2.4. Jumper Setting Test	13
3. Integration Test	14
3.1. USB Port Integration Test	14
3.2. Digital I/O Port Test.....	14
3.3. COM Port Integration Test	14
3.4. RS-422 / RS-485 Test.....	14
3.5. LPT Port Test.....	15
3.6. Burn In Test	15
4. Application Test	16
4.1. PCI Slot Function (PCI Adapter Card) Test	16
4.2. PCI-Express Function Test.....	16
4.3. Mini PCI Card Compatibility Test	17
4.4. CardBus (PCMCIA) Compatibility Function Test	17
4.5. ISA Slot Function Test	17
4.6. Adapter Compatibility- Industry Control Card PC/104, PC/104+, PCI-104.....	18
4.7. SSD Modules Compatibility Test	18
4.8. mSATA Modules Compatibility Test	18
4.9. Peripheral Compatibility- Storage Device Test	18
4.10. Riser Card Function Test	19
5. Power Consumption Test	20
5.1. AT/ATX Power Consumption	20
5.2. PC Health Status	20
6. Time Accuracy Test.....	21
6.1. System Clock & RTC Clock Test.....	21
6.2. Booting Timer Test	21
6.3. Watchdog Timer Test	21
7. O.S. Compatibility Test	22
7.1. English Fedora 14 Kernel 2.6.35.6-45.fc14.i686.....	22
7.2. Windows 7 Ultimate English Version 32/64Bit	23
7.3. Windows XP Professional English Version 32	24
8. BIOS Function Test	25
8.1. Advanced Test	25
8.2. Chipset Test.....	25
8.3. Boot Test	26
8.4. CMOS Backup / Clear CMOS Test	26
8.5. AAEON Tag Check Utility.....	26
8.6. Supervisor / User Password Test	26
9. Performance Test	27

1. Hardware Test

1.1. CPU Compatibility Test

CPU Information	Result			Note
	Pass	Fail	N/A	
Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows XP,7,
Intel® Core™ i5-3550 Processor (6M Cache, 3.3 GHz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows XP,7,Linux
Intel® Core™ i7-3770 Processor (8M Cache, 3.4 GHz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows XP,7,Linux

1.2. Memory Compatibility Test

Memory Information	MEM V4.0			Note
	Pass	Fail	N/A	
panram DDR3 1333/8GB CL9 F105X8A0W405	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2
panram DDR3 1333/4GB CL9 Hynix H5TQ2G83CFR	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2
Transcend DDR3 1333/4GB CL9 SEC K4B2G0846C	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2
Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2
Kingston DDR3 1066/4GB Kingston 02568JENCNGD9U	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2
Kingston DDR3 1333/4GB ELPIDA J2108BCSE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Install OS, Memtest4.2

1.3. SATA Compatibility Test

1.3.1 Onboard SATA (IDE) Test

SATA Device Information		Result			Note
		Pass	Fail	N/A	
HDD	Seagate ST32000641AS 3.5" 2TB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD	Seagate ST380815AS 3.5" 80GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD	Seagate ST3160811AS 3.5" 160GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD	Seagate ST9160412AS 2.5" 160GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD	Hitachi HTS543225A7A384 2.5" 250GB.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDD	WDC WD6402AAEX-00Z3A0 3.5" 7200rpm 640GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DVD	LG H.L GH20 NS15 8X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

1.3.2 Onboard SATA (RAID) Test

SATA RAID Test		Result			Note
		Pass	Fail	N/A	
RAID-0 (HDDx2) Striping/Span Test	1 Seagate ST9160412AS 2.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	SATA1/2 Win7-64
	2 Seagate ST3160811AS 3.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-1 (HDDx2) Mirror Test	1 Seagate ST380815AS 3.5" 80GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	SATA1/2 WinXP-64
	2 Seagate ST3160811AS 3.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-5 (HDDx3) Striping/Span Test Rotation Parity	1 Seagate ST9160412AS 2.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	SATA1/2/3 WinXP-32
	2 Seagate ST3160811AS 3.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3 Seagate ST380815AS 3.5" 80GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-10 (HDDx4) Striping/Span Test Mirroring	1 Seagate ST9160412AS 2.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	SATA1/2/3/4 Win7-32
	2 Seagate ST3160811AS 3.5" 160GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3 Seagate ST380815AS 3.5" 80GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	4 Hitachi HDS721050CLA362 500GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

1.3.3 Onboard SATA (AHCI) Test

SATA AHCI Test	Result			Note
	Pass	Fail	N/A	
WDC WD6402AAEX-00Z3A0 3.5" 7200rpm 640GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Seagate ST500DM002 3.5" 7200rpm 500GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

1.4. CF Card Compatibility Test

CFast Information	Result			Note
	Pass	Fail	N/A	
Apacer CFast 32GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2. Basic Function Test

2.1. Video Function Test

2.1.1. Single Output Function Test

Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version										
CPU	Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)									
Memory	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2									
HDD	Seagate ST500DM002 3.5" 7200rpm 500GB									
VGA	Dell U2410									
HDMI	N/A									
LVDS	N/A									
Color Quality	<input checked="" type="checkbox"/> 16bit <input type="checkbox"/> 24bit <input checked="" type="checkbox"/> 32bit									
Resolution	VGA			HDMI			LVDS			Note
	Pass	Fail	N/A	Pass	Fail	N/A	Pass	Fail	N/A	
640X480	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
800X600	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1024X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1152X864	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X600	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X720	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X960	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X1024	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1360X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1366X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1400X1050	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X900	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X1200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1680X1050	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1792X1344	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1856X1392	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1080	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1440	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2048X1536	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Rotation	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Rotation (0 / 90 /180 /270)

Note: Pay attention with Full Screen under POST screen and Text Mode.

2.1.2. Dual Output Function Test

Selection	Output	Result			Note
		Pass	Fail	N/A	
Dual Display Clone	VGA +HDMI1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

2.1.3. Video Resolution Test

Test points:

1. Power on without inserting any VGA connector until system reaches Windows desktop
2. Plug VGA connector into test machine while system reaches Windows then check VGA driver and display
3. Check VGA output Brightness is normal and it shows "Ghost Image" / "Flicker" or not

	Result			Note
	Pass	Fail	N/A	
In Windows Desktop	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2.1.4. Video Resolution Test

LVDS Model		Result			Note
		Pass	Fail	N/A	
LVDS	1_AUO G065VN01 V.0 / 6.5" / 640x480 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2_AUO G065VN01 V.0 / 6.5" / 640x480 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3_Data Image 7" / 800*480 / 18bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	4_AU G084SN05 V.3 / 8.4" / 800*600 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	5_AU B104SN02 V.0 / 10.4" / 800*600 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	6_AUO G084SN05 v7 / 8.4" / 800*600 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	7_AU G121XN01 V.0 / 15" / 1024*768 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	8_AU M150XN07 V.2 / 15" / 1024x768 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	9_Toshiba /12.1"/1280 x 768 x 18bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	10_AU M170EG01 V.D/ 17" / 1280*1024 / 48bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	11_AU M170XW01 V.1 / 17" / 1280x768 / 24bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	12_AUO T260XW02 / 26" / 1366x768 / 24bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	13_AU M201UN02 V.5 / 20.1" / 1600x1200x48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	14_AUO T370HW01 / 37" / 1920x1080 / 48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	15_AUO M190PW01 V0 / 19"/1440X900/48 bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	







2.2. Audio Function Test

[] No Support

Function Test	Result			Note
	Pass	Fail	N/A	
L (Left) Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
R (Right) Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CD_In	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Line In	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
MICROPHONE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6-channel mode for 5.1 speaker output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
8-channel mode for 7.1 speaker output	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
S/P DIF function Test	Input	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

2.3. LAN Function Test

[] No Support

Connect two computers via different speed LAN HUB by using "Ping" instruction (1000 times)										
1000MBps LAN HUB		D-Link DGS-1008D								
100MBps LAN HUB		HP J4095A 24 Ports								
10MBps LAN HUB		SVEC FD916H								
OnBoard LAN1		Realtek RTL 8111E 10/100/1000MB					MAC Address		00-E0-4C-68-00-1A	
OnBoard LAN2		Realtek RTL 8111E 10/100/1000MB					MAC Address		00-E0-4C-68-00-19	
LAN Speed	Link / Speed LED	Active LED	LAN 1			LAN 2			Note	
			Pass	Fail	N/A	Pass	Fail	N/A		
1000MBps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
100MBps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10MBps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Wake On LAN			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Boot ROM to Novell 4.11 [RPL]			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
LAN Boot (PXE)			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Internet Browser (DHCP Server)			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

2.3.2. Throughput Test

DUT Platform Information:

<input type="checkbox"/>	Fedora Core 13
<input type="checkbox"/>	Cent 5.5
<input checked="" type="checkbox"/>	Ubuntu 10.10 – Kernel 2.6.35-22-generic
<input type="checkbox"/>	Red Hat

Note : Connection-Level Performance (Interaction Constants Duration Time Set to 60 Sec.)


Graphics Media	Ubuntu 10.10 Default setting
LAN	LAN2→ Realtek RTL 8111E 10/100/1000MB Ethernet: 8.023.00-NAPI
	LAN2→ Realtek RTL 8111E 10/100/1000MB Ethernet: 8.023.00-NAPI
Audio Driver	Ubuntu 10.10 Default setting

SMB Platform Information:

Chassis	SPIRENT Smartbits 600B
Chassis Version	2.80.003 (Cur) 2.50.000
Chassis Serial #	06014047
Library	6.00-29
API	5.50.42.01
File	0550042
Module	2 * LAN-3324A SmartMetrics XD 4-Port 10/100/1000Base-T Gigabit Ethernet
Test Software	SmartFlow5.50.42.1

Test Result:


- Half Direction (LAN1: Realtek RTL 8111E 10/100/1000MB Ethernet → LAN2: Realtek RTL 8111E 10/100/1000MB)



Throughput vs Frame Size

<u>Name/FrameSize</u>	<u>64</u>	<u>128</u>	<u>256</u>	<u>512</u>	<u>1024</u>	<u>1280</u>	<u>1518</u>
Total	17.2421875	25.75	42.765625	69.8359375	100	100	100
A Group	17.2421875	25.75	42.765625	69.8359375	100	100	100
A 1-3->1-4	N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. Binary Direction (LAN2: Realtek RTL 8111E 10/100/1000MB ↔ LAN2: Realtek RTL 8111E 10/100/1000MB)



Throughput vs Frame Size

<u>Name/Frame size</u>	<u>64</u>	<u>128</u>	<u>256</u>	<u>512</u>	<u>1024</u>	<u>1280</u>	<u>1518</u>
Total	18.7890625	26.5234375	43.5390625	66.7421875	92.265625	99.2265625	100
A Group	18.7890625	26.5234375	43.5390625	66.7421875	92.265625	99.2265625	100
A 1-3->1-4	N/A	N/A	N/A	N/A	N/A	N/A	N/A
A 1-4->1-3	N/A	N/A	N/A	N/A	N/A	N/A	N/A

2.4. Jumper Setting Test

Function Test	Result			Note	
	Pass	Fail	N/A		
J2- AUTO POWER BUTTOM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
J3- Clear CMOS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
FP1- Front plane	1-3 PWR button	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	2-4 HW-Reset	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	5-7 PWR LED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	6-8 HDD LED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3. Integration Test

	Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version
CPU	Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)
Memory	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2 (Total 16GB, Win7_32 use 3.92GB)
HDD	Seagate ST500DM002 3.5" 7200rpm 500GB
	Chipset Information with Windows 7 Ultimate English Version 32Bit Driver Version
Chipset Software	Intell Chipset Device Software 9.3.0.1019(2011/12/6)
PCH Bridge	Intell B75
Super IO Chipset	ITE 8728F
VGA Chipset	Intel(R) HD Graphics 4000 8.15.10.2712(2012/03/26)
Audio Chipset	Realtek High Definition Audio 6.0.1.6602(2012/03/27)
Ethernet Chipset	Realtek PCIe GBE Family Controller 7.53.216.2012 (2012/02/16)

3.1. USB Port Integration Test

Item	USB Port	Boot			Function(XP)			Note
		Pass	Fail	N/A	Pass	Fail	N/A	
USB HDD		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB FDD Mitsumi D353GUE		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Asus SDRW-08D2S-U USB2.0 DVD-R/W 8X		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Hub Test (Connect USB Device) HUB Port1: USB Keyboard / HUB Port2: USB Mouse / HUB Port3: USB HDD								
USB 2.0 HUB PowerSync / USB 2.0 4 Port HU-155					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3.2. Digital I/O Port Test

DIO Address	Result			Note
	Pass	Fail	N/A	
DIO VCC +5V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3.3. COM Port Integration Test

Test Item	Result			Note
	Pass	Fail	N/A	
Serial Modem Dial Out	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Serial Modem	Ring In	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Test by Modem
	+12V	<input type="checkbox"/>	<input type="checkbox"/>	Test by Multimeter
	+5V	<input type="checkbox"/>	<input type="checkbox"/>	Test by Multimeter

3.4. RS-422 / RS-485 Test

Test Item	Result			Note
	Pass	Fail	N/A	
RS-422 for COM2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Use loopback and WINSSD.exe to test RS-422 in Windows
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The communication between the RS-485 pots of two boards is linked by one 1200M cable on Windows Terminal
RS-485 for COM2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Use ICP CON I-7044D D/IO Module in Windows(Support Auto flow control)
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The communication between the RS-485 pots of two boards is linked by one 1200M cable on Windows Terminal

3.5. LPT Port Test

Test Item	Result			Note
	Pass	Fail	N/A	
XEROX Phaser 3124 Laser Printer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3.6. Burn In Test

Under Room Temperature: 26 °C

Test Item	Result			Note
	Pass	Fail	N/A	
Burn In Test V7.0 Pro	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Windows 7 Ultimate SP1 English Version 32Bit

Note: COM PORT Speed Set to 115200.

4. Application Test

4.1. PCI Slot Function (PCI Adapter Card) Test

Adapter VGA Card	Set Simultaneous Display and Reboot			Note
	Pass	Fail	N/A	
CHAINTECH NVIDIA GeForce4 MX440-8X	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter Sound Card	Play Sound			Note
	Pass	Fail	N/A	
Creative Sound BLASTER Live5.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Adapter SCSI Card	Copy files to SCSI HDD			Note
	Pass	Fail	N/A	
ADAPTEC Ultra160 SCSI ASC-29160	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Adapter USB2.0 Card	Connect to CCD			Note
	Pass	Fail	N/A	
D-Link DU-520	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Adapter LAN Card	Connect to Internet			Note
	Pass	Fail	N/A	
Intel GD82559 10/100 Mbps Fast Ethernet Adapter	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Adapter RAID Card	RAID 0 , 1 , 10 Function Test			Note
	Pass	Fail	N/A	
ADAPTEC 1420SA RoHS 4-Port SATA II RAID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Only check can read Device

4.2. PCI-Express Function Test

PCI-Express x1	Function Test			Note
	Pass	Fail	N/A	
SUNIX SATA1414 eSATA & SATAII x1Express card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
DiGiFusion PES311A SATAIII PCI-E x1 card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Uptech UTB230 USB3.0	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Intel GIGABIT CT DESKTOP ADAPTER LAN Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCI-Express x4	Function Test			Note
	Pass	Fail	N/A	
Intell Gigabit ET2 Quad Port Svr Adptr PCI-Express x4 LAN Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCI-Express x16	Function Test			Note
	Pass	Fail	N/A	
ASUS EAX1600PRO/TD/256M/A (ATI Chipset) PCI-Express x16 VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ATI AX4650 1GBD2 (ATI Chipset) PCI-Express x16 VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
GIGABYTE CV-N240OC NVIDIA GT240 Series PCI-Express x16 VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Express card	Function Test			Note
	Pass	Fail	N/A	
SUNIX SATA II Express card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
SunBox 34mm Giga LAN Express Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Mini PCI Express Card	Function Test			Note
	Pass	Fail	N/A	

Ralink RT2571WF WLAN Mini Card (USB Interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Sil3132 Mini PCI-E Function Test Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Gen1
SIERRA WIRELESS MC8790 (3G)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Aether COM-ME232s2 serial port (PCI-E interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	115200
AzureWave AW-NE768H 802.11 b/g/n wireless card (PCI-E interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
AzureWave AW-NB041H Wireless + BT (PCI-E+USB interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4.3. Mini PCI Card Compatibility Test

Device Item	Function Test			Note
	Pass	Fail	N/A	
Mini PCI.10/100 Base-Tx LAN (W/Intel.82551QM .A1.0) (Model:PER-C10L)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
GM-101 WLAN 11b/g 54Mbps Mini PCI Card (Model: VNT6655AM)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ADLINK mPCI-8750 ATI Rage XL Mini PCI VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4.4. CardBus (PCMCIA) Compatibility Function Test

Device Item	Bit	Function Test			Note
		Pass	Fail	N/A	
Intel PRO/Wireless 2011B LAN PC Card (WPC2011BWW)	Slot 1 (Up)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[PC-200200]
	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Kingston datapack DP-PCM2 / 2GB (PC Card TypeII HDD)	Slot 1 (Up)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[PC-200201]
	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Pci GW-NS54SG Cardbus Adapter Wireless LAN Type-II	Slot 1 (Up)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[PC-200502]
	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Pci GW-NS54SG Cardbus Adapter Wireless LAN Type-II	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[PC-200502]

4.5. ISA Slot Function Test

Test Item		Result			Note
		Pass	Fail	N/A	
SCSI Card	Adaptec AHA-1520B SCSI Card	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[SS-002]
Audio Card	YAMAHA MVC-YAM16BS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[NW-014]
VGA Card	CIRRUS LOGIC 5429 FCC ID :ICUVGA-GWV27A	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[VC-008]

4.6. Adapter Compatibility- Industry Control Card PC/104, PC/104+, PCI-104

4.6.1. Device List: PC/104 Module

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PCM-3660	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4.6.2. Device List: PC/104+ Module

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PCM-3430	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4.6.3. Device List: PCI-104 Module

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PCM-3730	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4.6.4. Device List: PCI/104 Express Module

Test Item	Result			Note
	Pass	Fail	N/A	
AAEON PER-123	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4.7. SSD Modules Compatibility Test

SSD HDD Compatibility Test:

Cable Type: IDE SATA2 MLC SLC

Test Item	Result			Note
	Pass	Fail	N/A	
Transcend SSD 16G - TS16GSSD25S	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

4.8. mSATA Modules Compatibility Test

Test Item		Result			Note
		Pass	Fail	N/A	
Transcend mSATA TS32GMSA300	32GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
InnoDisk mSATA DRPS-32GJ20BC1QN	32GB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4.9. Peripheral Compatibility- Storage Device Test

4.9.1. Disk on Chip (DOC) Test

Test Item		Result			Note
		Pass	Fail	N/A	
DOC 2000 Model	16MB	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	M-System / MD2200-D16
DOC 2000 Onboard Address	CC00	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	D000	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	D400	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	D800	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	DC00	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
--	------	--------------------------	--------------------------	-------------------------------------	--

4.9.2. Disk on module (DOM) Test

Test Item	Result			Note
	Pass	Fail	N/A	
Transcend / TS512MDOM40V / 512MB / IDE 40 Pin	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Transcend / TS512MDOM44V / 512MB / IDE 44 Pin	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4.10. Riser Card Function Test

Test Item	Result			Note
	Pass	Fail	N/A	
LAN	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCI Slot	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCI-e Slot	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Power Consumption Test

Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version	
CPU	Intel® Core™ i7-3770 Processor (8M Cache, up to 3.90 GHz)
Memory	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2
HDD	Seagate ST500DM002 3.5" 7200rpm 500GB

5.1. AT/ATX Power Consumption

Test Equipment	
Equipment	Programmable power supply
Manufacturer	GW INSTEK
Model name	PSH-3630

Test Environment					
Power Model	Zippy HG2-6400P 400W				
Keyboard	USB Microsoft 1366				
Mouse	USB Microsoft 1113				
24Pin ATX Mode	Voltage(V)	Current(A)		Total Watt(W)	Note
Power on (Max)	+12V	3.38	A	58.45 (W)	
	+5V	3.11			
	+3.3V	0.41			
	5VSB	0.20			
Windows 7 SP1 32bit Idle mode	+12V	1.15	A	27.17 (W)	
	+5V	2.26			
	+3.3V	0.40			
	5VSB	0.15			
Suspend in Window7 (S3)	+12V	0.01	A	1.39 (W)	
	+5V	0.01			
	+3.3V	0.02			
	5VSB	0.23			
(Full Loading Mode) Windows 7 SP1 with Prime 95 Full Loading Test	+12V	6.41	A	90.856 (W)	Prime95 Version 259 1.26
	+5V	2.33			
	+3.3V	0.42			
	5VSB	0.18			
5VSB in Power Off	5VSB	0.07	A	0.35 (W)	

5.2. PC Health Status

Test Point: The value between Actual Voltage and Voltage Monitor must be + /- 5%

Voltage Monitoring Test	Result			BIOS	Actual	Note
	Pass	Fail	N/A			
SYSTIN Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35°C	38°C	
CPU Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	47°C	36°C	
CPU FAN Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2836 RPM	N/A RPM	
SYSTEM FAN Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2766 RPM	N/A RPM	
+VCORE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.000V	0.99V	
+12V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.160V	12.09V	
+3.3V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.360V	3.31V	
V_SM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.536V	1.53V	
AVCC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.344V	3.30V	
VCC3V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.360V	3.31V	
VS3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.360V	3.30V	
VBAT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.344V	3.30V	

6. Time Accuracy Test

6.1. System Clock & RTC Clock Test

Under Room Temperature: 26 °C

Function	Item	Time Interval	Criteria	Actual	Result			Note
					Pass	Fail	N/A	
RTC Clock in Power On Mode		24 hrs	+/-2 sec	+1.5 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RTC Clock in Power Off Mode		24 hrs	+/-2 sec	+1 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

6.2. Booting Timer Test

Installation	Actual		Note
System Booting Time	4.2	Sec	Press the Power Button till "Beep" Sound appears

6.3. Watchdog Timer Test

Use Function as below:

[] No Support.

Time-Out Interval	Criteria	Actual		Result			Note
				Pass	Fail	N/A	
10 sec	+/-10% sec	9.40	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Use AAEONWdt32 tool.
60 sec	+/-10% sec	59.07	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
255 sec	+/-10% sec	252.76	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Note : Under Room Temperature: 26°C / DOS Mode

7. O.S. Compatibility Test

7.1. English Fedora 15 Kernel 2.6.38.6-26.rc1.fc15.i686

[] No Support

Driver Information:

Chipset Software	English Fedora 15 default driver
Graphics Media	English Fedora 15 default driver
Audio Driver	English Fedora 15 default driver
LAN Driver	English Fedora 15 default driver

Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
English Fedora 15 Kernel 2.6.38.6-26.rc1.fc15.i686	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Type uname -a

Test Result:

Test Item	Result			Note
	Pass	Fail	N/A	
Display Function Test				
VGA – Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Network Function Test				
Connect to Internet – LAN 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Connect to Internet – LAN 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio Function Test				
Play Audio Function Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Play Audio Test
Base Function Test				
Mouse Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USB
Keyboard Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USB
Console Redirection	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
CD-ROM Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USB DVD ROM
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
X Windows Application				
Start Button Office	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Office function
X-Window	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Startx – Desktop in Linux
Command Test On Text Mode: Attention Delay Phenomenon				
uname -a	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Show information
Shutdown	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 0 or shutdown -h now
Restart the Computer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 6 or shutdown -r now
Halt	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Power Off Mode
ls / clear; cd /dev /ls -l	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Command instruction

7.2. Windows 7 Ultimate English Version 32/64Bit

[X] x32 Driver Information:

Chipset Software	Intel(R) Chipset Device Software 9.3.0.1021(2012/07/04)
Graphics Media	Intel(R) HD Graphics 4000 8.15.10.2778(2012/07/04)
Audio Driver	Realtek High Definition Audio 6.0.1.6662(2012/06/19)
LAN Driver	Realtek PCIe GBE Family Controller 7.58.411.2012 (2012/04/11)

[X] x64 Driver Information:

Chipset Software	Intel(R) Chipset Device Software 9.3.0.1021(2012/07/04)
Graphics Media	Intel(R) HD Graphics 4000 8.15.10.2778(2012/06/06)
Audio Driver	Realtek High Definition Audio 6.0.1.6662(2012/06/19)
LAN Driver	Realtek PCIe GBE Family Controller 7.58.411.2012 (2012/04/11)

Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows 7 Ultimate SP1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
Single Display				
VGA -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot - Windows 7 Ultimate Advanced Options Menu				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Basic Function Test				
PS/2 Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
COM Port Mouse detect	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 3.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LPT Function	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN Function Test				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio Function Test				
7.1 Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Line In Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Start Menu				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby(S1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Supply USB&PS/2 KB/MS
Standby(S3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

7.3. Windows XP Professional English Version 32

[X] x32 Driver Information:

Chipset Software	Intel(R) Chipset Device Software 9.3.0.1021(2012/07/04)
Graphics Media	Intel(R) HD Graphics 4000 6.14.10.5415(2012/06/05)
Audio Driver	Realtek High Definition Audio 5.10.0.6662(2012/06/19)
LAN Driver	Realtek PCIe GBE Family Controller 5.794.222.2012 (2012/02/22)

Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows XP Professional English SP3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
Single Display				
VGA -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot - Windows XP Professional Advanced Options Menu				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Basic Function Test				
PS/2 Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
COM Port Mouse detect	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 3.0 Removable Devices	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Drive not support
LPT Function	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN Function Test				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio Function Test				
7.1 Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Line In Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Start Menu				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby(S1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby(S3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

8. BIOS Function Test

Hardware Information with XP Professional English SP3 32 Bit Driver Version	
CPU	Intel® Core™ i7-3770K Processor (8M Cache, 3.5 GHz)
Memory	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2
HDD/CFD	Seagate ST500DM002 3.5" 7200rpm 500GB

8.1. Advanced Test

Test Item		Result			Note
		Pass	Fail	N/A	
ACPI settings	Suspend Disabled	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Enable/Disable
	Sleeps state (S1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Sleeps state (S3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CPU configuration	Hyper-threading	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
SATA configuration	SATA controller	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	AHCI mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	IDE mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB configuration	Legacy USB Support	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	USB3.0 Support	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
W836274DHG Super IO configuration	Floppy Disk Controller	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	Serial port 1~2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	RS232	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RS422	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RS485	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Parallel Port	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
PC Health Status	Smart Fan Function	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	Smart Fan configuration	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Digital IO		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
S5 RTC Wake Settings		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

8.2. Chipset Test

Test Item		Result			Note
		Pass	Fail	N/A	
System Agent (SA) Configuration	Graphics Configuration	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCH-IO Configuration		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

8.3. Boot Test

Test Item	Result			Note
	Pass	Fail	N/A	
Boot up Numlock State	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Quiet Boot	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From Hard Disk	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From CDROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From Floppy	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB HDD	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB Floppy	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB CD-ROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot from LAN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Disable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

8.4. CMOS Backup / Clear CMOS Test

Test Item	Result			Note
	Pass	Fail	N/A	
CMOS Backup	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear Date and time
Clear CMOS Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear Date

8.5. AAEON Tag Check Utility

Test Item	Result			Note
	Pass	Fail	N/A	
Check AAEON BIOS OK	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AONCHECK.EXE

8.6. Supervisor / User Password Test

Test Item	Result			Note
	Pass	Fail	N/A	
Administratrator Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
User Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

9. Performance Test

Hardware Information with Windows 7 Ultimate English Version 32Bit Driver Version	
CPU	Intel® Core™ i7-3770 Processor (8M Cache, 3.4 GHz)
Memory	Transcend DDR3 1600/8GB CL11 Micron 2AD27D9PBC *2
HDD	Seagate ST500DM002 3.5" 7200rpm 500GB

9.1. Performance Test

Test Result: (Display set 1920*1080 test)

Testing Software	Scope		Note
	AAEON	Ref.	
CPU Mark99			Windows 7
Scores	611	-	

PCMark2005			Windows 7
PCMark	N/A	-	PCMarks
CPU	13380	-	
Memory	11104	-	
Graphics	6926	-	
HDD	8322	-	
Benchmark (B)	-	-	
Average Efficiency	-	-	

PCMark Vantage			Windows 7
PCMark	9755	-	PCMarks
Memories	5570	-	
TV and Movies	6959	-	
Gaming	7077	-	
Music	8631	-	
Communications	10953	-	
Productivity	7696	-	
HDD	4857	-	

Testing Software	Scope		Note
	AAEON	Ref.	
3Dmark2003 v360			Windows 7
3Dmark Score	8131	-	Select All
CPU Score	2755	-	
Benchmark (A)	-	-	
3Dmark2006 v120			Windows 7
3Dmark Score	5304	-	Select All
SM2.0	1748	-	
HDR/SM3.0	2025	-	
CPU Score	7220	-	

Testing Software	Scope		Note
	AAEON	Ref.	
Final Reality V1.01—BenchMark Test			Windows 7
2D image	77.13	-	
3D	6.92	-	
Bus transfer	66.24	-	
Overall	35.38	-	Reality marks
Benchmark (A)	-		

Testing Software	Scope		Note
	AAEON	Ref.	
Performance7			Windows 7
PassMark Rating	1816.2	-	
CPU Mark	8808.9	-	
2D Graphics Mark	432.9	-	
3D Graphics Mark	554.9	-	
Memory Mark	1473.0	-	
Disk Mark	754.0		

Testing Software	Scope		Note
	AAEON	Ref.	
Windows experience index			Windows 7
Processor	7.7	-	
Memory	7.7	-	
Graphics	6.5	-	
Gaming graphics	6.5	-	
Primary hard disk	5.9	-	