

Report NO:16IP010007

NANO-001

Intel 5th gen 14nm Broadwell

System Level Product P5 Test Report

Summary	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail <input type="checkbox"/> Pass with Deviation (Comment: _____)			
	Test Results Category			
	Critical	Major	Minor	Enhancement
Defect Found	0	0	0	0
Defect Unsolved	0	0	0	0

Issue date

QE Manager

Test Engineer

2016-05-10

KJ Wang

Leo Liu

Specification Validation

Main Specification

Item	Specification	Result			Note
		Pass	Fail	N/A	
CPU	Intel® 5th gen. 14nm Broadwell ULT i7-5650U/ i5-5350U/ i3-5010U BGA CPU, 15W TDP.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Chipset	Intergrate into Soc	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Memory	2 x SO-DIMM, max. 16GB, DDR3L 1600 MHz, non-ECC, un-buffered memory	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
I/O Chipset	NCT5538D	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Ethernet	2 x Realtek 8111G Giga LAN 10/100/1000Mb LANs, 2 x RJ-45	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio	Realtek® ALC887	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Expansion Slots	1 x M.2 slot(M-key), length:60mm (mSATA colay LVDS), auto detect 1 x mini card half size (USB+PCIe+mSATA), default USB+PCIe, mSATA BOM change	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
BIOS	128Mbit Flash ROM, AMI BIOS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
H/W Monitor	Temperature Monitor on CPU/System Voltage Monitor on Vcore/5V/3.3V/12V Fan Monitor on Chassis	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
WatchDog Timer	1~255 step by software program	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Smart Fan Control	Chassis Fan	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Wake On LAN / PXE	Yes (WOL / PXE)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Power State	S3, S4, S5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Graphics Chipset	- Integrated Graphics	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Display Port	(U): 3840x2160, (H): 4096x2304	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Graphics Multi Display	DP1+DP2		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Front I/O	USB	2 x USB 3.0 ports 2 x USB 2.0 ports	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Audio	2 x Audio Jack: Line-out(green), Mic-in(pink)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Power	1 x On/Off Button	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Others	1 x Power LED + HD LED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Back I/O	USB	2 x USB 3.0 ports	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Display	2 x DP connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	LAN	2 x RJ-45 connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Power	1 x Reset Switch 1 x DC Power (DC: 12V~19V, wide rage:12V-5%~ 19V+10%)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Others	1 x Antenna output (from internal mini-card)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Internal I/O	Storage	1 x M.2 slot for mSATA (optional)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		1 x SATA 6.0 Gb/s ports	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	FAN	1 x Chassis Fan connector (3-pin, p=2.00mm)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Power Requirement		1 x DC Power (DC: 12V~19V, wide rage:12V-5%~ 19V+10%)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Power Compliance		Compliant with EuP / ErP	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

O.S. Support

Item	Specification	Result			Note
		Pass	Fail	N/A	
Microsoft Windows	Windows 7 32 bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

	Windows 7 64 bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Windows 8.1 32 bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Windows 8.1 64 bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Windows 10 64 bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Linux	Fedora	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Environmental Specifications

Item	Specification
Operating Temperature	FANLESS : 0~40 °C, with 0.5 m/s airflow FAN : 0~50 °C, with 0.5 m/s airflow
Operating Humidity	20%~90%RH, non-condensing
Anti-Vibration	5g rms/ 5~ 500Hz/ operation - SSD
Anti-Shock	20 G peak acceleration (11 msec. duration) -SSD
Certificate	CE & FCC class A

Note: Please refer Environment Test Report for detail information

Platform Information

Item	Device Information	Note
Product of department	IPC	
System Model / Version	NANO-001 A1.0	
PCB Model / Version	NITX-BD1 REV. 1.01	
BIOS / Version	R1.0(TBD1AM10)(08/28/2015)	
Driver folder	20151007	
CPU Type	Intel Core i7-5650U 2.20GHz Intel Core i3-5010U 2.10GHz Intel Celeron 3755U 1.70GHz	
Memory Type	InnoDisk DDR3L-1600 8GB(SEC 446 BYKO K4B4G0846D)x2	
SATA HDD	HGST 2.5" SATA3 1TB(HTS721010A9E630)	
USB DVD-ROM	Lite-on 8X(eNAU808)	
LCD Monitor	SAMSUNG 28"(U28D590)	
LVDS	AUO M215HW03 V1 / 21" / 1920*1080 / 48bit	
Operating System	<input checked="" type="checkbox"/> Fedora 21 Kernel 3.17.4-301.fc21.i686	
	<input checked="" type="checkbox"/> Windows 7 Ultimate 32/64Bit	
	<input checked="" type="checkbox"/> Windows 8.1 Enterprise English Version 32/64Bit	
	<input checked="" type="checkbox"/> Windows 10 Enterprise English Version 64Bit	
Power Supply	ATX Power Supply : Sseasonic 550W(SSR-550RM)	
	DC Adapter : SINPRO 12V(MPU50-105)	
Chipset Information		
Chipset Software	Intel Chipset Device Software 10.0(2014-04-24)	
Chipset	Intergrate into Soc	
I/O Chipset	NCT5538D	
VGA Chipset	Intel HD Graphics 6000 10.18.10.3908(8/5/2014)	
Audio Chipset	Intel Display Audio 6.16.0.3149(6/24/2014)	
	Realtek High Definition Audio 6.0.1.6873(3/29/2013)	
Ethernet Chipset	Realtek PCIe GBE Family Controller 7.73.618.2013(6/18/2013)	
	Realtek PCIe GBE Family Controller #2 7.73.618.2013(6/18/2013)	

Summary Table of contents:

1. Hardware Test	7
1.1. CPU Compatibility Test	7
1.2. Memory Compatibility Test.....	7
1.3. SATA Compatibility Test	7
1.4. M.2 Compatibility Test	8
2. Basic Function Test.....	9
2.1. Video Function Test	9
2.2. Audio Function Test	11
2.3. LAN Function Test	11
2.4. Jumper and Connector Function Test.....	14
3. Integration Test.....	15
3.1. USB Port Integration Test.....	15
3.2. COM Port Integration Test	15
4. Expansion card and Application Test	16
4.1. Expansion Slot Compatibility Test	16
4.2. SSD Modules Compatibility Test	16
4.3. Display port Converter Compatibility Test	16
5. Power Consumption Test	17
5.1. DC Power Consumption	17
5.2. PC Health Status	18
5.3. DC Power Switch.....	18
5.4. CMOS Battery Test	18
6. Time Accuracy Test.....	19
6.1. System Clock & RTC Clock Test.....	19
7. O.S. Compatibility Test	20
7.1. English Fedora 21 Kernel 3.17.4-301.fc21.i686.....	20
7.2. Windows 7 Ultimate English Version 32/64Bit	21
7.3. Windows 8.1 Enterprise English Version 32/64Bit	22
7.4 Windows 10 Enterprise English Version 64Bit.....	23
8. BIOS Function Test	24
8.1. Advanced Test	24
8.2. Chipset Test.....	24
8.3. Boot Test	24
8.4. CMOS Backup / Clear CMOS Test	25
8.5. AAEON Tag Check Utility.....	25
8.6. Supervisor / User Password Test	25
8.7. Hi-safe Test.....	25
9. Performance Test	26
10. Negative Test	29
10.1 USB Keyboard Negative Test.....	29
10.2 Suspend S3 Negative Test.....	29
11. Stability test	30
11.1. Run In Test.....	30
11.2. Reboot Test	30

1. Hardware Test

1.1. CPU Compatibility Test

CPU Information	Result			Note
	Pass	Fail	N/A	
Intel Core i7-5650U 2.20GHz	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Intel Core i3-5010U 2.10GHz	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Intel Celeron 3755U 1.70GHz	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

1.2. Memory Compatibility Test

Memory Information	AAEON P/N	MEM V5.01 For 3 loops			Note
		Pass	Fail	N/A	
InnoDisk DDR3L-1600 2GB(SEC 434 BYKO K4B2G0846Q)	AP-DR968D3002 GX	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
InnoDisk DDR3L-1600 4GB(SEC 425 BYKO K4B4G0846D)	968D3004GZ	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
InnoDisk DDR3L-1600 8GB(SEC 446 BYKO K4B4G0846D)	968D3008GW	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Transcend DDR3L-1600 2GB(SEC 501 BYMA K4B2G0846Q)	AP-DR968D3002 GK	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Transcend DDR3L-1600 4GB(SEC 446 XYKO K4B4G0846D)	AP-DR968D3004 G6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Transcend DDR3L-1600 8GB(SEC 443 BYKO K4B4G0846D)	AP-DR968D3008 G7 / 968D3008G7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DSL DDR3L-1333 4GB(Skhyhynix H5TC4G83AFR)	N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Apacer DDR3L-1600 2GB(Micro 5AN77D9SDD)	N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Samsung DDR3L-1600 4GB(SEC 440 BYKO K4B4G0846E)	N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Samsung DDR3L-1600 8GB(SEC 504 BYKO K4B4G0846E)	N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

1.3. SATA Compatibility Test

1.3.1. Onboard SATA (IDE) Test

SATA Device Information	Result			Note
	Pass	Fail	N/A	
HGST 2.5" 1TB(HTS721010A9E630)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Win 7-32/64bit
Seagate 2.5" 500GB(ST500LT012)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Win 8.1-32/64bit
WD 2.5" 320GB(WD3200BEVT)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Fedora 21
OCZ 2.5" 120GB(Vector 150)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Win 7-32bit

1.3.2. Onboard M.2 (IDE)Test

SATA Device Information	Result			Note
	Pass	Fail	N/A	
Transcend 32GB(TS32GMTS600)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Win8.1-64bit
Transcend 64GB(TS64GMTS600)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Celeron/Win7-32bit
Transcend 128GB(TS128GMTS600)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Core i3/Win 8.1-64bit
Transcend 256GB(TS256GMTS600)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Core i7/Win 8.1-32bit

1.4. M.2 Compatibility Test

M.2 Information	AAEON P/N	ATTO R/W			Note
		Pass	Fail	N/A	
Transcend 64GB(TS64GMTS600)	AP-DR968D3002 GX	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Transcend 128GB(TS128GMTS600)	968D3004GZ	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Transcend 256GB(TS256GMTS600)	968D3008GW	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2. Basic Function Test

2.1. Video Function Test

2.1.1. Single Output Function Test

Hardware Information with Windows 7 Ultimate English Version 32 Bit Driver Version													
CPU	Intel Core i7-5650U 2.20GHz												
Memory	InnoDisk DDR3L-1600 8GB(SEC 446 BYKO K4B4G0846D)x2												
SATA HDD	HGST 2.5" 1TB(HTS721010A9E630)												
Display port 1	SAMSUNG 28"(U28D590)												
Display port 2	SAMSUNG 28"(U28D590) EIZO 23.5"(EV2335W)												
LVDS	AUO M215HW03 V1 / 21"/ 1920*1080 / 48bit												
Color Quality	<input checked="" type="checkbox"/> 16bit <input type="checkbox"/> 24bit <input checked="" type="checkbox"/> 32bit												
Resolution	DP1			DP2			LVDS						Note
	Pass	Fail	N/A	Pass	Fail	N/A	Pass	Fail	N/A	Pass	Fail	N/A	
800X600	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1024X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1152X864	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1280X600	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1280X720	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1280X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1280X800	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1280X960	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1280X1024	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1360X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1366X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1400X1050	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1440X900	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1600X900	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1600X1200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1680X1050	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1792X1344	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1856X1392	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1920X1080	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1920X1200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1920X1440	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2048X1152	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2048X1536	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2560X1440	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3840 X 2160	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
EDID check	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hot plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Rotation(0/90/ 180/270)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DOS Display	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Note: Pay attention to Full Screen under POST screen and Text Mode.

2.1.2. Multi-Display Output Test

Selection	Output	Result			Note
		Pass	Fail	N/A	
Dual Display Clone	DP1 + DP2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Clone	DP1 + LVDS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Clone	DP2 + LVDS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Clone	DP1 + DP2 + LVDS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2.1.3. Video Resolution Test

Test points:

1. Power on without inserting any VGA connector until system reaches Windows desktop
2. Plug VGA connector into test machine while system reaches Windows then check VGA driver and display
3. Check VGA output Brightness is normal and it shows "Ghost Image" / "Flicker" or not

	Result			Note
	Pass	Fail	N/A	
In Windows Desktop	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2.1.4. Video Resolution Test

LVDS Panel Model (LVDS display should full screen and no flicker)			Result			Note
			Pass	Fail	N/A	
48bit	1920x1080	AUO M215HW03 V1 / 21"/ 1920*1080 / 48bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	IPC_BU and standard







2.2. Audio Function Test

[] No Support

Function Test	Result			Note
	Pass	Fail	N/A	
L (Left) Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
R (Right) Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Display port Audio Line out	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Record	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2.3. LAN Function Test

[] No Support

Connect two computers via different speed LAN HUB by using "Ping" instruction (1000 times)										
Command: ping xxx.xxx.xx.xx -l 65500 -n 1000										
1000Mbps LAN HUB		D-Link DGS-1008D								
100Mbps LAN HUB		Accton Desktop-3005								
10Mbps LAN HUB		SVEC FD916H								
OnBoard LAN1		Realtek PCIe GBE Family Controller					MAC Address		00-E0-4C-68-00-25	
OnBoard LAN2		Realtek PCIe GBE Family Controller					MAC Address		00-E0-4C-68-00-26	
LAN Speed	Link / Speed LED	Active LED	LAN 1			LAN 2			Note	
			Pass	Fail	N/A	Pass	Fail	N/A		
1000Mbps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
100Mbps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10Mbps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Wake On LAN			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
LAN Boot (PXE)			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Internet Browser (DHCP Server)			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

2.3.2. Throughput Test

DUT Platform Information:

<input type="checkbox"/>	Fedora 15
<input type="checkbox"/>	Cent 5.5
<input checked="" type="checkbox"/>	Ubuntu 14.10 Kernel 3.16.0-23-generic #31-Ubuntu
<input type="checkbox"/>	Red Hat

Note : Connection-Level Performance (Interaction Constants Duration Time Set to 60 Sec.)


Graphics Media	Ubuntu Default setting
LAN	LAN1→Realtek PCIe GBE Ethernet: 8.039.00-NAPI
	LAN2→Realtek PCIe GBE Ethernet: 8.039.00-NAPI
Audio Driver	Ubuntu Default setting
CPU information	Intel Core i3-5010U 2.10GHz

SMB Platform Information:

Chassis	SPIRENT Smartbits 600B
Chassis Version	2.80.003 (Cur) 2.50.000
Chassis Serial #	06014047
Library	6.00-29
API	5.50.42.01
File	0550042
Module	2 * LAN-3324A SmartMetrics XD 4-Port 10/100/1000Base-T Gigabit Ethernet
Test Software	SmartFlow5.50.42.1

Test Result:


- Half Direction (LAN1: Realtek PCIe GBE Ethernet → LAN2: Realtek PCIe GBE Ethernet)



Throughput vs Frame Size

<u>Name/Framesize</u>	<u>64</u>	<u>128</u>	<u>256</u>	<u>512</u>	<u>1024</u>	<u>1280</u>	<u>1518</u>
Total	18.7890625	35.03125	63.6484375	99.2265625	100	100	100
A Group	18.7890625	35.03125	63.6484375	99.2265625	100	100	100
A 1-1->1-2	N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. Binary Direction (LAN1: Realtek PCIe GBE Ethernet → LAN2: Realtek PCIe GBE Ethernet)



Throughput vs Frame Size

<u>Name/Framesize</u>	<u>64</u>	<u>128</u>	<u>256</u>	<u>512</u>	<u>1024</u>	<u>1280</u>	<u>1518</u>
Total	13.375	23.4296875	42.765625	79.890625	100	100	100
A Group	13.375	23.4296875	42.765625	79.890625	100	100	100
A 1-1->1-2	N/A	N/A	N/A	N/A	N/A	N/A	N/A
A 1-2->1-1	N/A	N/A	N/A	N/A	N/A	N/A	N/A

2.4. Jumper and Connector Function Test

[] No Support

Function Test	Result			Note
	Pass	Fail	N/A	
LJ1 LVDS voltage 3.3V/5V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LJ2 Inverter voltage 5V/12V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LJ3 Brightness control PWM/DC mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CLRTC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
F_PANEL Power button/reset button/power LED/HDD LED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CPU FAN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3. Integration Test

Hardware Information with Windows 7 Ultimate English SP1 32 Bit Driver Version	
CPU	Intel Core i7-5650U 2.20GHz
Memory	InnoDisk DDR3L-1600 8GB(SEC 446 BYKO K4B4G0846D)x2
HDD	HGST 2.5" 1TB(HTS721010A9E630)

3.1. USB Port Integration Test

Item	USB Port	Boot			Function(Win 7)			Note
		Pass	Fail	N/A	Pass	Fail	N/A	
USB HDD		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB FDD Mitsumi D353GUE		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LITE-ON USB2.0 DVD-R/W eNAU808		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Hub Test (Connect USB Device) HUB Port1: USB Keyboard / HUB Port2: USB Mouse / HUB Port3: USB HDD								
USB 2.0 HUB PowerSync / USB 2.0 4 Port HU-155					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3.2. COM Port Integration Test

Test Item	Result			Note
	Pass	Fail	N/A	
Serial Modem Dial Out	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Serial Modem Ring In	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Modem

4. Expansion card and Application Test

4.1. Expansion Slot Compatibility Test

Test point: Make sure expansion slots are compatible with expansion cards.

Mini PCI Express Card		Result			Note
		Pass	Fail	N/A	
Half size	AzureWave AW-CB161H 802.11a/b/g/n/ac(PCI-e Wireless+ USB Bluetooth) Realtek RTL8821AE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Half size	BOINTEC DPE909-AA 802.11a/b/g/n(PCI-e Wireless+ USB Bluetooth) Qualcomm Atheros AR9462	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

4.2. SSD Modules Compatibility Test

SSD HDD Compatibility Test:

Cable Type: IDE SATA3 MLC SLC

Test Item	Result			Note
	Pass	Fail	N/A	
OCZ 2.5" 120GB(Vector 150)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

4.3. Display port Converter Compatibility Test

Test Item			Result			Note
			Pass	Fail	N/A	
DP to HDMI converter: LPC-1504	DOS display	Full screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	OS display	Full screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Max resolution: 3840x2160
DP to DVI converter: LPC-1503	DOS display	Full screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	OS display	Full screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Max resolution: 1920x1080

5. Power Consumption Test

Hardware Information with Windows 7 Ultimate English SP1 32 Bit Driver Version	
CPU	Intel Core i7-5650U 2.20GHz
Memory	InnoDisk DDR3L-1600 8GB(SEC 446 BYKO K4B4G0846D)x2
HDD	HGST 2.5" 1TB(HTS721010A9E630)

5.1. DC Power Consumption

Test Equipment						
Equipment	Programmable POWER SUPPLY					
Manufacturer	GW INSTEK					
Model name	PSH-3630					
Test Environment						
DC Adapter Model	SINPRO 12V(MPU50-105)					
Power Supply	DC Power					Note
(Full Loading Mode) Windows 7 with Prime 95 Full Loading Test	(+12V)	2.05	A	24.6	W	Prime95 Version 279
Full Loading Total Watt	24.6(W)					
S3 mode: Measure the current value when system in S3 mode of windows and without running any	(+12V)	0.08	A	0.96	W	
Suspend Total Watt	0.96(W)					
Win. Idle mode: Measure the current value when system in windows mode and without running any program	(+12V)	0.65	A	7.8	W	
Idle Total Watt	7.8(W)					
S5 mode: Measure the current value when system in S5 mode of windows and without running any	(+12V)	0.0138	A	0.1656	W	Erp disable
Suspend Total Watt	0.1656(W)					
S5 mode: Measure the current value when system in S5 mode of windows and without running any	(+12V)	0.0060	A	0.072	W	Erp Enable
Suspend Total Watt	0.072(W)					

5.2. PC Health Status

Test Point: The value between Actual Voltage and Voltage Monitor must be + /- 5%

Voltage Monitoring Test	Result			BIOS (V)	Actual (V)	Note
	Pass	Fail	N/A			
+5V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5.060	5.03	
+12V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.328	11.34	
CPU VCORE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.744	1.75	
CPU Fan Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2710 RPM	2769 RPM	
CPU Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	45°C	38°C	
System Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29°C	26.8°C	

5.3. DC Power Switch

Test Environment	Switch	DC Power (11.4V~20.9V)		Note
Windows 7 with Prime 95 Full Loading Test	(+11.4V)	2.01	A	
	(+12V)	1.93	A	
	(+16V)	1.40	A	
	(+19V)	1.20	A	
	(+20.9V)	1.09	A	
Windows 7 Without running any Software	(+11.4V)	0.25	A	
	(+12V)	0.24	A	
	(+16V)	0.20	A	
	(+19V)	0.16	A	
	(+20.9V)	0.15	A	

5.4. CMOS Battery Test

Test Point: Calculated result should be > 5 years.

Battery: CR2032

Capacity 225mA

Check item	Measured Voltage		Measured Current		Calculate Result		Result			Note
	V		uA		years		Pass	Fail	N/A	
Battery leakage	2.95	V	2.2	uA	11.6	years	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Calculate result=225mA/measured current / 365days/24hours

6. Time Accuracy Test

6.1. System Clock & RTC Clock Test

Under Room Temperature: 26 °C

Function	Item	Time Interval	Criteria	Actual	Result			Note
					Pass	Fail	N/A	
RTC Clock in Power On Mode		24 hrs	+/-2 sec	+1 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RTC Clock in Power Off Mode		24 hrs	+/-2 sec	0 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

7. O.S. Compatibility Test

7.1. English Fedora 21 Kernel 3.17.4-301.fc21.i686

[] No Support

Driver Information:

Chipset Software	System default
Graphics Media	System default
Audio Driver	System default
LAN Driver	System default

Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
English Fedora 21 kernel 3.17.4-301.fc21.i686	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Type uname -a

Test Result:

Test Item	Result			Note
	Pass	Fail	N/A	
Display Function Test				
DP1 -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DP2 -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Network Function Test				
Connect to Internet – LAN 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Connect to Internet – LAN 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio Function Test				
Play Audio Function Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Play Audio Test
Base Function Test				
Mouse Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Keyboard Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DVD-ROM Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
X Windows Application				
Start Button Office	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Office function
X-Window	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Startx – Desktop in Linux
Command Test On Text Mode: Attention Delay Phenomenon				
uname -a	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Show information
Shutdown	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 0 or shutdown -h now
Restart the Computer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 6 or shutdown -r now
ls / clear; cd /dev /ls -l	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Command instruction

7.2. Windows 7 Ultimate English Version 32/64Bit

No Support

x32 Driver Information:

Chipset Software	Intel Chipset Device Software 10.0(2014-04-24)
Graphics Media	Intel HD Graphics 6000 10.18.10.3908(8/5/2014)
Audio Driver	Intel Display Audio 6.16.0.3149(6/24/2014) Realtek High Definition Audio 6.0.1.6873(3/29/2013)
LAN Driver	Realtek PCIe GBE Family Controller 7.73.618.2013(6/18/2013) Realtek PCIe GBE Family Controller #2 7.73.618.2013(6/18/2013)

x64 Driver Information:

Chipset Software	Intel Chipset Device Software 10.0(2014-04-24)
Graphics Media	Intel HD Graphics 6000 10.18.10.3908(8/5/2014)
Audio Driver	Intel Display Audio 6.16.0.3149(6/24/2014) Realtek High Definition Audio 6.0.1.6873(3/29/2013)
LAN Driver	Realtek PCIe GBE Family Controller 7.73.618.2013(6/18/2013) Realtek PCIe GBE Family Controller #2 7.73.618.2013(6/18/2013)

Install OS to M.2:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows 7 Ultimate ACPI Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
Single Display				
DP1 -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DP2 -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot - Windows 7 Ultimate Advanced Options Menu				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Basic Function Test				
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
COM Port Mouse detect	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN Function Test				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio Function Test				
Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Start Menu				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

7.3. Windows 8.1 Enterprise English Version 32/64Bit

[] No Support

[X] x32 Driver Information:

Chipset Software	Intel Chipset Device Software 10.10 (2014-04-24)
Graphics Media	Intel HD Graphics 6000 10.18.10.3908(8/5/2014)
Audio Driver	Intel Display Audio 6.16.0.3149(6/24/2014) Realtek High Definition Audio 6.0.1.6873(3/29/2013)
LAN Driver	Realtek PCIe GBE Family Controller 8.1.510.2013(5/10/2013) Realtek PCIe GBE Family Controller #2 8.1.510.2013(5/10/2013)

[X] x64 Driver Information:

Chipset Software	Intel Chipset Device Software 10.10 (2014-04-24)
Graphics Media	Intel HD Graphics 5500 10.18.10.3908(8/5/2014)
Audio Driver	Intel Display Audio 6.16.0.3149(6/24/2014) Realtek High Definition Audio 6.0.1.6873(3/29/2013)
LAN Driver	Realtek PCIe GBE Family Controller 8.1.510.2013(5/10/2013) Realtek PCIe GBE Family Controller #2 8.1.510.2013(5/10/2013)

Install OS to M.2:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows 8.1 Enterprise	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
Single Display				
DP1 -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DP2 -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot – Windows8.1 Enterprise Advanced Options Menu				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. msconfig 2. safe boot.
Basic Function Test				
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
COM Port Mouse detect	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN Function Test				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio Function Test				
Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Start Menu				
Sign out	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

7.4 Windows 10 Enterprise English Version 64Bit

Driver Information:

Chipset Software	Intel Chipset Device Software 10.1.1(2015-06-03)
Graphics Media	Intel(R) HD Graphics 6000 20.19.15.4300(10/1/2015)
Audio Driver	Intel(R) Display Audio 6.16.0.3182(8/20/2015) Realtek High Definition Audio 6.0.1.7541(6/18/2015)
LAN Driver	Realtek PCIe GBE Family Controller 10.3.723.2015(7/23/2015) Realtek PCIe GBE Family Controller #2 10.3.723.2015(7/23/2015)

Install OS to M.2:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows 10 Enterprise 64bit ACPI Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
Single Display				
Display Port -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot - Windows 10 Enterprise Advanced Options Menu				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Basic Function Test				
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0/3.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN Function Test				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio Function Test				
Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Start Menu				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Sleep (S3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

8. BIOS Function Test

Hardware Information with Windows 7 Ultimate English SP1 32 Bit Driver Version	
CPU	Intel Core i7-5650U 2.20GHz
Memory	InnoDisk DDR3L-1600 8GB(SEC 446 BYKO K4B4G0846D)x2
HDD	HGST 2.5" 1TB(HTS721010A9E630)

8.1. Advanced Test

Test Item	Result			Note	
	Pass	Fail	N/A		
CPU configuration	Hyper-threading	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
	Virtualization Technology	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
SATA configuration	SATA controller	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
Power Mode	ATX Type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	AT Type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	FP_PWR LED is not support.
Power Saving Control		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
Restore AC Power Loss	Power Off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Power On	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Last State	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Enable Hibernation		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
ACPI Sleep State	Suspend Disabled	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	S3(Suspend to RAM)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
S5 RTC Wake Settings	Wake system with Fixed Time	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Wake system with Dynamic Time	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
NCT5538D Super IO configuration	Serial port 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enabled/Disabled
	RS232	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Smart Fan Configuration		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enabled/Disabled
USB configuration	Legacy USB Support	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enabled/Disabled/Auto

8.2. Chipset Test

Test Item	Result			Note		
	Pass	Fail	N/A			
System Agent (SA) Configuration	Primary Display	VBIOS Default	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		DP1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		DP2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		LVDS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Secondary Boot Display	Disabled	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		DP1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		DP2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Memory Frequency Limiter		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Auto/1333/1600

8.3. Boot Test

Test Item	Result			Note
	Pass	Fail	N/A	
Quiet Boot	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From Hard Disk	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB HDD	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB Floppy	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB CD-ROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Boot from LAN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Disable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

8.4. CMOS Backup / Clear CMOS Test

Test Item	Result			Note
	Pass	Fail	N/A	
CMOS Backup	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear Date and time
Clear CMOS Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear Date

8.5. AAEON Tag Check Utility

Test Item	Result			Note
	Pass	Fail	N/A	
Check AAEON BIOS OK	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AONCHECK.EXE

8.6. Supervisor / User Password Test

Test Item	Result			Note
	Pass	Fail	N/A	
Administrator Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
User Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

8.7. Hi-safe Test

No Support

Test Item	Result			Note	
	Pass	Fail	N/A		
Version(20150727)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
System Information	CPU Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Model Name	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Display Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RAM Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Support single DIMM
H/W Monitor	Info	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Fan Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Voltage	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
WatchDog	10sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Actual 11 sec
	1min	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Actual 65sec
	255sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Actual 270sec
	Auto Reload	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SMBus	SMBus IO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SMBus Address 0x5040
	Read Byte	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Slave Address A0h,A2h,A4h
	Read Word	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Result / Read	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Smart FAN	Chipset	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Fan Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	CPU
	Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Speed control	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Off Speed TMP	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Full Speed TMP	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

9. Performance Test

Hardware Information with Windows 7 Ultimate English SP1 32 Bit Driver Version	
CPU	Intel Core i7-5650U 2.20GHz
Memory	InnoDisk DDR3L-1600 8GB(SEC 446 BYKO K4B4G0846D)x2
HDD	HGST 2.5" 1TB(HTS721010A9E630)

9.1. Performance Test

Test Result: (Display set 1920*1080 test)

Testing Software	Scope		Note
	AAEON	Ref.	
PCMark2005 v1.2.0			
PCMark	9941	-	PCMarks
CPU	10875	-	
Memory	10351	-	
Graphics	6912	-	
HDD	7859	-	
PCMark Vantage V1.0.2.0			
			1280 x 960
PCMarks	7587	-	PCMarks
Memories	4738	-	
TV and Movies	4536	-	
Gaming	4117	-	
Music	7268	-	
Communications	11149	-	
Productivity	6801	-	
HDD	4413	-	

Testing Software	Scope		Note
	AAEON	Ref.	
3Dmark2006 v120			
3Dmark Score	4918	-	
SM2.0 Score	1691	-	
HDR/SM3.0 Score	1935	-	
CPU Score	3803	-	

3Dmark11 Professional Edition v1.0.2.0			
Performance 1280*720 (Default)			
3Dmark 11Score	P1127	-	
Graphics Score	1064	-	
Physics Score	2849	-	
Combined Score	771	-	

Testing Software	Scope		Note
	AAEON	Ref.	
Performance Test 7.0			
PassMark Rating	1438.4	-	
CPU Mark	4361.5	-	
2D Graphics Mark	365.5	-	
3D Graphics Mark	514.2	-	
Memory Mark	1018.8	-	
Disk Mark	853.4	-	

Testing Software	Scope		Note
	AAEON	Ref.	
Windows experience index			
Processor	7.2	-	
Memory	5.5	-	
Graphics	5.1	-	
Gaming graphics	6.7	-	
Primary hard disk	5.9	-	

SATA Performance				
SATA HDD	HGST 2.5" 1TB(HTS721010A9E630)			
CPU	Intel Core i7-5650U 2.20GHz			
Memory	InnoDisk DDR3L-1600 8GB(SEC 446 BYKO K4B4G0846D)x2			
OS	Windows 7 Ultimate 32bit			
Item	Comment / (unit)	Software	Score	Note
Single HDD (SATA port 1) SATAIII	Long bench(32mb zones)-Random access / (ms) (smaller is better)	HD Tach version 3.0.4.0 free	15.2ms	
	Long bench(32mb zones)-CPU utilization / (%,+/-2%) (smaller is better)	HD Tach version 3.0.4.0 free	15%	
	Long bench(32mb zones)-Average read / (MB/s)	HD Tach version 3.0.4.0 free	111.4MB/s	
	Long bench(32mb zones)-Burst Speed / (MB/s)	HD Tach version 3.0.4.0 free	277.9MB/s	SATAII 150~300MB SATAIII up 300M/B

USB3.0 Performance				
USB Flash	Transcend USB3.0 64GB			
Item	Comment / (unit)	Software	Transfer Rate (MB/s)	Note
USB2.0(USB1)	Maximum Read	ATTO Disk Benchmark	38MB/s	
	Maximum Write	ATTO Disk Benchmark	32MB/s	
USB2.0(USB2)	Maximum Read	ATTO Disk Benchmark	37MB/s	
	Maximum Write	ATTO Disk Benchmark	36MB/s	
USB2.0(USB11)	Maximum Read	ATTO Disk Benchmark	37MB/s	
	Maximum Write	ATTO Disk Benchmark	33MB/s	
USB3.0(USB3_12)	Maximum Read	ATTO Disk Benchmark	92MB/s	
	Maximum Write	ATTO Disk Benchmark	69MB/s	
USB3.0(USB3_12)	Maximum Read	ATTO Disk Benchmark	98MB/s	
	Maximum Write	ATTO Disk Benchmark	69MB/s	

USB3.0(Back I/O)	Maximum Read	ATTO Disk Benchmark	95MB/s	
	Maximum Write	ATTO Disk Benchmark	55MB/s	
USB3.0(Back I/O)	Maximum Read	ATTO Disk Benchmark	37MB/s	
	Maximum Write	ATTO Disk Benchmark	36MB/s	

M.2 Performance

M.2	Transcend M.2			
Item	Comment / (unit)	Software	Transfer Rate (MB/s)	Note
M.2(64GB)	Maximum Read	ATTO Disk Benchmark	517MB/s	
	Maximum Write	ATTO Disk Benchmark	80MB/s	
M.2(128GB)	Maximum Read	ATTO Disk Benchmark	561MB/s	
	Maximum Write	ATTO Disk Benchmark	158MB/s	
M.2(256GB)	Maximum Read	ATTO Disk Benchmark	563MB/s	
	Maximum Write	ATTO Disk Benchmark	308MB/s	

SSD Performance

SSD	OCZ 2.5" SATA3 120GB			
Item	Comment / (unit)	Software	Transfer Rate (MB/s)	Note
SATA3	Maximum Read	ATTO Disk Benchmark	555MB/s	
	Maximum Write	ATTO Disk Benchmark	443MB/s	

10. Negative Test

10.1 USB Keyboard Negative Test

Methods	Result			Note
	Pass	Fail	N/A	
1. Boot into BIOS setup manual. 2. Press NumLock or ScrLk and press arrow key. 3. confirm arrow key function are normally	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

10.2 Suspend S3 Negative Test

Methods		Result			Note
		Pass	Fail	N/A	
1. Resume from S3.	RS232/422/485	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Only support RS232
2. Confirm com ports(RS232/422/485), DIO, smartfan, LVDS backlight control can work properly.	SmartFan	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Non test LVDS

11. Stability test

11.1. Run In Test

Under Room Temperature: 26 °C

OS: Windows 7 Ultimate English SP1

Test Item		Result			Note
		Pass	Fail	N/A	
Burn In Test V8.0(1037) Duty: 100 Time: over 12 hours	CPU	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RAM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	COM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Video	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	2D	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	3D	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Disk	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Sound	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Network	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	GPGPU	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	USB	2.0	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3.0		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Note: COM PORT Speed Set to 115200.

11.2. Reboot Test

Under Room Temperature: 26 °C

OS:

Reboot Test	Result			Note
	Pass	Fail	N/A	
Reboot test for 1000 cycles (AP: Passmark rebooter.exe)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	