

Report NO: 11E010020

# PCM-LN02

## Intel Luna Pier + ICH8M Compact Board

### P5 Test Report

Summary	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail <input type="checkbox"/> Pass with Deviation (Comment: _____)			
	Test Results Category			
	Critical	Major	Minor	Enhancement
Defect Found	0	0	0	0
Defect Unsolved	0	0	0	0

Issue date	Approval	Test Engineer
2011 / 08 /18	Jansin Lee	Anderson Lin

### Version Released Records

Date	Version	Change History	Note
2010/04/21	P3-1001	1. Re-composing test Items	
2010/06/01	P2P3-1001	1. New Test Report	
2010/06/21	P2P3-1002	1. Add BIOS -> SPI ROM Setting (South Bridge – GPIO)	
2010/12/02	P2P2-1003	1. New Test Report	
2011/02/23	P2P3-1101	1. Re-composing test Items	
2011/03/04	P2P3-1102	1. Add Specification Validation	

**Note :**

For all test items in this report, 3 results have been defined and described as following:

- Pass:**            Functionality work perfectly
- Fail:**             Functionality failed and must be resolved in the next version
- N/A:**             Functionality Not Applicable or Not Available

This test report would be updated when re-test completed in product next change version.

### Specification Validation

#### Main Specification

Item	Specification	Result			Note
		PASS	FAIL	N/A	
Processor	Onboard Intel Atom N455/N425/D525	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
System Memory	Onboard 2GB DDR3 667/800 memory	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Storage	SATA 2.5" HDD x 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Compact flash socket x 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
I/O Spec	VGA Port x 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	GbE LAN x 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	USB 2.0 x 6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	MIC-in	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Line-in	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Line-out	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RS-232 x 5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RS-232/422/485 x 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Expansion	PCI x 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	PCMCIA x 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	PC -104 x 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Mini-card x 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### O.S. Support

Item	Specification	Result			Note
		PASS	FAIL	N/A	
Microsoft Embedded	Windows CE	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	Windows XP Embedded	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Microsoft Windows	Windows 7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Windows XP	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Linux	Fedora Linux	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### Environmental Specifications

Operation Temp	0°C ~ 60°C
EMC	CE /FCC class A

**Note:** Please refer Environment Test Report for detail information

### Platform Information

Item	Device Information	Test Item
PCB Model / Ver.	PCM-LN02 Rev A0.2	1,2,3,4,5,6,7,8,9,10
BIOS / Version	PCM-LN V1.0	1,2,3,4,5,6,7,8,9,10
CPU Type	Intel Atom N455 1.66GHZ FSB 667MHZ	1,2,3,4,5,6,7,8,9,10
Memory Type	Onboard DDR3 2GB ( hynix H5T2G83BFR H9C 038AK )	1,2,3,4,5,6,7,8,9,10
SATA HDD	WD 3.5" SATA HD WD800AAJS-00PSA0	1,2,3,4,5,6,7,8,9,10
SATA DVD-ROM	N/A	1,2,3,4,5,6,7,8,9,10
USB DVD-ROM	LG GE20LU10 USB 2.0 Super Multi DVD Rewriter	1,2,3,4,5,6,7,8,9,10
LCD Monitor	ViewSonic VT2430	1,2,3,4,5,6,7,8,9,10
LVDS	AUO G065VN01 V.0 / 6.5" / 640x480 / 24bit (4:3) AUO G084SN05 v7 / 8.4" / 800*600 / 24bit (4:3) AU M170XW01 V.1 / 17" / 1280x768 / 24bit (16:9)	1,2,3,4,5,6,7,8,9,10
Compact Flash	Transcend CompactFlash 2GB Industrial UDMA mode	1,2,3,4,5,6,7,8,9,10
Daughter Board	N/A	1,2,3,4,5,6,7,8,9,10
Expansion Board	N/A	1,2,3,4,5,6,7,8,9,10
	N/A	1,2,3,4,5,6,7,8,9,10
	<input checked="" type="checkbox"/> Fedora Core 14 Kernel 2.6.35.6-45	7-1
	<input checked="" type="checkbox"/> Windows 7 Ultimate 32Bit	7-2
Power Supply	<input checked="" type="checkbox"/> Windows XP Professional English SP3 32 Bit	7-3
	ATX Power Supply : Seventeam ST-500PCG 500W	1,2,3,4,5,6,7,8,9,10
	AT Power Supply: N/A	1,2,3,4,5,6,7,8,9,10
	DC Adapter : N/A	1,2,3,4,5,6,7,8,9,10

## Summary Table of contents:

This test report would be updated when re-test completed in product next change version.....	2
Specification Validation .....	2
Main Specification .....	2
O.S. Support.....	2
Environmental Specifications .....	2
Platform Information .....	3
1. Hardware Test .....	5
1.1. CPU Compatibility Test.....	5
1.2. Memory Compatibility Test .....	5
1.3. SATA Compatibility Test.....	5
1.4. IDE Compatibility Test .....	6
1.5. Compact Flash Compatibility Test .....	6
2. Basic Function Test.....	7
2.1. Video Function Test .....	7
2.2. Audio Function Test.....	9
2.3. LAN Function Test.....	9
2.4. Optional Function Test .....	11
3. Integration Test.....	12
3.1. USB Port Integration Test.....	12
3.2. Digital I/O Port Test .....	12
3.3. COM Port Integration Test .....	12
3.4. RS-422 / RS-485 Test.....	12
3.5. LPT Port Test .....	12
3.6. Burn In Test.....	13
4. Application Test.....	14
4.1. PCI Slot Function (PCI Adapter Card) Test.....	14
4.2. PCI-Express Function Test No Support .....	14
4.3. Mini PCI Card Compatibility Test No Support .....	15
4.4. CardBus (PCMCIA) Compatibility Function Test .....	15
4.5. ISA Slot Function Test No Support.....	15
4.6. Adapter Compatibility- Industry Control Card PC/104, PC/104+, PCI-104.....	15
4.7. SSD Modules Compatibility Test .....	16
4.8. Peripheral Compatibility- Storage Device Test .....	16
4.9. Riser Card Function Test No Support .....	16
5. Power Consumption Test .....	17
5.3. DC Power Switch .....	17
6. Time Accuracy Test.....	18
6.1. System Clock & RTC Clock Test.....	18
6.2. Booting Timer Test.....	18
6.3. Watchdog Timer Test .....	18
7. O.S. Compatibility Test .....	19
7.1. English Fedora 14 – Kernel 2.6.35.6- 45.fc14.....	19
7.2. Windows 7 Ultimate English Version 32/64Bit .....	20
7-3. Windows XP Professional English Version 32/64Bit.....	21
8. BIOS Function Test .....	22
8.1. Boot Sequence Test .....	22
8.2. Power Management Test .....	22
8.3. Power On Function Test .....	22
8.4. Power On after Power Failure Test.....	23
8.5. CMOS Backup / Clear CMOS Test .....	23
8.6. AAEON Tag Check Utility .....	23
8.7. TPM Function Test .....	23
8.8. IAMT Function Test .....	23
8.9. BIOS SPI ROM.....	23
8.10. Supervisor / User Password Test .....	23
9. Performance Test .....	24
9-2. Memory Test .....	25

# 1. Hardware Test

## 1.1. CPU Compatibility Test

CPU Information	Result			Note
	Pass	Fail	N/A	
Intel Atom D525 1.8GHZ	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Windows XP Test by Windows 7 Test by Fedora 14 Kernel 2.6.35.6-45

## 1.2. Memory Compatibility Test

Memory Information	MEM V4.0			Note
	Pass	Fail	N/A	
DDR3 2GB 667/800(hynix H57Q2GB838FR H9C 046AX ^ DTKBA979G93)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	On board

## 1.3. SATA Compatibility Test

### 1.3.1 Onboard SATA (IDE) Test

SATA Device Information	Result			Note
	Pass	Fail	N/A	
WD 3.5" SATA HD WD800AAJS-00PSA0 80GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
TOSHIBA 2.5" SATA HD MK1665GSX 160GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 1.3.2 Onboard SATA (RAID) Test

SATA RAID Test		Result			Note
		Pass	Fail	N/A	
RAID-0 (HDDx2) Striping/Span Test	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-1 (HDDx2) Mirror Test	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-5 (HDDx3) Striping/Span Test Rotation Parity	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
RAID-10 (HDDx3) Striping/Span Test Mirroring	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	4	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 1.3.3 Onboard SATA (AHCI) Test

SATA AHCI Test	Result			Note
	Pass	Fail	N/A	
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 1.4. IDE Compatibility Test

IDE Device Information	Result			Note
	Pass	Fail	N/A	
FUJITSU MHW2040AT 40GB	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 1.5. Compact Flash Compatibility Test

Compact Flash Information	Result			Note
	Pass	Fail	N/A	
Transcend CompactFlash 2GB Industrial UDMA mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test at Windows XP or Data Transfer (Read/Write) / Slot

## 2. Basic Function Test

### 2.1. Video Function Test

#### 2.1.1. Single Output Function Test

Hardware Information with XP Professional English SP3 32 Bit Driver Version										
CPU	Intel Atom N455 1.66GHZ FSB 667MHZ									
Memory	Onboard DDR3 2GB ( hynix H5T2G83BFR H9C 038AK )									
HDD/CFD	Seagate ST9120823AS SATA2 120GB 2.5" HDD									
VGA	View Sonic VT2430									
DVI	N/A									
LVDS	AUO G065VN01 V.0 / 6.5" / 640x480 / 24bit (4:3) AUO G084SN05 v7 / 8.4" / 800*600 / 24bit (4:3) AU M170XW01 V.1 / 17" / 1280x768 / 24bit (16:9)									
Color Quality	<input checked="" type="checkbox"/> 16bit <input type="checkbox"/> 24bit <input checked="" type="checkbox"/> 32bit									
Resolution	VGA			DVI			LVDS			Note
	Pass	Fail	N/A	Pass	Fail	N/A	Pass	Fail	N/A	
640X480	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
800X600	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1024X768	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1152X864	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X600	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X720	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1280X960	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X1024	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1400X1050	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X900	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X1200	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X1050	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1792X1344	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1856X1392	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1080	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1200	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1440	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2048X1536	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Rotation	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Rotation ( 0 / 90 /180 /270)

Note: Pay attention with Full Screen under POST screen and Text Mode.

#### 2.1.2. Dual Output Function Test

Selection	Output	Result			Note
		Pass	Fail	N/A	
Dual Display Clone	VGA + DVI	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dual Display Clone	VGA + LVDS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dual Display Twin		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 2.1.3. Video Resolution Test

Test points:

1. Power on without inserting any VGA connector until system reaches Windows desktop
2. Plug VGA connector into test machine while system reaches Windows then check VGA driver and display
3. Check VGA output Brightness is normal and it shows "Ghost Image" / "Flicker" or not

	Result			Note
	Pass	Fail	N/A	
In Windows Desktop	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 2.1.4. Video Resolution Test

LVDS Model	Result			Note
	Pass	Fail	N/A	
1_AUO G065VN01 V.0 / 6.5" / 640x480 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2_AUO G065VN01 V.0 / 6.5" / 640x480 / 24bit (4:3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3_Data Image 7" / 800*480 / 18bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
4_AU G084SN05 V.3 / 8.4" / 800*600 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
5_AU B104SN02 V.0 / 10.4" / 800*600 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
6_AUO G084SN05 v7 / 8.4" / 800*600 / 24bit (4:3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
7_AU G150XG01 V.0 / 15" / 1024*768 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
8_AU M150XN07 V.2 / 15" / 1024x768 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
9_Toshiba /12.1"/1280 x 768 x 18bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
10_AU M170EG01 V.D/ 17" / 1280*1024 / 48bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
11_AU M170XW01 V.1 / 17" / 1280x768 / 24bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
12_AUO T260XW02 / 26" / 1366x768 / 24bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
13_AU M201UN02 V.5 / 20.1" / 1600x1200x48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
14_AUO T370HW01 / 37" / 1920x1080 / 48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
15_AUO M190PW01 V0 / 19"/1440X900/48 bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	









## 2.2. Audio Function Test

[ ] No Support

Function Test	Result			Note
	Pass	Fail	N/A	
L (Left) Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
R (Right) Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
CD_In	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Line In	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
MICROPHONE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6-channel mode for 5.1 speaker output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
8-channel mode for 7.1 speaker output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
S/P DIF function Test	Input	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Output	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

## 2.3. LAN Function Test

[ ] No Support

<b>Connect two computers via different speed LAN HUB by using "Ping" instruction (1000 times)</b>										
1000MBps LAN HUB		D-Link DGS-1008D								
100MBps LAN HUB		HP J4095A 24 Ports								
10MBps LAN HUB		SVEC FD916H								
OnBoard LAN1		Intel 82567V-3					MAC Address		00-07-32-0A-42-B5	
OnBoard LAN2		Intel 82583V					MAC Address		00-01-A1-22-24-3B	
LAN Speed	Link / Active LED	Speed LED	LAN 1			LAN 2			Note	
			Pass	Fail	N/A	Pass	Fail	N/A		
1000MBps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
100MBps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10MBps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Wake On LAN			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Boot ROM to Novell 4.11 [RPL]			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
LAN Boot (PXE)			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Internet Browser (DHCP Server)			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

### 2.3.2. Throughput Test

DUT Platform Information:

<input checked="" type="checkbox"/>	Fedora Core 14Kernel 2.6-35.6-45
<input type="checkbox"/>	Cent 5.5 kernel 2.6.18-194.el5
<input type="checkbox"/>	Ubuntu 10.10 Kernel 2.6.27
<input type="checkbox"/>	Red Hat

Note : Connection-Level Performance (Interaction Constants Duration Time Set to 60 Sec.)


Graphics Media	Intel Graphics
LAN	LAN1→ Intel 82567V-3 Ethernet: Intel PRO/1000 Network Driver Rev 1.0.2-k4
	LAN2→ Intel 82583V Ethernet: Intel PRO/1000 Network Driver Rev 1.0.2-k4
Audio Driver	Realtek HD-audio codec

SMB Platform Information:

Chassis	SPIRENT Smartbits 600B
Chassis Version	2.80.003 (Cur) 2.50.000
Chassis Serial #	06014047
Library	6.00-29
API	5.50.42.01
File	0550042
Module	2 * LAN-3324A SmartMetrics XD 4-Port 10/100/1000Base-T Gigabit Ethernet
Test Software	SmartFlow5.50.42.1

Test Result:


- Half Direction (LAN1: Intel 82567V-3 Ethernet → LAN2: Intel 82583V 10/100/1G Ethernet)



Throughput vs Frame Size

<u>Name/FrameSize</u>	<u>64</u>	<u>128</u>	<u>256</u>	<u>512</u>	<u>1024</u>	<u>1280</u>	<u>1518</u>
<b>Total</b>	6.4140625	11.0546875	21.109375	43.5390625	90.71875	92.265625	91.4921875
<b>A Group</b>	6.4140625	11.0546875	21.109375	43.5390625	90.71875	92.265625	91.4921875
<b>A 1-1-&gt;1-2</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. Binary Direction (LAN1: Intel 82567V-3 Ethernet → LAN2: Intel 82583V 10/100/1G Ethernet)



Throughput vs Frame Size

<u>Name/Frame size</u>	<u>64</u>	<u>128</u>	<u>256</u>	<u>512</u>	<u>1024</u>	<u>1280</u>	<u>1518</u>
<b>Total</b>	7.1875	11.828125	21.109375	46.6328125	86.8515625	88.3984375	89.171875
<b>A Group</b>	7.1875	11.828125	21.109375	46.6328125	86.8515625	88.3984375	89.171875
<b>A 1-1-&gt;1-2</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>A 1-2-&gt;1-1</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A

2.4. Optional Function Test

No Support

Function Test	Result			Note
	Pass	Fail	N/A	
3G Module	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
GPRS	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Wireless LAN	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Bluetooth	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 3. Integration Test

	<b>Hardware Information with XP Professional English SP3 32 Bit Driver Version</b>
<b>CPU</b>	Intel Atom N455 1.66GHZ FSB 667MHZ
<b>Memory</b>	Onboard DDR3 2GB ( hynix H5T2G83BFR H9C 038AK )
<b>HDD/CFD</b>	Seagate ST9120823AS SATA2 120GB 2.5" HDD

#### 3.1. USB Port Integration Test

Item	USB Port	Boot			Function(XP)			Note
		Pass	Fail	N/A	Pass	Fail	N/A	
USB HDD		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB FDD Mitsumi D353GUE		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SONY USB2.0 DVD-R/W DRX-830UL		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Hub Test (Connect USB Device) HUB Port1: USB Keyboard / HUB Port2: USB Mouse / HUB Port3: USB HDD								
USB 2.0 HUB PowerSync / USB 2.0 4 Port HU-155					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### 3.2. Digital I/O Port Test

DIO Address ( ___ )	Result			Notes
	Pass	Fail	N/A	
DIO VCC +5V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### 3.3. COM Port Integration Test

Test Item	Result			Notes
	Pass	Fail	N/A	
Serial Modem Dial Out	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Serial Modem Ring In	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Modem
Serial Modem +12V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Multimeter
Serial Modem +5V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Multimeter

#### 3.4. RS-422 / RS-485 Test

Test Item	Result			Notes
	Pass	Fail	N/A	
RS-422 for COM2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Use loopback and WINSSD.exe to test RS-422 in Windows
RS-485 for COM2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Use ICP CON I-7044D D/IO Module in Windows(Support Auto flow control)
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The communication between the RS-485 pots of two boards is linked by one 100m cable on Windows Terminal

#### 3.5. LPT Port Test

Test Item	Result			Notes
	Pass	Fail	N/A	
XEROX Phaser 3124 Laser Printer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 3.6. Burn In Test

Under Room Temperature: 26 °C

Test Item	Result			Note
	Pass	Fail	N/A	
BurnIn Test V6.0 Pro	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Windows XP Professional English SP3 32 Bit

Note: COM PORT Speed Set to 115200.

## 4. Application Test

### 4.1. PCI Slot Function (PCI Adapter Card) Test

Adapter VGA Card	Set Simultaneous Display and Reboot			Note
	Pass	Fail	N/A	
CHAINTECH NVIDIA GeForce4 MX440-8X	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter Sound Card	Play Sound			Note
	Pass	Fail	N/A	
Creative Sound BLASTER Live5.1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter SCSI Card	Copy files to SCSI HDD			Note
	Pass	Fail	N/A	
ADAPTEC Ultra160 SCSI ASC-29160	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter Image Capture Card	Connect to CCD			Note
	Pass	Fail	N/A	
I-VIEW CP-1400AS (with Age STD-477FAI CCD)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter LAN Card	Connect to Internet			Note
	Pass	Fail	N/A	
Realtek RTL8139 10/100 Mbps Fast Ethernet Adapter	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
INTEL PWLA8391GTBLK Pro/1000 Giga LAN Card	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Adapter RAID Card	RAID 0 , 1 , 10 Function Test			Note
	Pass	Fail	N/A	
ADAPTEC 1420SA RoHS 4-Port SATA II RAID	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 4.2. PCI-Express Function Test No Support

PCI-Express x1	Function Test			Note
	Pass	Fail	N/A	
SUNIX SATA1414 eSATA & SATAII x1Express card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Sysconnect SK-9E21D 10 /100/1000 Base-T Adapter PCI-Express x1 LAN Card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCI-Express x4	Function Test			Note
	Pass	Fail	N/A	
Adaptec AAR-1430SA SATAII HostRAID Controllers PCI-Express x4 RAID Card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCI-Express x16	Function Test			Note
	Pass	Fail	N/A	
ASUS EAX1600PRO/TD/256M/A (ATI Chipset) PCI-Express x16 VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
WINFAST PX6200 TC TDH PCI-Express x16 VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Express card	Function Test			Note
	Pass	Fail	N/A	
SUNIX SATA II Express card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SunBox 34mm Giga LAN Express Card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mini PCI Express Card	Function Test			Note
	Pass	Fail	N/A	
Ralink RT2571WF WLAN Mini Card (USB Interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Sil3132 Mini PCI-E Function Test Card (USB Interface)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

4.3. Mini PCI Card Compatibility Test  No Support

Device Item	Function Test			Note
	Pass	Fail	N/A	
Mini PCI.10/100 Base-Tx LAN (W/Intel.82551QM .A1.0) (Model:PER-C10L)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
GM-101 WLAN 11b/g 54Mbps Mini PCI Card (Model: VNT6655AM)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ADLINK mPCI-8750 ATI Rage XL Mini PCI VGA Card	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

4.4. CardBus (PCMCIA) Compatibility Function Test

Device Item	Bit	Function Test			Note
		Pass	Fail	N/A	
Intel PRO/Wireless 2011B LAN PC Card (WPC2011BWW)	Slot 1 (Up)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[PC-200200]
	Slot 2 (Down)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Kingston datapack DP-PCM2 / 2GB (PC Card TypeII HDD)	Slot 1 (Up)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	[PC-200201]
	Slot 2 (Down)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCI GW-NS54SG Cardbus Adapter Wireless LAN Type-II	Slot 2 (Down)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	[PC-200502]

4.5. ISA Slot Function Test  No Support

Test Item	Result	Note
SCSI Card Adaptec AHA-1520B SCSI Card	<input type="checkbox"/>	[SS-002]
LAN Card NE2000 Compatible LAN Card (RTL8019AS)	<input type="checkbox"/>	[NW-014]
VGA Card CIRRUS LOGIC 5429 FCC ID:ICUVGA-GWV27A	<input type="checkbox"/>	[VC-008]

4.6. Adapter Compatibility- Industry Control Card PC/104, PC/104+, PCI-104

4.6.1. Device List: PC/104 Module

Test Item	Result			Notes
	Pass	Fail	N/A	
AAEON PCM-3660	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4.6.2. Device List: PC/104+ Module

Test Item	Result			Notes
	Pass	Fail	N/A	
AAEON PCM-3430	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4.6.3. Device List: PCI-104 Module

Test Item	Result			Notes
	Pass	Fail	N/A	
AAEON PCM-3730	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

4.6.4. Device List: PCI/104 Express Module

Test Item	Result			Notes
	Pass	Fail	N/A	
AAEON PCM-3115C	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### 4.7. SSD Modules Compatibility Test

SSD HDD Compatibility Test:

Cable Type:  IDE  SATA2  MLC  SLC

Test Item	Result			Notes
	Pass	Fail	N/A	
Transcend SSD 16G - TS16GSSD25S	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### 4.8. Peripheral Compatibility- Storage Device Test

4.8.1. Disk on Chip (DOC) Test  No Support

Test Item		Result			Notes
		Pass	Fail	N/A	
DOC 2000 Model	16MB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	M-System / MD2200-D16
DOC 2000 Onboard Address	CC00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	D000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	D400	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	D800	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	DC00	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Disable	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

4.8.2. Disk on module (DOM) Test  No Support

Test Item	Result			Notes
	Pass	Fail	N/A	
Transcend / TS512MDOM40V / 512MB / IDE 40 Pin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Transcend / TS512MDOM44V / 512MB / IDE 44 Pin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

4.9. Riser Card Function Test  No Support

Test Item		Result			Note
		Pass	Fail	N/A	
LAN		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCI Slot		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCI-e Slot		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	



## 5. Power Consumption Test

Hardware Information with XP Professional English SP3 32 Bit Driver Version	
CPU	Intel Atom N455 1.66GHZ FSB 667MHZ
Memory	Onboard DDR3 2GB ( hynix H5T2G83BFR H9C 038AK )
HDD/CFD	Seagate ST9120823AS SATA2 120GB 2.5" HDD

### 5.1. AT/ATX Power Consumption

Test Equipment					
Equipment	AC/DC Digital Clamp meter				
Manufacturer	KYORITSU				
Model name	2010				
Test Environment					
AT Power Model	N/A				
ATX Power Model	Seasonic SS-330GB Active PFC F3				
Power Supply	ATX Power	AT Power	Note		
(Full Loading Mode) Windows XP SP3 with Prime 95 Full Loading Test	(+5V)	0.10	A		A
	(+12V)	1.56	A		A
	(-5V)	0	A		A
	(-12V)	0	A		A
	(+3.3V)	0.06	A	No Support	3.3V
Full Loading Total Watt	19.418 (W)				

Suspend in XP (S1)	(+5V)	0.07	A		A
	(+12V)	1.15	A		A
	(-5V)	0	A		A
	(-12V)	0	A		A
	(+3.3V)	0.01	A	No Support	
Suspend Total Watt	14.183 (W)				

5VSB in Power Off Mode (just for ATX)	0.18	A	No Support	
5VSB in Power On Mode (just for ATX)	0.04	A		
5VSB in S1 Suspend Mode (just for ATX)	0.01	A		
5VSB Total Watt	1.15 (W)			

### 5.3. DC Power Switch

Test Point: The value between Actual Voltage and Voltage Monitor must be + /- 5%

Voltage Monitoring Test	Result			In Bios(V)	Actual (V)	Note
	Pass	Fail	N/A			
(+)Vcore	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.158 V	1.15 V	
(+) 1.5V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.488 V	1.50 V	
(+) 5V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.864 V	4.90 V	
(+) 1.05V	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.038 V	1.05 V	
VBAT	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.184 V	3.20 V	
VDDR	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.468 V	1.50 V	
SB Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	36 °C	39 °C	
CPU Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	65.6 °C	61.8 °C	
CPU Fan Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7936 RPM	7936R PM	
System FAN Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7633 RPM	7633 RPM	
System Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29 °C	28 °C	

## 6. Time Accuracy Test

### 6.1. System Clock & RTC Clock Test

Under Room Temperature: 26 °C

Item Function	Time Interval	Criteria	Actual		Result			Note
					Pass	Fail	N/A	
RTC Clock in Power On Mode	24 hrs	+/-2 sec	-1	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RTC Clock in Power Off Mode	24 hrs	+/-2 sec	-1	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 6.2. Booting Timer Test

Installation	Actual		Note
System Booting Time	5.12	Sec	Press the Power Button till "Beep" Sound appears

### 6.3. Watchdog Timer Test

Use Function as below: **8712.EXE**

Time-Out Interval	Criteria	Actual		Result			Note
				Pass	Fail	N/A	
10 sec	+/- 10%	11	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
60 sec	+/- 10%	64	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
255 sec	+/- 10%	274	Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Note : Under Room Temperature: 26°C / DOS Mode

## 7. O.S. Compatibility Test

### 7.1. English Fedora 14 – Kernel 2.6.35.6- 45.fc14

[ ] No Support

Driver Information:

Chipset Software	Fedora 14 default driver
Graphics Media	Fedora 14 default driver
Audio Driver	E1000e-1.3.10
LAN Driver	alsa-driver-1.0.24-5.16

Install OS to IDE HDD/SATA HDD/ CF Card:

Installation	Result			Note
	Pass	Fail	N/A	
Kernel 2.6.35.6- 45.fc14	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Type uname -a

Test Result:

Test Item	Result			Note
	Pass	Fail	N/A	
<b>Display Function Test</b>				
VGA -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DVI -- Full Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
LVDS -- Full Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
VGA + DVI	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
VGA + LVDS	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
DVI + LVDS	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
<b>Network Function Test</b>				
Connect to Internet – LAN 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Connect to Internet – LAN 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Audio Function Test</b>				
Play Audio Function Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Play Audio Test
<b>Base Function Test</b>				
Mouse Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Keyboard Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Console Redirection	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
CD-ROM Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>X Windows Application</b>				
Start Button Office	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Office function
X-Window	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Startx – Desktop in Linux
<b>Command Test On Text Mode: Attention Delay Phenomenon</b>				
uname -a	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Show information
Shutdown	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 0 or shutdown -h now
Restart the Computer	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 6 or shutdown -r now
Halt	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Power Off Mode
ls / clear .....; cd /dev /ls -l	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Command instruction

## 7.2. Windows 7 Ultimate English Version 32/64Bit

No Support

x32 Driver Information:

Chipset Software	Intel(R) Chipset Device Software: 9.2.0.1021(2010/12/23)
Graphics Media	Intel(R)GMA 3150 8.14.10.2230(2010/10/24)
Audio Driver	Intel(R)82567V-3 Gigabit 10.1. 9.0(2010/04/07)
LAN Driver	Intel(R)82583V Gigabit 11.7.32.0(2010/09/29)
	Realtek ALC888 6.0.1.6299 (2011/01/25)

No Support

x64 Driver Information:

Chipset Software	
Graphics Media	
Audio Driver	
LAN Driver	

### Install OS to IDE HDD/SATA HDD/ CF Card:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows 7 Ultimate ACPI Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
<b>Single Display</b>				
VGA -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DVI -- Full Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
LVDS -- Full Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
<b>Boot - Windows 7 Ultimate Advanced Options Menu</b>				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Basic Function Test</b>				
PS/2 Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
COM Port Mouse detect	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LPT1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>LAN Function Test</b>				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Audio Function Test</b>				
Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Line In Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
S/P DIF Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
<b>Start Menu</b>				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 7-3. Windows XP Professional English Version 32/64Bit

[ ] No Support

[X] x32 Driver Information:

Chipset Software	Intel(R) Chipset Device Software: 9.2.0.1021(2010/12/23)
Graphics Media	Intel(R)GMA 3150 6.14.10.5260(2010/04/25)
LAN Driver	Intel(R)82567V-3 Gigabit 10.1. 9.0(2010/04/07)
	Intel(R)82583V Gigabit 11.7.32.0(2010/09/29)
Audio Driver	Realtek ALC888 6.0.1.6299 (2011/01/25)

[X] No Support

[ ] x64 Driver Information:

Chipset Software	
Graphics Media	
LAN Driver	
Audio Driver	

#### Install OS to SATA HDD:

Installation	Result			Note
	Pass	Fail	N/A	
English Windows XP ACPI Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

#### Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
<b>Single Display</b>				
VGA -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Boot - Windows 7 Ultimate Advanced Options Menu</b>				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Basic Function Test</b>				
PS/2 Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Mouse and Keyboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
COM Port Mouse detect	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LPT1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>LAN Function Test</b>				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>Audio Function Test</b>				
Line Out Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Line In Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
S/P DIF Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
<b>Start Menu</b>				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## 8. BIOS Function Test

Hardware Information with XP Professional English SP3 32 Bit Driver Version	
CPU	Intel Atom N455 1.66GHZ FSB 667MHZ
Memory	Onboard DDR3 2GB ( hynix H5T2G83BFR H9C 038AK )
HDD/CFD	Seagate ST9120823AS SATA2 120GB 2.5" HDD

### 8.1. Boot Sequence Test

Test Item	Result			Note
	Pass	Fail	N/A	
Floppy	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Hard Disk	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Removable (All Device Priority)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
CDROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB HDD	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Floppy	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB CD-ROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN [ Boot From LAN First ]	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Disable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Check "Halt on" item – All error but K/B	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 8.2. Power Management Test

#### 8.2.1. APM Power Management Test

Test Item	Setting Test	Result			Note
		Pass	Fail	N/A	
Suspend Mode	Function Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Power Button	Delay 4 Sec	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Soft-Off By PWRBTN
Power Button	Instant-Off	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Soft-Off By PWRBTN

#### 8.2.2. ACPI Power Management Test

Test Item	Result			Note
	Pass	Fail	N/A	
Enable ACPI Auto Configuration	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Enable Hibernation	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	From Windows 7
ACPI - S1 (POS)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Resume from PS/2 keyboard or mouse.
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Resume from USB keyboard or mouse.
ACPI - S3 (STR)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Suspend Disable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 8.3. Power On Function Test

Test Item	Result			Note
	Pass	Fail	N/A	
Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hot KEY	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
MOUSE Move & Click	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
MOUSE Click	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Any KEY	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
BUTTON ONLY	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 8.4. Power On after Power Failure Test

Test Item	Result			Note
	Pass	Fail	N/A	
Off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
On	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Former-Sts (Auto)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### 8.5. CMOS Backup / Clear CMOS Test

Test Item	Result			Note
	Pass	Fail	N/A	
CMOS Backup	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Clear CMOS Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Only Changed date and time

#### 8.5.1 After Clear CMOS , Display will show " CMOS Checksum Error"

Test Item	Result			Note
	Pass	Fail	N/A	
CMOS Checksum Error	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 8.6. AAEON Tag Check Utility

Test Item	Result			Note
	Pass	Fail	N/A	
Check AAEON BIOS OK	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AONCHECK.EXE

### 8.7. TPM Function Test

Test Item	Result			Note
	Pass	Fail	N/A	
No Change	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Clear	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Enable & Active	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Disable & Disactive	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Detect TPM device under Windows.

### 8.8. IAMT Function Test

Test Item	Result			Note
	Pass	Fail	N/A	
IAMT Function	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

### 8.9. BIOS SPI ROM

Test Item	Result			Note
	Pass	Fail	N/A	
Set South Bridge GPIO (LOW)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No battery bios test
Clear CMOS Disable	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Load Optimized Defaults Disable

### 8.10. Supervisor / User Password Test

Test Item	Result			Note
	Pass	Fail	N/A	
Supervisor Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
User Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## 9. Performance Test

Hardware Information with XP Professional English SP3 32 Bit Driver Version	
CPU	Intel Atom N455 1.66GHZ FSB 667MHZ
Memory	Onboard DDR3 2GB ( hynix H5T2G83BFR H9C 038AK )
HDD/CFD	Seagate ST9120823AS SATA2 120GB 2.5" HDD

### 9.1. Performance Test

Test Result: (Display set 1024\*768 test)

Testing Software	Scope		Note
	AAEON	Ref.	
<b>PCMark2002</b>			Only for XP
CPU	2993	-	
Memory	7820	-	
HDD	1239	-	
Benchmark (A)	-		
<b>PCMark2005</b>			XP and Windows 7
PCMark	1947	-	PCMarks
CPU	1692	-	
Memory	2820	-	
Graphics	890	-	
HDD	4638	-	
Benchmark (B)	-		
Average Efficiency	-		

Testing Software	Scope		Note
	AAEON	Ref.	
<b>3Dmark2003 v360</b>			Only for XP
3Dmark Score	1060	-	
CPU Score	339	-	
Benchmark (A)	-		
<b>3Dmark2005 v130</b>			XP and Windows 7
3Dmark Score	379	-	
CPU Score	2431	-	
Benchmark (B)	-		
Average Efficiency	-		

Testing Software	Scope		Note
	AAEON	Ref.	
<b>Final Reality V1.01—BenchMark Test</b>			XP and Windows 7
2D image	23.25	-	
3D	4.16	-	
Bus transfer	42.48	-	
Overall	15.63	-	Reality marks
Benchmark (A)	-		



### 9-2. Memory Test

Test Item	Result			Note
	Pass	Fail	N/A	
MEM v4.20 Overnight Test	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	