

Report NO: 17D010001

UP-GWS01

UP Gateway System Project

System Level Product Test Report

Summary	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail <input type="checkbox"/> Pass with Deviation (Comment: _____)			
Test Results Category				
	Critical	Major	Minor	Enhancement
Defect Found	0	0	0	0
Defect Unsolved	0	0	0	0

Issue date	Approval	Test Engineer
2017/01/17	KJ Wang	Danny Chen

Version Released Records

Date	Version	Change History	Note
2010/04/21	P3-1001	1. Re-composing test Items	
2010/06/01	P2P3-1001	1. New Test Report	
2010/06/21	P2P3-1002	1. Add BIOS -> SPI ROM Setting (South Bridge - GPIO)	
2010/12/02	P2P2-1003	1. New Test Report	
2011/02/23	P2P3-1101	1. Re-composing test Items	
2011/03/04	P2P3-1102	1. Add Specification Validation	
2012/05/29	P2P3-1201	1. Add Summary Table of DTS	
2013/12/6	P2P3-1301	<ol style="list-style-type: none"> 1. Rename document : [Board Level Product P2-P3 Verification Test Plan & Report Template] 2. Chapter1:Memory compatibility add AAeon P/N 3. Chapter1:Add CFast and m-SATA test item. 4. Chapter3:Add RS422 1.2KM/115200bps transmission test 5. Chapter3:BurninTest test add USB2.0/3.0. 6. Chapter5: Modify power consumption test item. 7. Chapter7: add Windows XP Professional English Version 32/64Bit and Windows 8 Pro English Version 32/64Bit test. 8. Chapter8: Change BIOS format from Award to AMI and add Hi-Safe, Hi-Manager test item. 9. Chapter9: Add SATA performance test and USB3.0 performance. 10. Remove Chapter10: Other Tests.. 	
2014/10/03	P2P3-1401	<ol style="list-style-type: none"> 1. Page 1 rename: Board Level Product P2-P3 Test Report. 2. Remove platform information\test item and add driver folder item. 3. Chapter2.1: add EDID check, DOS display, 3840*2160, hot plug. 4. Chapter2.2: modify from "dual display test" to "Multi display test. 5. Remove chapter 2.3 "Boot ROM to Novell 4.11 [RPL]" item 6. Chapter2.3.2: add "CPU information" 7. Chapter2.4: change from optional function to "Jumper and connector function test" 8. Chapter3.4: RS422/485 add test from G3 status. 9. Add chapter 4.10 Display port converter compatibility test. 10. Chapter7.1: remove "halt" test item. 11. Chapter7.2/7.3/7.4: add touch and TPM function test 12. Chapter9: update performance test program. 13. Add chapter 10. Negative Test. 	

Note :

For all test items in this report, 3 results have been defined and described as following:

- Pass: Functionality work perfectly
- Fail: Functionality failed and must be resolved in the next version
- N/A: Functionality Not Applicable or Not Available

This test report would be updated when re-test completed in product next change version.

Specification Validation Main Specification

Item	Specification	Result			Note	
		Pass	Fail	N/A		
System						
Product Name	UP-GSW01	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Form Factor	85.60 mm × 56.5 mm (Follow Raspberry Pi2 size)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Processor	IntelR Cherry Trail T3 Atom SoC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
System Memory	DDR3 memory L-RS 1600 onboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
VGA/LCD Controller	Intel® Cherry Trail T3 x5-z8300 Atom SoC processors integrated Intel® HD Graphics	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Ethernet	Controller/Realtek RTL8111G-CG, 10/100/1000Base x1 Interface / PCI Express	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
I/O Chips	Through SoC native lanes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
BIOS	SPI BIOS – 64Mb flash	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Audio	HDMI	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Storage	Onbaord 16GB eMMC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
H/W Monitor	Serial Port	TX/RX TTL signal	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	DIO	7 pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	12C	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	SPI	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Universal Serial Bus	USB 2.0 Ports – 4 on Rear Ports USB 2.0 header – 1 on internal wafer header USB 3.0 OTG Port – 1 on internal connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
RTC	Chipset – Intel Cherry Trail x 5 – z8300	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Power Supply Request	5V , 15W power adapter	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

O.S. Support

Item	Specification	Result			Note
		Pass	Fail	N/A	
Microsoft Windows	Windows 8.1 (Launch OS)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Windows 10 Desktop (Upgrade)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Platform Information

Item	Device Information	Note
Product of department	DMS	
Product Name	UP-GSW01	
M/B Name	UP-CHT01 Rev.0.3	
BIOS / Version	UP-CHT01 R0.S (UPC1BM0S) (06/04/2016)	
Driver folder	UP-CHT01 / 20160307	
CPU Type	Intel ® Atom ™ x5-Z8350 CPU @1.44GHz	
Memory Type	DDR3L-RS 1600 onboard memory 2GB	
Storage	On board 16GB / 32GB eMMC	
USB BD-ROM	Pioneer Blu-ray Disc BD ROM	
SATA DVD-ROM	N/A	
HDMI Monitor	ViewSonic VP2770-LED DELL U2713HM-LED SAMSUNG U28D590-LED Asus PA238-LED	
Display Port Monitor	N/A	
eDP	N/A	
LVDS	N/A	
Daughter Board	N/A	
Expansion Board	N/A	
	N/A	
	<input checked="" type="checkbox"/> Windows 8.1 Enterprise English 64Bit <input checked="" type="checkbox"/> Windows 10 Enterprise English Version 64Bit	
Power Supply	ATX Power Supply :	
	AT Power Supply:	
	DC Adapter : FSP015-DPAN2 (15W MAX)	
Chipset Information		
SOC Bridge	Intel Cherry Trail	
Super IO Chipset	Through SoC native lanes	
VGA Chipset	Intel® HD Graphics	
Ethernet Chipset	RTL8111G-CG	

Summary Table of contents:

- 1.1. CPU Compatibility Test..... 6
- 1.2. Memory Compatibility Test 6
- 1.3. SATA Compatibility Test..... 6
- 1.4. Monitor Compatibility Test 7
- 2. Basic Function Test..... 8
 - 2.1. Video Function Test 8
 - 2.2. Audio Function Test..... 10
 - 2.3. LAN Function Test..... 10
- 3. Integration Test..... 12
- 3. Integration Test..... 12
 - 3.1. USB Port Integration Test..... 12
 - 3.2. HAT I/O Port Test..... 12
 - 3.3. COM Port Integration Test [x] Not Support..... 12
 - 3.4. RS-232 / RS-422 / RS-485 Test [x] Not Support 12
 - 3.5. LPT Port Test [x] Not Support..... 13
- 4. Power Consumption Test 14
 - 4.1. ATX Power Consumption 14
 - 4.2. CMOS Battery Test..... 14
- 5. Time Accuracy Test..... 15
 - 5.1. System Clock & RTC Clock Test..... 15
 - 5.2. Booting Timer Test..... 15
 - 5.3. Watchdog Timer Test..... 15
- 6. O.S. Compatibility Test 16
 - 6.1. English Ubuntu 14.10 Kernel 3.16.0-23-generic #31 16
 - 6.2. Windows 7 Ultimate English Version 32/64Bit 17
 - 6.3. Windows 8.1 Enterprise English Version 32/64Bit..... 18
 - 6.4. Windows 10 Enterprise English Version 32/64Bit..... 19
- 7. BIOS Function Test 20
 - 7.1. Advanced Test..... 20
 - 7.2. Chipset Test 20
 - 7.3. Boot Test 20
 - 7.4. CMOS Backup / Clear CMOS Test 21
 - 7.5. AAEON Tag Check Utility [x] Not Support 21
 - 7.6. Supervisor / User Password Test 21
- 8. Performance Test 22
- 9. Negative Test 24
 - 9.1 USB Keyboard Negative Test..... 24
 - 9.2 Power Supply Negative Test [X] Not Support 24
 - 9.3 Suspend S3 Negative Test [X] Not Support..... 24
- 10. Stability test 25
 - 10.1. Run In Test 25
 - 10.2. Reboot Test..... 25
 - 10.4. ACPI G3 Cold Boot Test..... 25
 - 10.5. ACPI S5 Cold Boot Test..... 26

1. Hardware Test

1.1. CPU Compatibility Test

CPU Information	Result			Note
	Pass	Fail	N/A	
Intel® Atom™ x5-Z8300 CPU @1.44GHz	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prime 95 / Ver 279
Intel® Atom™ x5-Z8350 CPU @1.44GHz	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

1.2. Memory Compatibility Test

Memory Information	AAEON P/N	MEM V5.0b5 For 3 loops			Note
		Pass	Fail	N/A	
DDR3L-RS 1600 onboard memory / 2GB	XXXXXXXXXX	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MEMV5.0b5 for UEFI Mode

1.3. SATA Compatibility Test

1.3.1 Onboard SATA (IDE) Test

[x] Not Support

SATA Device Information	Result			Note
	Pass	Fail	N/A	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

1.3.2 Onboard SATA (RAID) Test

[x] Not Support

SATA RAID Test	Result			Note
	Pass	Fail	N/A	
RAID-0 (HDDx2) Striping/Span Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RAID-1 (HDDx2) Mirror Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RAID-5 (HDDx3) Striping/Span Test Rotation Parity	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RAID-10 (HDDx3) Striping/Span Test Mirroring	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

1.3.3 Onboard Storage Test

SATA AHCI Test	Result			Note
	Pass	Fail	N/A	
On board 16GB eMMC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
On board 32GB eMMC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

1.4. Monitor Compatibility Test

Monitor Information	Result			Note
	Pass	Fail	N/A	
a. Monitor should display under DOS and OS environment.				
b. Monitor should not appear ghost or ripples.				
HDMI (Test with 5M HDMI cable)				
SAMSUNG U28D590-LED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	(Tested 3 monitors at least)
DELL U2713HM-LED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
View Sonic VP2770-LED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Asus PA238-LED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2. Basic Function Test

2.1. Video Function Test

2.1.1. Single Output Function Test

Hardware Information with Windows 10 Enterprise English Version 64 Bit													
CPU	Intel ® Atom™ x5-Z8350 CPU @1.44GHz												
Memory	DDR3L-RS 1600 onboard memory / 2GB												
SATA HDD	On board 32GB eMMC												
HDMI	DELL U2713HM-LED / SAMSUNG U28D590-LED / Asus PA238-LED / View Sonic VP2770-LED												
MIPI-DSI	MIPI-DSI Panel 1280X800												
Display Port	N/A												
Color Quality	<input checked="" type="checkbox"/> 16bit <input type="checkbox"/> 24bit <input checked="" type="checkbox"/> 32bit												
Resolution	HDMI			DVI			MIPI-DSI			VGA			Note
	Pass	Fail	N/A	Pass	Fail	N/A	Pass	Fail	N/A	Pass	Fail	N/A	
640X480	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
800X600	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1024X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1152X864	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X600	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X720	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X800	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X960	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1280X1024	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1360X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1366X768	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1400X1050	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1440X900	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X900	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1600X1200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1680X1050	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1792X1344	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1856X1392	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1080	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1200	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
1920X1440	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2048X1152	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
2560X1440	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3840 X 2160	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
EDID check	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Hot plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Rotation(0/90/180/270)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
DOS Display	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Note: Pay attention to Full Screen under POST screen and Text Mode.

2.1.2. Multi-Display Output Test

Selection	Output	Result			Note
		Pass	Fail	N/A	
Dual Display Clone	HDMI + MIPI-DSI	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Extended Desktop		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2.1.3. Video Resolution Test

Test points:

1. Power on without inserting any VGA connector until system reaches Windows desktop
2. Plug VGA connector into test machine while system reaches Windows then check VGA driver and display
3. Check VGA output Brightness is normal and it shows "Ghost Image" / "Flicker" or not

	Result			Note
	Pass	Fail	N/A	
In Windows Desktop	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	HDMI connector

2.1.4. Video Resolution Test

[x] Not Support

LVDS Model	Result			Note
	Pass	Fail	N/A	
1_AU G065VN01 V.0 / 6.5" / 640x480 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2_AU G065VN01 V.0 / 6.5" / 640x480 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3_Data Image 7" / 800*480 / 18bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4_AU G084SN05 V.3 / 8.4" / 800*600 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5_AU B104SN02 V.0 / 10.4" / 800*600 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6_AU G084SN05 v7 / 8.4" / 800*600 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
7_AU G150XG01 V.0 / 15" / 1024*768 / 18bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
8_AU M150XN07 V.2 / 15" / 1024x768 / 24bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
9_Toshiba /12.1"/1280 x 768 x 18bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
10_AU M170EG01 V.D/ 17" / 1280*1024 / 48bit (4:3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
11_AU M170XW01 V.1 / 17" / 1280x768 / 24bit (16:9)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
12_AU T260XW02 / 26" / 1366x768 / 24bit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
13_AU M201UN02 V.5 / 20.1" / 1600x1200x48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
14_AU T370HW01 / 37" / 1920x1080 / 48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
15_AU M215HW03 V1 / 21" / 1920*1080 / 48bit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	







2.2. Audio Function Test

[] No Support

Function Test	Result			Note
	Pass	Fail	N/A	
HDMI				
Audio Output	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2.3. LAN Function Test

[] No Support

Connect two computers via different speed LAN HUB by using "Ping" instruction (1000 times)										
Command: ping xxx.xxx.xx.xx -l 65500 -n 1000										
1000Mbps LAN HUB		D-Link DGS-1008D								
100Mbps LAN HUB		Accton Desktop-3005								
10Mbps LAN HUB		SVEC FD916H								
OnBoard LAN1		Realtek RTL8111G GBE Family Controller					MAC Address		00-E0-4C-68-00-02	
LAN Speed	Link / Speed LED	Active LED	LAN 1			LAN 2			Note	
			Pass	Fail	N/A	Pass	Fail	N/A		
1000Mbps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
100Mbps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
10Mbps			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Wake On LAN			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Only support S5 /S4 Mode	
LAN Boot (PXE)			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Internet Browser (DHCP Server)			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		

2.3. Jumper and Connector Function Test

[] No Support

Function Test	Result			Note
	Pass	Fail	N/A	
RTC BATTERT Connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
MIPI DSI Connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 3.0 Micro Connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 1 x 10P Connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Type A Connector 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Type A Connector 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RJ45 LAN Connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HDMI Connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HAT 40 GPIO Connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3Pin DC Jack	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3. Integration Test

Hardware Information with Windows 10 Enterprise English SP1 64 Bit	
CPU	Intel ® Atom™ x5-Z8350 CPU @1.44GHz
Memory	DDR3L-RS 1600 onboard memory / 2GB
HDD	On board 32GB eMMC

3.1. USB Port Integration Test

Item	USB Port	Boot			Function			Note
		Pass	Fail	N/A	Pass	Fail	N/A	
USB HDD		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	(1) 1x USB 3.0 OTG (2) 7x USB 2.0
USB FDD Mitsumi D353GUE		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
SONY USB2.0 DVD-R/W DRX-830UL		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB Hub Test (Connect USB Device) HUB Port1: USB Keyboard / HUB Port2: USB Mouse / HUB Port3: USB HDD								
USB 2.0 HUB PowerSync / USB 2.0 4 Port HU-155					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

3.2. HAT I/O Port Test

DIO Address (___)	Result			Note
	Pass	Fail	N/A	
DIO	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Input/Output (H) : 3.3V

3.3. COM Port Integration Test

[x] Not Support

Test Item	Result			Note	
	Pass	Fail	N/A		
Serial Modem	Ring In	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Modem / Power On By Ring S3.S4.S5.DOS / COM1
	+12V	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Multimeter
	+5V	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Test by Multimeter

3.4. RS-232 / RS-422 / RS-485 Test

[x] Not Support

Test Item	Result			Note
	Pass	Fail	N/A	
RS-422 for COM1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Use loopback and WINSSD.exe to test RS-422 in Windows
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. The communication between the RS-422 port of two boards is linked by one 1.2km cable on Windows Terminal. 2. Confirm RS422 can work properly from G3 status
RS-485 for COM1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Use ICP CON I-7044D D/I/O Module in Windows(Support Auto flow control)
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. The communication between the RS-485 port of two boards is linked by one 1.2km cable on Windows Terminal 2. Confirm RS485 can work properly from G3 status

RS-232 for COM1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. COM Port Mouse 2. BurnIN Test COM Port set 300/9600/115200 (Kbits/Sec)
-----------------	--------------------------	--------------------------	--------------------------	---

3.5. LPT Port Test

[x] Not Support

Test Item	Result			Note
	Pass	Fail	N/A	
XEROX Phaser 3124 Laser Printer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

4. Power Consumption Test

Hardware Information with Windows 8.1 Enterprise English SP1 64 Bit	
CPU Board	UP-CHT01 R0.1
CPU	Intel ® Atom™ x5-Z8300 CPU @1.44GHz
Memory	DDR3L-RS 1600 onboard memory
SATA HDD	On board 16GB eMMC

4.1. ATX Power Consumption

Test Equipment						
Equipment	AC/DC DIGITAL CLAMP METER – “DC”					
Manufacturer	KYORITSU					
Model name	2010					
Test Environment						
ATX Power Model	FSP AURUM S Series AS-550 / 550W					
Keyboard/Mouse	USB Keyboard: Microsoft 1366; USB mouse: Microsoft MSK-1113					
Power Supply	ATX Power					Note
(Full Loading Mode) Windows 10 with Prime 95 Full Loading Test	+5V	1.32	A	6.6	W	Prime95 Version 279
Full Loading Total Watt	6.6 (W)					
Win. Idle mode: Measure the current value when system in windows mode and without running any program	+5V	0.68	A	3.4	W	
Idle Total Watt	3.4 (W)					
S5 mode: Measure the current value when system in S5 mode of windows and without running any	+5V	0.013	A	0.065	W	
Suspend Total Watt	0.065 (W)					

Note : This platform does not support S3.

4.2. CMOS Battery Test

Test Point: Calculated result should be > 5 years.

Battery: CR2032

Capacity 225mA

Check item	Measured Voltage		Measured Current		Calculate Result		Result			Note
	Value	Unit	Value	Unit	Value	Unit	Pass	Fail	N/A	
Battery leakage 1. Voltage should be >3V. 2. Calculated result should be > 5 years.	3.13	V	3.16	uA	8	years	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Calculate result=225mA/measured current / 365days/24hours

5. Time Accuracy Test

5.1. System Clock & RTC Clock Test

Under Room Temperature: 26 °C

Function	Item	Time Interval	Criteria	Actual	Result			Note
					Pass	Fail	N/A	
RTC Clock in Power On Mode		24 hrs	+/-2 sec	-2 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RTC Clock in Power Off Mode		24 hrs	+/-2 sec	+1 Sec	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

5.2. Booting Timer Test

Installation	Actual		Note
System Booting Time	4.3	Sec	Press the Power Button till "AAEON LOGO" appears

5.3. Watchdog Timer Test

Use Function as below:

[] No Support.

[x] Not Support

Time-Out Interval	Criteria	Actual	Result			Note
			Pass	Fail	N/A	
10 sec	+/- 10%	Sec	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
60 sec	+/- 10%	Sec	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
255 sec	+/- 10%	Sec	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Note : Under Room Temperature: 26°C

6. O.S. Compatibility Test

6.1. English Ubuntu 14.10 Kernel 3.16.0-23-generic #31

[X] No Support

Driver Information:

Chipset Software	
Graphics Media	
Audio Driver	
LAN Driver	

Install OS to SATA HDD :

Installation	Result			Note
	Pass	Fail	N/A	
English Ubuntu14.10 kernel 3.16.0-23-generic #31	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Type uname -a

Test Result:

Test Item	Result			Note
	Pass	Fail	N/A	
Display Function Test				
HDMI -- Full Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DVI -- Full Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LVDS -- Full Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Network Function Test				
Connect to Internet – LAN 1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Intel I211
Connect to Internet – LAN 2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Intel I219
Audio Function Test				
Play Audio Function Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Back Panel I/O Ports / Play Audio Test
Base Function Test				
Mouse Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Keyboard Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Console Redirection	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
DVD-ROM Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	USB DVD-ROM
USB 2.0 / 3.0 Removable Devices	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
X Windows Application				
Start Button Office	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Office function
X-Window	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Startx – Desktop in Linux
Command Test On Text Mode: Attention Delay Phenomenon				
uname -a	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Show information
Shutdown	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 0 or shutdown -h now
Restart the Computer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Init 6 or shutdown -r now
ls / clear; cd /dev /ls -l	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Command instruction

6.2. Windows 7 Ultimate English Version 32/64Bit

{ X } No Support

{ } x32 Driver Information:

Chipset Software	
Graphics Media	
Audio Driver	
LAN Driver	

{ } x64 Driver Information:

Chipset Software	
Graphics Media	
Audio Driver	
LAN Driver	

Install OS to SATA HDD :

Installation	Result			Note
	Pass	Fail	N/A	
English Windows 7 Ultimate 32bit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AHCI Mode
English Windows 7 Ultimate 64bit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AHCI Mode

Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
Single Display				
HDMI -- Full Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Display Port -- Full Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
eDP -- Full Screen	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot - Windows 7 Ultimate Advanced Options Menu				
Safe Mode	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Basic Function Test				
COM Port Function	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
USB 2.0 / 3.0 Removable Devices	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
TPM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
PCIE x4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
M.2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN Function Test				
LAN1 --- Auto	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
LAN2 --- Auto	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio Function Test				
Line Out Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Line In Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Microphone Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mic Record	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Start Menu				
Log off User	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby (S3)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Restart	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

6.3. Windows 8.1 Enterprise English Version 32/64Bit

{ X } No Support

{ } x32 Driver Information:

Chipset Software	
Graphics Media	
Audio Driver	
LAN Driver	

{ X } x64 Driver Information:

Chipset and peripherals	Intel ® HD Graphics 10.18.14.4189 (4/10/2015)
Audio Driver	N/A
LAN Driver	Realtek RTL8111G GBE Family Controller 10.7.107.2016 (1/7/2016)

Install OS to SATA HDD :

Installation	Result			Note
	Pass	Fail	N/A	
English Windows8.1 Enterprise 32bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
English Windows8.1 Enterprise 64bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UEFI Mode

Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
Single Display				
HDMI -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
MIPI-DSI – Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot – Windows8.1 Enterprise Advanced Options Menu				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. msconfig 2. safe boot.
Basic Function Test				
COM Port Function	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
USB 2.0 / 3.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
TPM	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCIE x4	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
M.2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
LAN Function Test				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio Function Test				
Line Out Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Line In Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Microphone Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Mic Record	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Start Menu				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby (S3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	UP-CHT01 not support S3
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

6.4. Windows 10 Enterprise English Version 32/64Bit

{ X } No Support

{ } x32 Driver Information:

Chipset Software	
Graphics Media	
Audio Driver	
LAN Driver	

{ X } x64 Driver Information:

Chipset and peripherals	Intel ® HD Graphics 20.19.15.4301(10/6/2015)
Audio Driver	N/A
LAN Driver	Realtek RTL8111G GBE Family Controller 10.7.107.2016 (1/7/2016)

Install OS to SATA HDD :

Installation	Result			Note
	Pass	Fail	N/A	
English Windows10 Enterprise 32bit	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
English Windows10 Enterprise 64bit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	UEFI Mode

Test Results:

Test Item	Result			Note
	Pass	Fail	N/A	
Single Display				
HDMI -- Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
MIPI-DSI – Full Screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot – Windows10 Enterprise Advanced Options Menu				
Safe Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. msconfig 4. safe boot.
Basic Function Test				
COM Port Function	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
USB 2.0 / 3.0 Removable Devices	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
TPM	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PCIE x4	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
M.2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
LAN Function Test				
LAN1 --- Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Audio Function Test				
Line Out Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Line In Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Microphone Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Mic Record	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Start Menu				
Log off User	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Shut down (S5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Standby (S3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	UP-CHT01 not support S3
Restart	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Hibernate (S4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

7. BIOS Function Test

Hardware Information with Windows 10 Enterprise English SP1 64 Bit	
CPU	Intel ® Atom™ x5-Z8350 CPU @1.44GHz
Memory	DDR3L-RS 1600 onboard memory / 2GB
HDD	On board 32GB eMMC

7.1. Advanced Test

Test Item	Result			Note	
	Pass	Fail	N/A		
CPU Configuration					
CPU	Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Intel Vir Technology	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Enable/Disable
Trusted Computing					
Security Device Support	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
TPM State	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Pending operation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Device Select	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
USB Configuration					
Legacy USB Support	Enable / Disable / Auto	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Serial Port Console Redirection					
Console Redirection	Enable / Disable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
HAP Configuration					
GPIO Configuration In Pin Order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

7.2. Chipset Test

North Bridge	Result			Note	
	Pass	Fail	N/A		
Memory Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Total Memory	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
MIPI Port	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Panel Type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
South Bridge					
SCC eMMC Support	ACPI Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	PCI Mode	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Disable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Onboard PCIe LAN	Enable / Disable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

7.3. Boot Test

Test Item	Result			Note
	Pass	Fail	N/A	
Boot up Numlock State	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Quiet Boot	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Launch PXE OpROM	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Boot From Hard Disk	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB HDD	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB Floppy	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot From USB CD-ROM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Boot from LAN	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Disable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

7.4. CMOS Backup / Clear CMOS Test

Test Item	Result			Note
	Pass	Fail	N/A	
CMOS Backup	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear Date / time and Password
Clear CMOS Test	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

7.5. AAEON Tag Check Utility

[x] Not Support

Test Item	Result			Note
	Pass	Fail	N/A	
Check AAEON BIOS OK	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	AONCHECK not support UEFI mode

7.6. Supervisor / User Password Test

Test Item	Result			Note
	Pass	Fail	N/A	
Administrator Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
User Password	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

8. Performance Test

Hardware Information with Windows 10 Enterprise English SP1 64 Bit	
CPU	Intel ® Atom™ x5-Z8350 CPU @1.44GHz
Memory	DDR3L-RS 1600 onboard memory / 2GB
HDD	Onboard 32GB eMMC

8.1. Performance Test

Test Result: (Display set 1920*1080 test)

Testing Software	Scope		Note
	AAEON	Ref.	
PCMark2005 V120			Windows 10 64bit
PCMark		-	PCMarks
CPU	3608	-	
Memory	3553	-	
Graphics	1696	-	
HDD	14532	-	
Benchmark (B)		-	
Average Efficiency		-	

Testing Software	Scope		Note
	AAEON	Ref.	
3Dmark2006 V121			Windows 10 64bit
3Dmark Score	2051	-	
SM2.0 Score	749	-	
HDR/SM3.0 Score	763	-	
CPU Score	1595	-	
Benchmark (B)		-	
Average Efficiency		-	

3Dmark11 Professional Edition			Windows 10 64bit
Performance 1280*720 (Default)			
3Dmark 11Score	P296	-	
Graphics Score	262	-	
Physics Score	1029	-	
Combined Score	275	-	

Testing Software	Scope		Note
	AAEON	Ref.	
Performance Test 8.0			Windows 10 64bit
PassMark Rating	655	-	
CPU Mark	1539	-	
2D Graphics Mark	142.3	-	
3D Graphics Mark	221.1	-	
Memory Mark	588	-	
Disk Mark	583	-	

Storage Performance				
CPU	Intel® Atom™ x5-Z8350 CPU @1.44GHz			
Memory	DDR3L-RS 1600 onboard memory / 2GB			
OS	Windows 10 Enterprise 64bit SP1			
Item	Comment / (unit)	Software	Score	Note
Storage HDD : On board 32GB eMMC				
Single HDD (SATA port) SATAIII	Maximum Read	ATTO Disk Benchmark	157.8MB/s	SATAII 150~300MB SATAIII up 300M/B
	Maximum Write	ATTO Disk Benchmark	82.8MB/s	

USB3.0 Port Performance				
USB Flash	Kingston USB3.0 32GB			
Item	Comment / (unit)	Software	Transfer Rate (MB/s)	Note
USB3.0	Maximum Read	ATTO Disk Benchmark	139.4MB/s	
	Maximum Write	ATTO Disk Benchmark	10.9MB/s	
USB Flash	Transcend USB3.0 128GB			
Item	Comment / (unit)	Software	Transfer Rate (MB/s)	Note
USB3.0	Maximum Read	ATTO Disk Benchmark	91.1MB/s	
	Maximum Write	ATTO Disk Benchmark	64.7MB/s	

USB2.0 Port Performance				
USB Flash	Kingston USB2.0 4GB			
Item	Comment / (unit)	Software	Transfer Rate (MB/s)	Note
USB2.0	Maximum Read	ATTO Disk Benchmark	21.3MB/s	
	Maximum Write	ATTO Disk Benchmark	5.9MB/s	
USB Flash	Kingston USB3.0 32GB			
Item	Comment / (unit)	Software	Transfer Rate (MB/s)	Note
USB2.0	Maximum Read	ATTO Disk Benchmark	42.9MB/s	
	Maximum Write	ATTO Disk Benchmark	9.1MB/s	

9. Negative Test

9.1 USB Keyboard Negative Test

Methods	Result			Note
	Pass	Fail	N/A	
1. Boot into BIOS setup manual. 2. Press NumLock or ScrLk and press arrow key. 3. confirm arrow key function are normally	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

9.2 Power Supply Negative Test

[X] Not Support

Methods	Result			Note
	Pass	Fail	N/A	
1. Test with ATX connector models. 2. Boot with ATX power supply "SeaSonic SSR-450RM" 3. Confirm SATA HDD can work properly	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

9.3 Suspend S3 Negative Test

[X] Not Support

Methods		Result			Note
		Pass	Fail	N/A	
1. Resume from S3. 2. Confirm com ports(RS232/422/485), DIO, smartfan, LVDS backlight control can work properly.	RS232	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	DIO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	SmartFan	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	LVDS Backlight control	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

10. Stability test

10.1. Run In Test

Under Room Temperature: 26 °C

OS: Windows10 Enterprise 64bit English SP1

Test Item		Result			Note
		Pass	Fail	N/A	
Burn In Test V8.0 (1025) Duty: 100 Time: over 12 hours	CPU	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	RAM	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	COM	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	GPU	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	Video	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	2D	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	3D	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Disk	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Sound	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	Network	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	Parallel	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	USB	2.0	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	3.0	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Note: COM PORT Speed Set to 115200.

10.2. Reboot Test

Under Room Temperature: 26 °C

OS: Windows 10 Enterprise SP1 64bit

Reboot Test	Result			Note
	Pass	Fail	N/A	
Reboot test for 1000 cycles (AP: Passmark rebooter.exe)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

10.4. ACPI G3 Cold Boot Test

Under Room Temperature: 26 °C

OS: DOS

Test item	Result			Note
	Pass	Fail	N/A	
G3 (AC loss) cold boot over 1000 cycles <loss rate: 0 /1000 times>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Jumper setting auto power button for AT mode or BIOS select " power on"

10.5. ACPI S5 Cold Boot Test

Under Room Temperature: 26 °C

OS: Windows8.1 Enterprise 64bit

Test item	Result			Note
	Pass	Fail	N/A	
S5(standby power) cold boot over 500 cycles < System should complete 500 cycles without any error or hang.>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1. Timer: on time set 1sec ; off time set 120~150sec. 2. "PassMark Rebooter" <Set 500 cycles, delay 30sec and enable "auto load Rebooter at startup">.

Remark : UP-CHT01 no power button , so this test item not support