

# BOXER-6639M

Supplier: POKI / Carton size: 412(L)\*306(W)\*285(H) mm

## Package Drop Test Report

Report NO: 17P030020



Summary	<p><input checked="" type="checkbox"/> <b>Pass</b></p> <p><input type="checkbox"/> <b>Fail</b></p> <p>Note : There is/are ___ defect(s) not list in the report, please check it in the DTS Website.</p> <p><input type="checkbox"/> <b>Pass with Deviation</b></p> <p><b>Comment:</b></p>
---------	---

Issue date

2017-06-13

Approval

Tony Liang

Test Engineer

Shin Yeh

# Test item list

---

1. *Test item list* ----- 2
2. *Configuration of EUT* ----- 3
3. *Package drop test* ----- 5

## Testing Result


Num	Test item list	Result	Remark
1	Package drop test	Pass	

# Configuration of EUT



Num	Item	Device Information
1.	Model Name	BOXER-6639M / Rev. A1.0
2.	M/B Name	PBA-SKS01 / Rev. A1.1
3.	BIOS / Version	BOXER-6639M R0.3 (B639MM03)
4.	CPU	Intel Kaby lake i7-7700TE
5.	Memory Type	16GB.DDR4-2400. K4A8G085WB SAMSUNG *2
6.	2.5" SATA HDD	TOSHIBA / MQ01AAD010C 100GB
7.	Test Software	Windows 10 / Run PassMark Burn In Test 8.1 Pro
8.	Adapter	FSP / FSP220-ABAN2 19V 11.57A MAX

## Photos

### After Test



# Package Drop Test



# Package Drop Test

**Test Date:** 06-13-2017

**Test Product:** BOXER-6639M

**Test Site:** POKI PAPER CONTAINER. ,LTD

**Test Standard:**

Reference ISTA PROJECT 1A

**Test Equipment:**

Drop Tester


KING DESIGN Co. LTD.

Model: KD-128A

Serial Number: UU110099185

**Test Condition:**

1. Test Phase: One corner. Three edges. Six face
2. Test Cycle: 1 Cycle
3. Test Height: 76cm
4. Test Weight: 5.9Kg
5. Sample Package: 1unit in single-package.
6. Test Drawing:



**Test Result:**

Packaging is not broken, main board no structure deformation and function was working normally after drop test.