

COM-SKUC6

Supplier: POKI / Gift box size: 173(L)*158(W)*40(H) mm

Package Drop Test Report

Report NO: 16E030004



Summary	<p><input checked="" type="checkbox"/> Pass</p> <p><input type="checkbox"/> Fail Note : There is/are ___ defect(s) not list in the report, please check it in the DTS Website.</p> <p><input type="checkbox"/> Pass with Deviation Comment:</p>
---------	---

Issue date

2016-05-30

QE Manager

KJ Wang

Test Engineer

Jerry Chen

Test item list

1. *Test item list* ----- 2
2. *Configuration of EUT* ----- 3
3. *Package drop test* ----- 5

Testing Result

Num	Test item list	Result	Remark
1	Package drop test	Pass	

Configuration of EUT



Num	Item	Device Information
1.	Model Name	COM-SKUC6
2.	M/B Name	COM-SKUC6 Rev. A0.3
3.	Carrier Board	ECB-920A Rev. A0.3
4.	BIOS / Version	COM-SKUC6 R1.0 (CSKUAM10) (05/03/2016)
5.	CPU	Intel Celeron 3955U 2 GHz
6.	Memory Type	HAGIWARA Solutions / DDR3L 1600(11) 2GB SO-DIMM (SEC K4B2G0846Q)
7.	2.5" SATA HDD	WD / WD10JPVX 1.0TB
8.	Test Software	Windows 10 / Run PassMark Burn In Test 8.1 Pro
9.	ATX Power supply	CWT / DSA400P-C 400W

Photos

After Test



Package Drop Test



Package Drop Test

Test Date: 05-27-2016

Test Product: COM-SKUC6

Test Site: AAEON QE Dept.

Test Standard:

Reference ISTA PROJECT 2A

Test Equipment:

Drop Tester


KING DESIGN Co. LTD.

Model: KD-128A

Serial Number: UU110099190

Test Condition:

1. Test Phase: One corner. Three edges. Six face
2. Test Cycle: 1 Cycle
3. Test Height: 97cm
4. Test Weight: 0.2Kg
5. Sample Package: 1unit in single-package.
6. Test Drawing:



Test Result:

Packaging is not broken, main board no structure deformation and function was working normally after drop test.