

OMNI-5155L

Supplier: Taiwan EPE Corporation / Carton size: 510(L)*250(W)*460(H) mm

Package Drop Test Report

Report NO:



Summary	<p><input checked="" type="checkbox"/> Pass</p> <p><input type="checkbox"/> Fail Note : There is/are ___ defect(s) not list in the report, please check it in the DTS Website.</p> <p><input type="checkbox"/> Pass with Deviation Comment: The EPE had crack, but structure of EPE and system is OK</p>
---------	--

Issue date

2018-06-12

Approval

Tony Liang

Test Engineer

Peter Kang

Test item list

1. *Test item list* ----- 2
2. *Configuration of EUT* ----- 3
3. *Package drop test* ----- 5

Testing Result




Num	Test item list	Result	Remark
1	Package drop test	Pass	

Configuration of EUT




Num	Item	Device Information
1.	Model Name	OMNI-5155L
2.	M/B Name	EMB-BT1-A22-1900-MS.Rev.A1.0
3.	BIOS / Version	OMNI-5155L.R0.1 (0MBTLM01)(04/16/2018)
4.	CPU	IINTEL J1900 Processor
5.	Memory Type	Innodisk / DDR3L 1600 SODIMM / (M3S0-8GSSDLPC-26)
6.	2.5" SATA HDD	TOSHIBA / MQ01ABF032 100GB
7.	Test Software	Windows 7 / Run PassMark Burn In Test 8.1 Pro
8.	Adapter	FSP / FSP060-DBAB1 12V 5A MAX

Photos

After Test



Package Drop Test



Package Drop Test

Test Date: 06-12-2018

Test Product: OMNI-5155L

Test Site: Taiwan EPE Corporation

Test Standard:

Reference ISTA PROJECT 1A

Test Equipment:

Drop Tester


KING DESIGN Co. LTD

Model: KD-128A

Serial Number: UU110099185

Test Condition:

1. Test Phase: One corner. Three edges. Six face
2. Test Cycle: 1 Cycle
3. Test Height: 76cm
4. Test Weight: 6.1Kg
5. Sample Package: 1unit in single-package.
6. Test Drawing:



Test Result:

After completely testing, visual inspection showed no physical defect on packing or unit.