

VPC-3300S

With SSD

Supplier: POKI / Carton size: 332(L)*332(W)*183(H) mm

Package Drop Test Report

Report NO: 16I030008



Summary	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail Note : There is/are ____ defect(s) not list in the report, please check it in the DTS Website. <input type="checkbox"/> Pass with Deviation Comment: _____
---------	---

Issue date

2016-01-18

Approval

KJ Wang

Test Engineer

Jerry Chen

Test item list

1. *Test item list* ----- 2
2. *Configuration of EUT* ----- 3
3. *Package drop test* ----- 4

Testing Result

Num	Test item list	Result	Remark
1	Package drop test	Pass	

Configuration of EUT

Num	Item	Spec
1.	System Name	VPC-3300S
2.	M/B Name	VPC-3300 Ver. A0.1
3.	BIOS / Version	VPC-3800 R0.2 (VP38AM02) (10/02/2015) x64
4.	CPU Type	Intel Celeron J1900 1.99GHz
5.	Memory	Transcend / DDR3L 1600 SO I / 8GB * 1 / SEC K4B4G0846D
6.	SSD	Innodisk / 2.5" SATA SSD 3MG2-P / 32G / DGS25-32GD81SW3QC-26
7.	Test Software	Windows 7 / Run PassMark Burn In Test 7.0 Pro with run one Microsoft media player simultaneously
8.	Adapter	FSP DC.19V.32A.120W. 3PIN / FSP120-ABAN2.

Photos

After Test



Package Drop Test

Test Date: 01-15-2016

Test Product: VPC-3300S

Test Site: PO KI PAPER CONTAINER. ,LTD

Test Standard:

Reference ISTA PROJECT 1A

Test Equipment:

Drop Tester


KING DESIGN Co. LTD.

Model: KD-128A

Serial Number: UU110099185

Test Condition:

1. Test Phase: One corner. Three edges. Six face
2. Test Cycle: 1 Cycle
3. Test Height: 76cm
4. Test Weight: 3.35Kg
5. Sample Package: 1unit in single-package.
6. Test Drawing:



Test Result:

Packaging is not broken, main board no structure deformation and function was working normally after drop test.