

# VPC-5500S

With SSD

Supplier: POKI / Carton size: 432(L)\*367(W)\*208(H) mm

## Package Drop Test Report

Report NO: 16I030007



Summary	<p><input checked="" type="checkbox"/> <b>Pass</b></p> <p><input type="checkbox"/> <b>Fail</b></p> <p>Note : There is/are ____ defect(s) not list in the report, please check it in the DTS Website.</p> <p><input type="checkbox"/> <b>Pass with Deviation</b></p> <p>Comment: _____</p>
---------	---

Issue date

2016-01-18

Approval

KJ Wang

Test Engineer

Jerry Chen

# Test item list

---

1. *Test item list* ----- 2
2. *Configuration of EUT* ----- 3
3. *Package drop test* ----- 4

## Testing Result

Num	Test item list	Result	Remark
1	Package drop test	Pass	

# Configuration of EUT

Num	Item	Spec
1.	System Name	VPC-5500S
2.	M/B Name	VPC-5500 Ver. A0.1
3.	BIOS / Version	VPC-5500 R1.3 (V0121M13) (06/29/2015)
4.	CPU Type	Intel Core i7-4700EQ 2.4GHz
5.	Memory	Transcend / DDR3L 1600 SO I / 8GB * 2 / SEC K4B4G0846D
6.	SSD	Transcend SSD370 / 32G / TS32GSSD370I-AA
7.	Test Software	Windows 7 / Run PassMark Burn In Test 7.0 Pro with run one Microsoft media player simultaneously
8.	Adapter	FSP120-AAB 19V/6.32A 120W

## Photos

### After Test



# Package Drop Test

**Test Date:** 01-15-2016

**Test Product:** VPC-5500S

**Test Site:** PO KI PAPER CONTAINER. ,LTD

**Test Standard:**

Reference ISTA PROJECT 1A

**Test Equipment:**

Drop Tester


KING DESIGN Co. LTD.

Model: KD-128A

Serial Number: UU110099185

**Test Condition:**

1. Test Phase: One corner. Three edges. Six face
2. Test Cycle: 1 Cycle
3. Test Height: 76cm
4. Test Weight: 6.9Kg
5. Sample Package: 1unit in single-package.
6. Test Drawing:



**Test Result:**

Packaging is not broken, main board no structure deformation and function was working normally after drop test.