

# **AAEON**

**AAEON Technology INC.**  
ISO-9001/ISO-14001 Certified  
Industrial Automation PCs

## **AMB-2457 EVT**

# **Temperature Test Report**

**Release Date : Jul/16/2001**

---

**Issue Stamp**

---

**QA Manager**

---

**QE Manager**

---

**Test Engineer**

# Environment

**Model Name :** AMB-2457 EVT

**Test Date :** 07-16-01

**Test Site :** AAEON QE Dept.

**Performed by :** Rex Chang

**Test Standard :**

Select	NO.	Description
√	IEC 68-2-61	Test Z/ABD : Climatic Sequence Test

**Testing Item :**

Temperature & Humidity Cycle

**Additional Test Peripheral :**

Configuration	Model
Test Software	Run QAPlus 5.5

**Testing Equipment :**

Programmable Temperature & Humidity Chamber

Model : Ths-D4L+-100

S/N : 1241

Date of Calibration : 07-10-2000

**Sample Configuration & Quantity Under Test :**

**System Information :**

AMB-2457 Specifications (15" Flat Panel + ACS-2307 Control Box)

**1.Construction: Heavy-duty steel chassis & NEMA 4/12 aluminum alloy front panel**

**2.Display: 15" XGA(1024X768 ) TFT color LCD**

**3.CPU: Celeron 366 MHz**

**4.Memory: 32MB SDRAM**

**5.LCD/CRT controller:**

**C&T 69000 VGA controller with 2MB SDRAM. CRT& LCD panel support**

**6.Network (LAN): RTL 8139B 10/100 Base-T Ethernet controller**


**7.Power supply: Universal 250W switching Power supply**

**Test Result :**

Standard	Description	Result
IEC 68-2-61	Temperature & Humidity Cycle Test (Run QAPlusfe 5.5)	Pass

# Environment

Temperature & Humidity Cycle Test(Run QAPlusfe 5.5)



# Environment

Temperature & Humidity Cycle Test(Run QAPlusfe 5.5)

