

AAEON

AAEON Technology INC.
ISO-9001/ISO-14001 Certified
Industrial Automation PCs

PCM-4894

Environment Test Report

Release Date : Apr./12/1999

Issue Stamp

QA Manager

QE Manager

Test Engineer

Environment

Model Name : PCM-4894

Test Date : 99-04-12

Test Site : AAEON QE Dept.

Performed by : Wenyuan Yang

Test Standard :

Select	NO.	Description
√	IEC 68-2-30	Test DB : Damp Heat Test
√	IEC 68-2-61	Test Z/ABD : Climatic Sequence Test

Testing Item :

Temperature & Humidity Cycle
Test Temperature & Humidity Power On/Off Test

Additional Test Peripheral :

Configuration	Model
Test Software	AMIDIAG 5.11
Test Fixture	Power on/off(110V) Fixture

Testing Equipment :

Programmable Temperature & Humidity Chamber
Model : Ths-D4L+-100
S/N : 1241
Date of Calibration : 07-10-1998

Sample Configuration & Quantity Under Test :


Use PCM-4894 Little Board with the following options installed .
1.CPU : AMD 486DX5-133(5X86-P75) SQFP
2.DRAM : 16MB(SIEMENS HYB5117405BJ-60)
3.Chipset : ALI 1487/1489
4.VGA Chipset : C&T 65550
5.I/O Chipset : Winbond 83877TF

Test Result :

Standard	Description	Result
IEC 68-2-30	Temperature & Humidity Power On/Off Test	Pass
IEC 68-2-61	Temperature & Humidity Cycle Test(Run AMIDIAG 5.11)	Pass


Environment

Temperature & Humidity Power On/Off Test




Environment

Temperature & Humidity Power On/Off Test



Environment

Temperature & Humidity Cycle Test(Run AMIDIAG 5.11)



Environment

Temperature & Humidity Cycle Test (Run AMIDIAG 5.11)

