



PCM-6893 Rev:A0.1

Temperature cycle Test Report

Report NO : 03E020030

Issued by:

/

04/21/2002

Rex Chang
DV Engineer

Date

Reviewed by:

/

04/21/2002

Wayne-Chen
A.V.P


Date

PCM-6893 Rev:A0.1
Test Date: 04-17~21-2003
Test Product: PCM-6893 Rev : A0.1
Test Site: AAEON DV Internal Lab.
Performed By : Rex Chang


Test Standard : Reference IEC 68-2-30 Testing procedures
 Test DB : Damp Heat Test
 Reference IEC 68-2-61 Testing procedures
 Test Z/ABD : Climatic Sequence Test

Test Equipment:
 Programmable Temperature & Humidity Chamber
 K.SON. INS. TECH. CORP.
 Model : THS-D4H+-100
 Date of Calibration : 06/07/02
 Serial Number: 1241

Temperature & Humidity Cycle Test:




Temperature & Humidity Power On/Off Test



PCM-6893 Rev:A0.1

Sample Configuration & Quantity Under Test:

1. CPU : Pentium III 1.4GHz (Bios Ver.0.1)
2. SDRAM : SEITEC PM72V56841CT-6 512MB(PC133)
3. VGA : S3 Twister
4. LAN : RTL8139DL 10/100Base-T Fast Ethernet.
5. Audio : ALC 201A Codec,AC97.
6. Cooler : 1759200320

**Test Result :****Passed.**

The PCM-6893 Rev:A0.1 compact board meets temperature cycle test.