

Certificate of Compliance

We, **ADVANCE DATA TECHNOLOGY CORP.**, hereby certify that:

The product : CPU BOARD

Trade Name : AAEON

Model No. : MB-562D

Applicant : AAEON TECHNOLOGY INC.

one sample of the designation has been tested in our facility on Nov. 2, 1999. The data, data evaluation, represented in our report No.: **F86123011A**, are true and accurate representation of the measurements of the sample's emission characteristics under the conditions in following

Standards: FCC Part 15, Subpart B, Class A

CISPR 22: 1993+A1: 1995+A2: 1996, Class A

ANSI C63.4-1992



Mike Su / Project Manager

Issue Date: Nov. 5, 1999



ADVANCE DATA TECHNOLOGY CORP.

Head office: 11F, NO. 1, SEC. 4, NAN-KING EAST RD., TAIPEI, TAIWAN, R.O.C.

TEL: (02) 2603-2180 FAX: (02) 2602-2943 <http://www.adt.com.tw> e-mail: service@mail.adt.com.tw



EMC SUPPLEMENTARY TEST REPORT

REPORT NO. : F86123011A
MODEL NO. : MB-562D
DATE OF TEST : Nov. 2, 1999

PREPARED FOR: AAEON TECHNOLOGY INC.

ADDRESS : 1F, NO. 6, ALLEY 6, LANE 45, PAO-HSIN RD.,
HSIN-TIEN CITY, TAIPEI, TAIWAN, R.O.C.

PREPARED BY: ADVANCE DATA TECHNOLOGY CORPORATION



Accredited Laboratory

11F, NO.1, SEC.4, NAN-KING EAST RD.,
TAIPEI, TAIWAN, R.O.C.

This test report consists of 16 pages in total. It may be duplicated completely for legal use with the allowance of the applicant. It shall not be reproduced except in full, without the written approval of our laboratory. It should not be used by the client to claim product endorsement by NVLAP or any agency of the U.S. government. The test result in the report only applies to the tested sample.



TABLE OF CONTENTS

1. CERTIFICATION	3
2. GENERAL INFORMATION.....	4
2.1 GENERAL DESCRIPTION OF EUT	4
2.2 DESCRIPTION OF SUPPORT UNITS	5
2.3 TEST METHODOLOGY AND CONFIGURATION	5
3. TEST INSTRUMENTS	6
3.1 TEST INSTRUMENTS (EMISSION)	6
3.2 LIMITS OF CONDUCTED AND RADIATED EMISSION.....	7
4. TEST RESULTS (EMISSION).....	8
4.1 RADIO DISTURBANCE.....	8
4.1.1 EUT OPERATION CONDITION	8
4.1.2 TEST DATA OF CONDUCTED EMISSION	9
4.1.3 TEST DATA OF RADIATED EMISSION	11
5. PHOTOGRAPHS OF THE TEST CONFIGURATION WITH MINIMUM MARGIN	14
6. APPENDIX - INFORMATION OF THE TESTING LABORATORY.....	16



1.

CERTIFICATION

Issue Date: Nov. 5, 1999

Reference No.: 88101206

Product : CPU BOARD
Trade Name : AAEON
Model No. : MB-562D
Applicant : AAEON TECHNOLOGY INC.
Standard : FCC Part 15, Subpart B, Class A
CISPR 22: 1993+A1: 1995+A2: 1996, Class A
ANSI C63.4-1992

We hereby certify that one sample of the designation has been tested in our facility on Nov. 2, 1999. The test record, data evaluation and Equipment Under Test (EUT) configurations represent herein are true and accurate representation of the measurements of the sample's EMC characteristics under the conditions herein specified.

The test results show that the EUT as described in this report is in compliance with the Class A limits of conducted and radiated emission of applicable standards.

TESTED BY : Jacko Liu , DATE: 11/5/99
(Jacko Liu)

CHECKED BY : Ariel Hsieh , DATE: 11/5/99
(Ariel Hsieh)

APPROVED BY : Mike Su , DATE: 11/5/99
(Mike Su)

ADVANCE DATA TECHNOLOGY CORPORATION

NVLAQ[®]

Accredited Laboratory



2. GENERAL INFORMATION

2.1 GENERAL DESCRIPTION OF EUT

Product : CPU BOARD
Model No. : MB-562D
Power Supply : Switching (DC from PC)
Data Cable : NA

Note: This report is a supplementary report of the original one (ADT report No.: F86123011) issued on Mar. 24, 1998 to verify the test result for some electronic and mechanical change. The main change is as following:

- CPU upgrade from Pentium MMX 200 MHz to 233 MHz.
- Change of chip source.

The EUT, which is installed in the industrial PC, was tested with the following configuration:

ITEM	BRAND	MODEL	REMARK
CHASSIS	AAEON	ALPX-250	-
CPU	INTEL	PENTIUM MMX 233	233 MHz (66.6 x 3.5)
HDD	SEAGATE	ST3630A	-
FDD	TEAC	FD-235HF	-
POWER SUPPLY	SEASONIC	SSG-250G	-

The video resolution of 1024x768 (69 kHz) was used during the test.

For more detailed features description, please refer to manufacturer's specification or User's Manual.



2.2 DESCRIPTION OF SUPPORT UNITS

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories are used to form representative test configuration during the tests.

No	Product	Brand	Model No.	FCC ID	I/O Cable
1.	COLOR MONITOR	HP	D2846	FCC DoC Approved	Shielded Signal (1.5m) Nonshielded Power (1.8m)
2.	PRINTER	HP	2225C+	DSI6XU2225	Shielded Signal (1.2m) Nonshielded Power (1.2m)
3.	KEYBOARD	FORWARD	FDA-104GA	F4ZDA-104G	Shielded Signal (1.4m)
4.	USB KEYBOARD	BTC	7932	E5XKBUCP10410	Shielded Signal (1.4m)
5.	MOUSE	DEXIN	A2P800A	NIYA2P800A	Shielded Signal (1.5m)
6.	MOUSE	LOGITECH	M-M30	DZL210569	Shielded Signal (1.5m)
7.	USB MOUSE	DEXIN	A2U800A	NIYA2U800A	Shielded Signal (1.5m)
8.	MODEM x 2	ACEEX	1414	IFAXDM1414	Shielded Signal (1.2m) Nonshielded Power (1.2m)
9.	SPEAKER	JAZZ HIPSTER	J-008	NA	Nonshielded Signal (1.2m)
10.	JOYSTICK	ROCKFIRE	QF6061	K5MQF-6061	Nonshielded Signal (2.0m)
11.	WALKMAN	AIWA	HS-PS140	NA	Nonshielded Signal (1.5m)
12.	MICROPHONE	CAROL	MUD-329	NA	Nonshielded Signal (2.4m)
13.	PC	IBM	2156-D1N	FCC DoC Approved	Nonshielded power (1.8m)
14.	MONITOR	ADI	937G	BR8937G	Shielded Signal (1.5m) Nonshielded Power (1.8m)
15.	KEYBOARD	FORWARD	FDA-104GA	F4ZDA-104G	Shielded Signal (1.4m)
16.	DEXIN	A2P800A	NIYA2P800A	NIYA2P800A	Shielded Signal (1.5m)
17.	LAN CARD	3COM	3C905B-TX	FCC DoC Approved	NA

Note: 1. Support units 4 & 7 were connected to the USB ports of PC.

2. Support units 1~12 acted as SERVER PC and communicated with support units 13-17, which acted as WORKSTATION and systems of communication partner via a UTP cable (10m).

2.3 TEST METHODOLOGY AND CONFIGURATION

Both conducted and radiated testing were performed according to the procedures in ANSI C63.4: 1992. Radiated testing was performed at an antenna to EUT distance of 3/10 m on an open area test site.

Please refer to the photos of test configuration in Item 5.



3. TEST INSTRUMENTS

3.1 TEST INSTRUMENTS (EMISSION)

CONDUCTED EMISSION MEASUREMENT

Description & Manufacturer	Model No.	Serial No.	Calibrated Until
ROHDE & SCHWARZ Test Receiver	ESH3	893495/006	July 7, 2000
ROHDE & SCHWARZ Spectrum Monitor	EZM	893787/013	July 8, 2000
ROHDE & SCHWARZ Artificial Mains Network	ESH3-Z5	839135/006	July 7, 2000
EMCO-L.I.S.N.	3825/2	9204-1964	July 7, 2000
Shielded Room	Site 2	ADT-C02	NA

- Note: 1. The measurement uncertainty is less than +/- 2.6dB, which is calculated as per NAMAS document NIS81.
2. The calibration interval of the above test instruments is 12 months. And the calibrations are traceable to NML/ROC and NIST/USA.

RADIATED EMISSION MEASUREMENT

Description & Manufacturer	Model No.	Serial No.	Calibrated Until
HP Spectrum Analyzer	8594E	3412A01132	Sept. 9, 2000
CHASE Preamplifier	CPA9231A/4	3215	Nov. 1, 1999
HP Preamplifier	8347A	3307A01088	Aug. 30, 2000
HP Preamplifier	8449B	3008A01201	Dec. 15, 1999
ROHDE & SCHWARZ TEST RECEIVER	ESVS 10	846285/012	Dec. 14, 1999
ROHDE & SCHWARZ TEST RECEIVER	ESMI	839013/007 839379/002	Aug. 30, 2000
SCHWARZBECK Tunable Dipole Antenna	VHA 9103 UHA 9105	E101051 E101055	Nov. 25, 1999
CHASE BILOG Antenna	CBL6112	2074	Dec. 25, 1999
EMCO Double Ridged Guide Antenna	3115	9312-4192	April 5, 2000
CHANCE Turn Table & Tower Controller	ACS-I	NA	NA
Open Field Test Site	Site 6	ADT-R06	Dec. 24, 1999

- Note: 1. The measurement uncertainty is less than +/- 3.0dB, which is calculated as per NAMAS document NIS81.
2. The calibration interval of the above test instruments is 12 months. And the calibrations are traceable to NML/ROC and NIST/USA.



3.2 LIMITS OF CONDUCTED AND RADIATED EMISSION

LIMIT OF RADIATED EMISSION OF CISPR 22

FREQUENCY (MHz)	Class A (at 10m) *	Class B (at 10m) *
	dBuV/m	dBuV/m
30 - 230	40	30
230 - 1000	47	37

* Detector Function: Quasi-Peak

LIMIT OF RADIATED EMISSION OF FCC PART 15, SUBPART B FOR FREQUENCY ABOVE 1000 MHz

FREQUENCY (MHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Peak	Average	Peak	Average
Above 1000	80.0	60.0	74.0	54.0

- Note: (1) The lower limit shall apply at the transition frequencies.
(2) Emission level (dBuV/m) = 20 log Emission level (uV/m).
(3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strengths specified above.

LIMIT OF CONDUCTED EMISSION OF CISPR 22

FREQUENCY (MHz)	Class A (dBuV)		Class B (dBuV)	
	Quasi-peak	Average	Quasi-peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

- Note: (1) The lower limit shall apply at the transition frequencies.
(2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz
(3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strengths specified above.



4. TEST RESULTS (EMISSION)

4.1 RADIO DISTURBANCE

Frequency Range : 0.15 - 30 MHz (Conducted Emission)
30 - 2000 MHz (Radiated Emission)
Input Voltage : 120 Vac, 60 Hz
Temperature : 24 °C
Humidity : 67 %
Atmospheric Pressure : 1001 mbar

TEST RESULT	Remarks
PASS	Minimum passing margin of conducted emission: -31.7 dB at 0.180 MHz Minimum passing margin of radiated emission: -2.3 dB at 189.02 MHz

4.1.1 EUT OPERATION CONDITION

1. Turn on the power of all equipment.
2. Industrial PC reads a test program to enable all functions.
3. Industrial PC reads and writes messages from FDD and HDD.
4. Industrial PC sends "H" messages to monitor and monitor displays "H" patterns on screen.
5. Industrial PC sends "H" messages to modem.
6. Industrial PC sends "H" messages to printer, and the printer prints them on paper.
7. Industrial PC sends audio messages to speaker.
8. Repeat steps 2-8.



4.1.2 TEST DATA OF CONDUCTED EMISSION

EUT: CPU BOARD


MODEL: MB-562D

PHASE: LINE (L)

6 dB Bandwidth: 10 kHz

Freq. [MHz]	Corr. Factor (dB)	Reading Value [dB (uV)]		Emission Level [dB (uV)]		Limit [dB (uV)]		Margin (dB)	
		Q.P.	AV.	Q.P.	AV.	Q.P.	AV.	Q.P.	AV.
0.180	0.2	47.1	-	47.3	-	79.0	66.0	-31.7	-
0.235	0.2	34.9	-	35.1	-	79.0	66.0	-43.9	-
0.457	0.2	32.7	-	32.9	-	79.0	66.0	-46.1	-
0.549	0.2	33.1	-	33.3	-	73.0	60.0	-39.7	-
11.570	0.7	33.2	-	33.9	-	73.0	60.0	-39.1	-
20.160	1.0	37.4	-	38.4	-	73.0	60.0	-34.6	-

- Remarks:
1. "*": Undetectable
 2. Q.P. and AV. are abbreviations of quasi-peak and average individually.
 3. "-": The Quasi-peak emission level also meets average limit and measurement with the average detector is unnecessary.
 4. The emission levels of other frequencies were very low against the limit.
 5. Margin value = Emission level - Limit value
 6. Emission Level = Correction Factor + Reading Value.



--- Date 02.NOV.'99 Time 17:11:36
CISPR 22 CLASS B CONDUCTION TEST (PEAK VALUE)
MODEL: MB-562D FULL SYSTEM 120VAC/60HZ

ADT CROP.
LISN: L



TEST DATA OF CONDUCTED EMISSION

EUT: CPU BOARD

MODEL: MB-562D


PHASE: NEUTRAL (N)

6 dB Bandwidth: 10 kHz

Freq. [MHz]	Corr. Factor (dB)	Reading Value		Emission Level		Limit		Margin	
		[dB (uV)]		[dB (uV)]		[dB (uV)]		(dB)	
		Q.P.	AV.	Q.P.	AV.	Q.P.	AV.	Q.P.	AV.
0.180	0.2	46.9	-	47.1	-	79.0	66.0	-31.9	-
0.235	0.2	34.8	-	35.0	-	79.0	66.0	-44.0	-
0.457	0.2	23.1	-	23.3	-	79.0	66.0	-55.7	-
0.549	0.2	33.7	-	33.9	-	73.0	60.0	-39.1	-
11.570	0.6	33.6	-	34.2	-	73.0	60.0	-38.8	-
20.160	0.9	37.1	-	38.0	-	73.0	60.0	-35.0	-

- Remarks:
1. "*": Undetectable
 2. Q.P. and AV. are abbreviations of quasi-peak and average individually.
 3. "-": The Quasi-peak emission level also meets average limit and measurement with the average detector is unnecessary.
 4. The emission levels of other frequencies were very low against the limit.
 5. Margin value = Emission level - Limit value
 6. Emission Level = Correction Factor + Reading Value.

ADT CORP.



--- Date 02.NOV.'99 Time 17:20:19
CISPR 22 CLASS B CONDUCTION TEST (PEAK VALUE)
MODEL: MB-562D FULL SYSTEM 120VAC/60Hz

ADT CROP.
LISN: N



4.1.3 TEST DATA OF RADIATED EMISSION

EUT: **CPU BOARD**

MODEL: **MB-562D**

ANT. POLARITY: Horizontal

DETECTOR FUNCTION: Quasi-peak

6 dB BANDWIDTH: 120 kHz

FREQUENCY RANGE: 30-1000 MHz

MEASURED DISTANCE: 10 M

Frequency (MHz)	Correction Factor (dB)	Reading Value (dBuV)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (cm)	Table Angle (Degree)
141.77	13.1	19.6	32.7	40.0	-7.3	400	314
160.59	10.0	25.4	35.4	40.0	-4.6	400	247
170.19	10.1	21.9	32.0	40.0	-8.0	400	251
189.02	10.2	25.9	36.1	40.0	-3.9	400	220
207.85	10.9	22.1	33.0	40.0	-7.0	400	40
217.43	11.8	20.5	32.3	40.0	-7.7	400	313
226.87	12.7	21.9	34.6	40.0	-5.4	400	302
236.27	13.5	26.7	40.2	47.0	-6.8	400	144
349.61	16.9	21.0	37.9	47.0	-9.1	204	159
491.37	20.4	17.6	38.0	47.0	-9.0	171	217
500.95	20.5	17.8	38.3	47.0	-8.7	176	214

- REMARKS:
1. Emission level (dBuV/m) = Correction Factor (dB) + Reading value (dBuV).
 2. Correction Factor (dB) = Ant. Factor (dB)+Cable loss (dB)
 3. The other emission levels were very low against the limit.
 4. Margin value = Emission level - Limit value



TEST DATA OF RADIATED EMISSION

EUT: CPU BOARD

MODEL: MB-562D

ANT. POLARITY: Vertical

DETECTOR FUNCTION: Quasi-peak

6 dB BANDWIDTH: 120 kHz

FREQUENCY RANGE: 30-1000 MHz

MEASURED DISTANCE: 10 M

Frequency (MHz)	Correction Factor (dB)	Reading Value (dBuV)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (cm)	Table Angle (Degree)
66.15	7.4	25.8	33.2	40.0	-6.8	100	278
113.41	12.3	18.3	30.6	40.0	-9.4	100	55
132.31	12.7	23.2	35.9	40.0	-4.1	100	0
141.76	13.1	22.8	35.9	40.0	-4.1	100	280
151.20	12.8	21.8	34.6	40.0	-5.4	100	230
160.60	12.5	22.8	35.3	40.0	-4.7	100	0
170.19	11.3	21.6	32.9	40.0	-7.1	100	8
189.02	10.2	27.5	37.7	40.0	-2.3	100	0
207.85	10.7	25.3	36.0	40.0	-4.0	100	0
217.37	11.1	25.3	36.4	40.0	-3.6	100	336
226.81	11.6	23.4	35.0	40.0	-5.0	100	322
396.91	19.3	18.8	38.1	47.0	-8.9	100	128

- REMARKS:
1. Emission level (dBuV/m) = Correction Factor (dB) + Reading value (dBuV).
 2. Correction Factor (dB) = Ant. Factor (dB)+Cable loss (dB)
 3. The other emission levels were very low against the limit.
 4. Margin value = Emission level - Limit value



TEST DATA OF RADIATED EMISSION

EUT: **CPU BOARD**

MODEL: **MB-562D**

DETECTOR FUNCTION AND BANDWIDTH:

Peak, 1 MHz (1000 MHz-2000 MHz)

A.V., 1 MHz (1000 MHz-2000 MHz)

FREQUENCY RANGE: 1000-2000 MHz

MEASURED DISTANCE: 3 M

ANT. POLARITY: **Horizontal**


Frequency (MHz)	Correction Factor (dB)	Reading Value (dBuV)		Emission Level (dBuV/m)		Limit (dBuV/m)		Margin (dB)		Antenna Height (cm)		Table Angle (Degree)	
		P.K.	A.V.	P.K.	A.V.	P.K.	A.V.	P.K.	A.V.	P.K.	A.V.	P.K.	A.V.
1043.00	27.5	9.0	-	36.5	-	74.0	-	-37.5	-	130	-	6	-
1403.00	30.0	7.8	-	37.8	-	74.0	-	-36.2	-	120	-	6	-
1839.00	32.6	8.3	-	40.9	-	74.0	-	-33.1	-	100	-	31	-

ANT. POLARITY: **Vertical**


Frequency (MHz)	Correction Factor (dB)	Reading Value (dBuV)		Emission Level (dBuV/m)		Limit (dBuV/m)		Margin (dB)		Antenna Height (cm)		Table Angle (Degree)	
		P.K.	A.V.	P.K.	A.V.	P.K.	A.V.	P.K.	A.V.	P.K.	A.V.	P.K.	A.V.
1068.00	27.7	11.1	-	38.8	-	74.0	-	-35.2	-	126	-	346	-
1159.00	28.3	10.8	-	39.1	-	74.0	-	-34.9	-	149	-	25	-
1303.00	29.3	8.6	-	37.9	-	74.0	-	-36.1	-	100	-	6	-

5. PHOTOGRAPHS OF THE TEST CONFIGURATION WITH MINIMUM MARGIN

CONDUCTED EMISSION TEST



RADIATED EMISSION TEST





6. APPENDIX - INFORMATION OF THE TESTING LABORATORY

Information of the testing laboratory

We, ADT Corp., is founded in 1988, to provide our best service in EMC and Safety consultation. Our laboratory is accredited by the following approval agencies according to ISO/IEC Guide 25 or EN 45001:

- USA FCC, UL, NVLAP
- Germany TUV Rheinland
TUV Product Service
- Japan VCCI
- New Zealand RFS
- Norway NEMKO, DNV
- U.K. INCHCAPE
- R.O.C. BSMI

Enclosed please find some certificates of our laboratory obtained from approval agencies. If you have any comments, please feel free to contact us with the following:

Lin Kou EMC Lab.:

Tel: 886-2-26032180

Fax: 886-2-26022943

Lin Kou Safety Lab.:

Tel: 886-2-26093195

Fax: 886-2-26093184

Hsin Chu EMC Lab:

Tel: 886-35-935343

Fax: 886-35-935342

Design Center:

Tel: 886-2-26093195

Fax: 886-2-26093184

E-mail: service@mail.adt.com.tw

<http://www.adt.com.tw>

FEDERAL COMMUNICATIONS COMMISSION

7435 Oakland Mills Road
Columbia, MD 21046
Telephone: 301-725-1585 (ext-218)
Facsimile: 301-344-2050

October 21, 1996

IN REPLY REFER TO
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Rd.
Taipei, Taiwan, R.O.C.

Attention: Harris W. Lai

Re: Measurement facility located at above address, Site No. 1
(3 and 10 meters)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Our list will also indicate that the facility complies with the radiated and AC line conducted test site criteria in ANSI C83.4-1992. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has been also added to our list of those who perform these measurement services for the public on a fee basis. This list is published periodically and is also available on the Laboratory's Public Access Link as described in the enclosed Public Notice.

Sincerely,



Thomas W. Phillips
Electronics Engineer
Customer Service Branch

Enclosure:
PAL PN

FEDERAL COMMUNICATIONS COMMISSION

7435 Oakland Mills Road
Columbia, MD 21046
Telephone: 301-725-1585 (ext-218)
Facsimile: 301-344-2050

September 15, 1996

IN REPLY REFER TO
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Rd.
Taipei, Taiwan, R.O.C.

Attention: Harris Lai


Re: Measurement facility located at Lin Kou, Sites 2 & 3
(3 & 10 meters)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has also been added to our list of those who perform these measurement services for the public on a fee basis. An up-to-date list is available on the internet at the FCC Website www.fcc.gov under Electronic Filing.

Sincerely,



Thomas W. Phillips
Electronics Engineer
Customer Service Branch

FEDERAL COMMUNICATIONS COMMISSION

7435 Oakland Mills Road
Columbia, MD 21046
Telephone: 301-725-1585 (ext-218)
Facsimile: 301-344-2050

April 17, 1996

IN REPLY REFER TO
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Rd.
Taipei, Taiwan, R.O.C.

Attention: Harris W. Lai


Re: Measurement facility located at above address
Site No. 4 (3 and 10 meters)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Our list will also indicate that the facility complies with the radiated and AC line conducted test site criteria in ANSI C83.4-1992. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has been also added to our list of those who perform these measurement services for the public on a fee basis. This list is published periodically and is also available on the Laboratory's Public Access Link as described in the enclosed Public Notice.

Sincerely,



Thomas W. Phillips
Electronics Engineer
Customer Service Branch

Enclosure:
PAL PN

FEDERAL COMMUNICATIONS COMMISSION

7435 Oakland Mills Road
Columbia, MD 21046
Telephone: 301-725-1585 (ext-218)
Facsimile: 301-344-2050

October 21, 1996

IN REPLY REFER TO
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Rd.
Taipei, Taiwan, R.O.C.

Attention: Harris W. Lai

Re: Measurement facility located at above address, Site No. 5
(3 and 10 meters)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Our list will also indicate that the facility complies with the radiated and AC line conducted test site criteria in ANSI C83.4-1992. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has been also added to our list of those who perform these measurement services for the public on a fee basis. This list is published periodically and is also available on the Laboratory's Public Access Link as described in the enclosed Public Notice.

Sincerely,



Thomas W. Phillips
Electronics Engineer
Customer Service Branch

Enclosure:
PAL PN

FEDERAL COMMUNICATIONS COMMISSION

7435 Oakland Mills Road
Columbia, MD 21046
Telephone: 301-725-1585 (ext-218)
Facsimile: 301-344-2050

February 25, 1998

NO. REPLY REFER TO:
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4, Nan-King E. Rd.
Taipei, Taiwan

Attention: Hams W. Lai


Re: Measurement facility located at above address, Site No. 8
(3 and 10 meters)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Our list will also indicate that the facility complies with the radiated and AC line conducted test site criteria in ANSI C63.4-1992. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has been also added to our list of those who perform these measurement services for the public on a fee basis. This list is updated monthly and is available on the Laboratory's Public Access Link (PAL) at 301-725-1072, and also on the Internet at the FCC Website www.fcc.gov/ies/infodatabases/testsites/.

Sincerely,



Thomas W. Phillips
Electronics Engineer
Customer Service Branch

FEDERAL COMMUNICATIONS COMMISSION

7435 Oakland Mills Road
Columbia, MD 21046
Telephone: 301-725-1585 (ext-218)
Facsimile: 301-344-2050

July 15, 1998

NO. REPLY REFER TO:
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Rd.
Taipei, Taiwan, R.O.C.

Attention: Hams W. Lai

Re: Measurement facility located at Hsin Chu (3 & 10 meter site)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Our list will also indicate that the facility complies with the radiated and AC line conducted test site criteria in ANSI C63.4-1992. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has also been added to our list of those who perform these measurement services for the public on a fee basis. An up-to-date list is available on the Internet at the FCC Website www.fcc.gov under Electronic Filing.

Sincerely,



Thomas W. Phillips
Electronics Engineer
Customer Service Branch

FEDERAL COMMUNICATIONS COMMISSION

Equipment Authorization Division
7435 Oakland Mills Road
Columbia, MD 21046

December 23, 1998

Registration Number: 92753

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Road
Taipei
Taiwan, R.O.C.

Attention: Hams Lai

Re: Measurement facility located at Hsin-Chu, Site B
3 & 10 meter site

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for Certification under Parts 15 or 18 of the Commission's Rules. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

If requested, the above mentioned facility has been added to our list of those who perform these measurement services for the public on a fee basis. An up-to-date list of such public test facilities is available on the Internet on the FCC Website at WWW.FCC.GOV, Electronic Filing, UET Equipment Authorization Electronic Filing.

Sincerely,



Thomas W. Phillips
Electronics Engineer



CERTIFICATE

Facility: NO. 1 SITE
 (Radiation 3 and 10 meter site)
 Company : Advance Data Technology Corp.
 Address : No.47, CHIA PAU TSUEN, LIN KOU HSIANG,
 TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
 has been registered in accordance with the Regulations
 for Voluntary Control Measures.*

Registration No. : R-236
 Date of Registration : July 1, 1998
 This Certificate is valid until September 30, 2001

*Voluntary Control Council for Interference by
 Information Technology Equipment*



CERTIFICATE

Facility: NO. 2 SITE
 (Radiation 3 and 10 meter site)
 Company : Advance Data Technology Corp.
 Address : No.47, CHIA PAU TSUEN, LIN KOU HSIANG,
 TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
 has been registered in accordance with the Regulations
 for Voluntary Control Measures.*

Registration No. : R-237
 Date of Registration : July 1, 1998
 This Certificate is valid until September 30, 2001

*Voluntary Control Council for Interference by
 Information Technology Equipment*



CERTIFICATE

Facility: NO. 2 SITE
 (Conducted Interference Measurement)
 Company : Advance Data Technology Corp.
 Address : No.47, CHIA PAU TSUEN, LIN KOU HSIANG,
 TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
 has been registered in accordance with the Regulations
 for Voluntary Control Measures.*

Registration No. : C-240
 Date of Registration : July 1, 1998
 This Certificate is valid until September 30, 2001

*Voluntary Control Council for Interference by
 Information Technology Equipment*



CERTIFICATE


Facility: No.3 Site
 (Radiation 3 and 10 meter site)
 Company : Advances Data Technology Corp.
 Address : No.47 CHIA PAU TSUEN, LIN KOU HSIANG, TAIPEI
 HSIEN, TAIWAN


*This is to certify that the following measuring facility
 has been registered in accordance with the Regulations
 for Voluntary Control Measures*

Registration No. : R-269
 Date of Registration : January 1, 1999
 This Certificate is valid until March 31, 2002

*Voluntary Control Council for Interference by
 Information Technology Equipment*








CERTIFICATE

Facility: Advance Data Technology Corp Site 6
(Radiation 3 and 10 meter site)
Company : Advance Data Technology Corp.
Address : No.47, CHIA PAU TSUEN, LIN KOU HSIANG,
TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures.*

Registration No. : R-728
Date of Registration : May 19, 1998
This Certificate is valid until June 30, 2001

Voluntary Control Council for Interference by
Information Technology Equipment



CERTIFICATE

Facility: Advance Data Technology Corp Site A
(Radiation 3 and 10 meter site)
Company : Advance Data Technology Corp.
Address : NO. 41-1, LU LIAO KENG, 3 LING, WU LUNG TSUEN,
CHIUNG LIN HSIANG, HSIN CHU HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures*

Registration No. : R-782
Date of Registration : September 29, 1998
This Certificate is valid until September 30, 2001

Voluntary Control Council for Interference by
Information Technology Equipment




CERTIFICATE

Facility: Advance Data Technology Corp Shielded Room A
(Conducted Interference Measurement)
Company : Advance Data Technology Corp.
Address : NO. 41-1, LU LIAO KENG, 3 LING, WU LUNG TSUEN,
CHIUNG LIN HSIANG, HSIN CHU HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures*

Registration No. : C-817
Date of Registration : September 29, 1998
This Certificate is valid until September 30, 2001

Voluntary Control Council for Interference by
Information Technology Equipment




CERTIFICATE

Facility: ADVANCE DATA TECHNOLOGY CORPORATION OPEN SITE B
(Radiation 3 and 10 meter site)
Company : ADVANCE DATA TECHNOLOGY CORPORATION
Address : NO. 41-1, LU LIAO KENG, 3 LING, WU LUNG TSUEN,
CHIUNG LIN HSIANG, HSIN CHU HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures*

Registration No. : R-847
Date of Registration : March 1, 1999
This Certificate is valid until March 31, 2002

Voluntary Control Council for Interference by
Information Technology Equipment





EMC Laboratory Authorization

Aut. No.: ELA 112-a
Taipei Hsien EMC Laboratory

EMC Laboratory: ADT Advance Data Technology Corporation
No. 47, 14 Ling, Chia Peu Tsuen,
Lin Kou Hsiang, Taipei Hsien,
Taiwan R.O.C.

Scope of Authorization: All CENELEC standards (ENs) for EMC that are listed on the accompanying page, and all of the corresponding CISPR, IEC, and ISO EMC standards that are listed on the accompanying page.

This Authorization Document confirms that the above mentioned EMC Laboratory has been validated against EN 45001 and found to be compliant. The laboratory also fulfills the conditions described in Nemko Document ELA 10. During Nemko's visit to the laboratory, an assessment was made of the relevant parts of your organisation - i.e. facilities, personnel qualifications, test equipment, and testing practices. It was found that the EMC Laboratory is capable of performing tests within the Scope of Authorization given on the accompanying page. Accordingly, Nemko will accept your test reports as a basis for attesting conformity to these EMC Standards for the products in question under either the European Union EMC Directive or the European Unions Automotive EMC Directive (as applicable).

In case of applications for Product Certification(s) to be issued by Nemko, your EMC Laboratory's test report(s) will be accepted by Nemko if they are enclosed with the Application Form submitted by the manufacturer.

In order to maintain the Authorization, the information given in the enclosed ELA-INFOs (if any) must be carefully followed. Nemko is to be promptly notified about any changes in the situation at your EMC Laboratory which may affect the basis for this Authorization. The Authorization may at any time be withdrawn if the conditions are no longer considered to be fulfilled.

The Authorization is valid through June 30, 2000.

Oslo, 22 September 1999

For Nemko AS:

Kjell Bergh
Kjell Bergh, Head of EMC Section

Phone number: +47 22 94 00 00
FAX No. 72 88 00 00
E-MAIL: EMC@NEMKO.AS



EMC Laboratory Authorisation

Aut. No.: ELA 112-a
Lin Kou EMC Laboratory

(Page 2 of 2)

SCOPE OF AUTHORIZATION

GENERIC & PRODUCT-FAMILY STANDARDS

EN 50081-1(1992)	EN 50081-2(1994)	EN 50082-1(1992), EN 50082-1(1997)
EN 50082-2(1995)	EN 55082-2(1995)-A1(1997)	EN 50091-2(1995)
EN 50130-4(1995)	CISPR 11(1990), CISPR 11(1997), EN 55011(1991), EN 55011(1998)	CISPR 12(1975)-A1(1983), EN 55012(1990)-A12(1994)- A13(1996)
CISPR 14(1993)-A1(1993)- Compendium (1996), EN 55014-1(1993)-A1(1997)	CISPR 14-2(1997), EN 55014-2(1997), EN 55104(1995)	CISPR 15(1983), CISPR 15(1996)-A1(1997), EN 55015(1996)-A1(1997)
CISPR 22(1993)-A1(1995)-A2(1997), EN 55022(1994)-A1(1995)-A2(1997), CISPR 22(1997) (Including Class F II), EN 55022(1998) (Including Class F II)	CISPR 24(1997), EN 55024(1998)	EN 55103-1(1997)
EN 55103-2(1997)	EN 60555-2(1987), EN 61000-3-2(1995)-A1(1998) -A2(1998)	EN 60555-3(1987)-A1(1991), EN 61000-3-3(1995)
IEC 61326-1(1997), EN 61326-1(1997)	IEC 1547(1995), EN 61547(1995)	

BASIC STANDARDS

IEC 801-2(1984), IEC 1000-4-2(1991), IEC EN 61000-4-2(1995)	IEC 801-3(1984), IEC EN 61000-4-3(1995), ENV 50204(1995)	IEC 801-4(1988), IEC EN 61000-4-4(1995)
IEC EN 61000-4-3(1995) (Including Compendium)	IEC EN 61000-4-4(1996)	IEC EN 61000-4-8(1993/94), IEC EN 61000-4-11(1994)

Oslo, 23 September 1999

Kjell Bergh, Nemko Group EMC Co-ordinator

Phone number: +47 22 94 00 00
FAX No. 72 88 00 00
E-MAIL: EMC@NEMKO.AS



EMC Laboratory Authorization

Aut. No.: ELA 112-b
Hsin Chu EMC Laboratory

EMC Laboratory: ADT Advance Data Technology Corporation
Hsin Chu EMC Laboratory
No. 81-1, Lu Liao Keng, 3 Ling,
Wa Lung Tsuen, Chung Lin Hsiang,
Hsin Chu Hsien, Taiwan R.O.C.

Scope of Authorization: All CENELEC standards (ENs) for EMC that are listed on the accompanying page, and all of the corresponding CISPR, IEC, and ISO EMC standards that are listed on the accompanying page.

This Authorization Document confirms that the above mentioned EMC Laboratory has been validated against EN 45001 and found to be compliant. The laboratory also fulfills the conditions described in Nemko Document ELA 10. Based on submitted material and audit visit to your laboratory, an assessment has been made of the relevant parts of your organisation - i.e. facilities, personnel qualifications, test equipment, and testing practices. It was found that the EMC Laboratory is capable of performing tests within the Scope of Authorization given on the accompanying page. Accordingly, Nemko will accept your test reports as a basis for attesting conformity to these EMC Standards for the products in question under the European Union EMC Directive.

In case of applications for Product Certification(s) to be issued by Nemko, your EMC Laboratory's test report(s) will be accepted by Nemko if they are enclosed with the Application Form submitted by the manufacturer.

In order to maintain the Authorization, the information given in the enclosed ELA-INFOs (if any) must be carefully followed. Nemko is to be promptly notified about any changes in the situation at your EMC Laboratory which may affect the basis for this Authorization. The Authorization may at any time be withdrawn if the conditions are no longer considered to be fulfilled.

The Authorization is valid through June 30, 2000.

Oslo, 22 September 1999

For Nemko AS:

Kjell Bergh
Kjell Bergh, Head of EMC Section

Phone number: +47 22 94 00 00
FAX No. 72 88 00 00
E-MAIL: EMC@NEMKO.AS



EMC Laboratory Authorisation

Aut. No.: ELA 112-b
Hsin Chu EMC Laboratory

(Page 2 of 2)

SCOPE OF AUTHORIZATION

GENERIC & PRODUCT-FAMILY STANDARDS

EN 50081-1(1992)	EN 50081-2(1994)	EN 50082-1(1992), EN 50082-1(1997)
EN 50082-2(1995)	EN 55082-2(1995)-A1(1997)	EN 50091-2(1995)
EN 50130-4(1995)	CISPR 11(1990), CISPR 11(1997), EN 55011(1991), EN 55011(1998)	CISPR 12(1975)-A1(1983), EN 55012(1990)-A12(1994)- A13(1996)
CISPR 14(1993)-A1(1993)- Compendium (1996), EN 55014-1(1993)-A1(1997)	CISPR 14-2(1997), EN 55014-2(1997)	CISPR 22(1993)-A1(1995)-A2(1997), EN 55022(1994)-A1(1995)-A2(1997), CISPR 22(1997) (Including Class F II), EN 55022(1998) (Including Class F II)
CISPR 24(1997), EN 55024(1998)	EN 55103-1(1997)	EN 55103-2(1997)
EN 60555-2(1987), EN 61000-3-2(1995)-A1(1998) -A2(1998)	EN 60555-3(1987)-A1(1991), EN 61000-3-3(1995)	IEC 61326-1(1997), EN 61326-1(1997)
IEC 1547(1995), EN 61547(1995)		


BASIC STANDARDS

IEC 801-2(1984), IEC 1000-4-2(1991), IEC EN 61000-4-2(1995)	IEC 801-3(1984), IEC EN 61000-4-3(1995), ENV 50204(1995)	IEC 801-4(1988), IEC EN 61000-4-4(1995)
IEC EN 61000-4-3(1995) (Including Compendium)	IEC EN 61000-4-4(1996)	IEC EN 61000-4-8(1993/94), IEC EN 61000-4-11(1994)

Oslo, 23 September 1999

Kjell Bergh, Nemko Group EMC Co-ordinator

Phone number: +47 22 94 00 00
FAX No. 72 88 00 00
E-MAIL: EMC@NEMKO.AS



 National Institute of Standards and Technology
 National Voluntary Laboratory Accreditation Program

ISO/IEC GUIDE 25:1990
 ISO 9002:1987
 Scope of Accreditation

Page 1 of 1

ELECTROMAGNETIC COMPATIBILITY AND TELECOMMUNICATIONS
NVLAP LAB CODE 200102-0

ADVANCE DATA TECHNOLOGY CORPORATION
 No. 47, 14 Ling, Chia Pui Tsuen,
 Liu Kou Hsiang
 Taipei Hsien
 TAIWAN
 Mr. Harris W. Liu
 Phone: 386-2-6032180 Fax: 386-2-6022943

NVLAP Code Designation / Description

International Special Committee on Radio Interference (CISPR) Methods

12/CIS22 IEC/CISPR 22:1993: Limits and methods of measurement of radio disturbance characteristics of information technology equipment

Federal Communications Commission (FCC) Methods

12/F01 FCC Method - 47 CFR Part 15 - Digital Devices


12/F01a Conducted Emissions, Power Lines, 450 KHz to 30 MHz

12/F01b Radiated Emissions

Australian Standards referred to by clauses in AUSTEL Technical Standards


12/T51 AS/NZS 3546: Electromagnetic Interference - Limits and Methods of Measurement of Information Technology Equipment

December 31, 1999
(Effective through)


 Director, National Institute of Standards and Technology

NVLAP 015 (11-98)

United States Department of Commerce
 National Institute of Standards and Technology




ISO/IEC GUIDE 25:1990
 ISO 9002:1987
 Certificate of Accreditation

ADVANCE DATA TECHNOLOGY CORPORATION
 TAIPEI HSIEN
 TAIWAN


is recognized under the National Voluntary Laboratory Accreditation Program for satisfactory compliance with criteria established in Title 15, Part 285 Code of Federal Regulations. These criteria encompass the requirements of ISO/IEC Guide 25 and the relevant requirements of ISO 9002 (ANSI/ISO 9002:1987) as suppliers of calibration of test results. Accreditation is awarded for specific services listed on the Scope of Accreditation for

**ELECTROMAGNETIC COMPATIBILITY AND TELECOMMUNICATIONS
 FCC**

December 31, 1999


 Director, National Institute of Standards and Technology

NVLAP Lab Code 200102-0



 National Institute of Standards and Technology
 National Voluntary Laboratory Accreditation Program

ISO/IEC GUIDE 25:1990
 ISO 9002:1987
 Scope of Accreditation

Page 1 of 1

ELECTROMAGNETIC COMPATIBILITY AND TELECOMMUNICATIONS
NVLAP LAB CODE 200376-0

ADVANCE DATA TECHNOLOGY CORPORATION HSIEN CHU EMC LABORATORY
 No. 31-1, Lu Liao Keng, 9 Ling, Wu Lung
 Tsuen, Chung Lin Hsiang
 Hsin Chu Hsien
 TAIWAN
 Mr. Harris Liu
 Phone: 386-2-26032180 Fax: 386-2-26022943
 E-Mail: harris@mail.adt.com.tw

NVLAP Code Designation / Description

International Special Committee on Radio Interference (CISPR) Methods

12/CIS22 IEC/CISPR 22:1993: Limits and methods of measurement of radio disturbance characteristics of information technology equipment

Federal Communications Commission (FCC) Methods

12/F01 FCC Method - 47 CFR Part 15 - Digital Devices


12/F01a Conducted Emissions, Power Lines, 450 KHz to 30 MHz

12/F01b Radiated Emissions

Australian Standards referred to by clauses in ACA Technical Standards


12/T51 AS/NZS 3546: Electromagnetic Interference - Limits and Methods of Measurement of Information Technology Equipment

March 31, 2000
(Effective through)


 Director, National Institute of Standards and Technology

NVLAP 015 (11-98)

United States Department of Commerce
 National Institute of Standards and Technology



ISO/IEC GUIDE 25:1990
 ISO 9002:1987
 Certificate of Accreditation

ADVANCE DATA TECHNOLOGY CORPORATION HSIEN CHU EMC LABORATORY
 HSIEN CHU HSIEN
 TAIWAN

is recognized under the National Voluntary Laboratory Accreditation Program for satisfactory compliance with criteria established in Title 15, Part 285 Code of Federal Regulations. These criteria encompass the requirements of ISO/IEC Guide 25 and the relevant requirements of ISO 9002 (ANSI/ISO 9002:1987) as suppliers of calibration of test results. Accreditation is awarded for specific services listed on the Scope of Accreditation for

**ELECTROMAGNETIC COMPATIBILITY AND TELECOMMUNICATIONS
 FCC**

March 31, 2000
(Effective through)


 Director, National Institute of Standards and Technology

NVLAP Lab Code 200376-0

中華民國四十五年十月四日
經濟部商品檢驗局(函)
檢台(八十五)三字第 20823 號

附件如文
受文者：誠信科技股份有限公司
行文單位：正本：誠信科技股份有限公司

副本：本局第二組(二份)、第三組、秘書室(檢四科)、檢驗處、各分局(均含附件)
主旨：有關貴公司電磁相容性試驗報告中請本局電磁相容性檢驗增列認可案，業經實地抽樣結果，同意認可登錄，請查照。

說明：
一、復貴公司八十五年十月四日本列字號函。
二、認可登錄範圍如下：

認可代號	認可產品類別	報告書簽人
85-1116-03	(II) 資訊設備	賴輝煌
85-1116-03	(III) 家庭用電器產品	賴輝煌
85-1116-03	(IV) 通訊設備	賴輝煌

評核標準：ISO Guide 25 (1990年版)
三、本案評核認可期限三年，自八十五年十月二十二日起至八十八年十月二十一日止，評核逾期半年乙次，得視需要增加檢查次數，惟首次送查作業於六個月內執行。
四、上開已認可領域如有變更事項，請於變更日起二週內函送相關資料至本局辦理。
五、貴公司執行本局指定之檢驗業務，依「商品檢驗法」第二十六條規定以執行公務論，且貴公司應依規定履行相關之責任與義務。
六、檢送「商品電磁相容性試驗報告」管理作業要點(乙份)。
七、檢送「商品電磁相容性試驗報告」格式(乙份)，請自行印製使用。

局長許鵬翔

依照分層負責規定授權單位主管執行

中華民國四十六年二月二十一日
經濟部商品檢驗局(函)
檢台(八十六)三字第 12954 號

附件如文
受文者：誠信科技股份有限公司
行文單位：正本：誠信科技股份有限公司

副本：本局第二組(二份)、第三組、秘書室(檢四科)、檢驗處、各分局(均含附件)
主旨：有關貴公司電磁相容性試驗報告中請本局電磁相容性檢驗增列認可案，業經實地抽樣結果，同意認可登錄，請查照。

說明：
一、復貴公司八十六年二月二十一日本列字號函。
二、認可登錄範圍如下：

認可代號	認可產品類別	報告書簽人
85-1116-03	(II) 資訊設備	賴輝煌
85-1116-03	(III) 廣播接收機與相關產品(電燈、燈飾設備)	賴輝煌
85-1116-03	(IV) 廣播接收機與相關產品(收音機)	賴輝煌

評核標準：ISO Guide 25 (1990年版)
三、本案評核認可期限自八十六年七月七日起至八十八年十月二十一日止，評核逾期半年乙次，得視需要增加檢查次數，惟首次送查作業於六個月內執行。
四、上開已認可領域如有變更事項，請於變更日起二週內函送相關資料至本局辦理。
五、貴公司執行本局指定之檢驗業務，依「商品檢驗法」第二十六條規定以執行公務論，且貴公司應依規定履行相關之責任與義務。
六、檢送「商品電磁相容性試驗報告」格式(乙份)，請自行印製使用。

局長陳佐鎮

依照分層負責規定授權單位主管執行



DET NORSKE VERITAS
STATEMENT OF RECOGNITION

STATEMENT No. 413 - 99 - LAB12
The statement consists of 3 pages

This is to confirm that the
EMC AND SAFETY LABORATORIES

with
ADT

The main office with legal identity
ADT Corporation, No. 47, 14 Ling, Chiapau Tsuen,
Lin Kou Hsiang, Taipei Hsien, Taiwan, R.O.C.

has been found to comply with the requirements of DNV towards subcontractors of EMC
and Safety testing services in conjunction with the EMC and Low Voltage Directives and in
the voluntary field.

The acceptance is based on a formal Quality Audit and follow-ups according to relevant parts of
EN 45001 and ISO/IEC Guide 25, in accordance with the requirements of the DNV Laboratory
Quality Manual towards subcontractors.

Place and date
Havik, 23 February, 1999
for Det Norske Veritas AS
(Notified Body no. 173/434)

This Statement is valid until
23 February, 2000

Arvid Wesen
Arvid Wesen
Head of Section



Are Larsen Ottersdal
Are Larsen Ottersdal
Lead Auditor

This Statement is valid to verify and conditionally control, but not to certify, the conformity of the products, services and systems with the requirements of the EMC and Low Voltage Directives and in the voluntary field.

DET NORSKE VERITAS AS
P.O. Box 122, 2006
Havik, Norway
Tel: +47 57 97 00 00
Fax: +47 57 97 00 00
Page 1 of 3



Statement No. 413 - 99 - LAB12

Audit information

- Initial audit:
- Date of Audit: 1998-11-18 and 1998-11-19
 - Initial Audit Report: 1998-11-22
 - Closing of Non-conformities: 99-02-12

Sites Audited

Lin Kou EMC Laboratory:
No. 47, 14 Ling, Chiapau Tsuen, Lin Kou Hsiang, Taipei Hsien, Taiwan, R.O.C.

Hsin Chu EMC Laboratory:
No. 21-1, Lu Liao Keng, 9 Ling, Wu Lung Tsuen, Chung Lin Hsiang, Hsin Chu, Hsien,
Taiwan, R.O.C.

Lin Kou Safety Laboratory:
No. 46, Lane 304, Chung Hsiao Road, Lin Kou Hsiang, Taipei, Taiwan, R.O.C.

Scope of recognition

EMC testing according to the following standards:

- EN 50081-1/-2
- EN 50082-1/-2
- EN 55011 / CISPR 11
- EN 55013 / CISPR 13
- EN 55014-1/-2 / CISPR 14-1/-2
- EN 55015 / CISPR 15
- EN 55022 / CISPR 22
- EN 61000-3-2 / IEC 1000-3-2 / EN 60555-2 / IEC 555-2
- EN 61000-3-3 / IEC 1000-3-3 / EN 60555-3 / IEC 555-3
- EN 61000-4-2 / IEC 1000-4-2 / IEC 801-2
- EN 61000-4-3 / IEC 1000-4-3 / ENV 50140 / IEC 801-3
- EN 61000-4-4 / IEC 1000-4-4 / IEC 801-4
- EN 61000-4-5 / IEC 1000-4-5 / ENV 50142
- EN 61000-4-6 / IEC 1000-4-6 / ENV 50141
- EN 61000-4-8 / IEC 1000-4-8
- EN 61000-4-11 / IEC 1000-4-11

Safety testing according to the following standards:

- EN 60065 / IEC 65
- EN 60950 / IEC 950

Application/Limitations

Testing of single- and three phase systems

DET NORSKE VERITAS AS
P.O. Box 122, 2006
Havik, Norway
Tel: +47 57 97 00 00
Fax: +47 57 97 00 00
Page 2 of 3



ENG 3/9
BAE

7th September 1999

ADT Corp.
No. 47, 14 Ling, Chia Pau Tsuen,
Lin Kou Hsiang, Taipei Hsien,
Taiwan, R.O.C.

Attention: Sharon Hsiung

LABORATORY APPROVAL

Thank you for your submission of 6th September 1999 regarding the re-
certification of your testing laboratory to the Ministry of Commerce's laboratory
approval criteria.

I am pleased to advise that your submission has been successful and your
approval has been extended until 30th June 2000. At this time, the Approved
Laboratory scheme will cease operation with the implementation of the new
radiocommunications regulations. Test reports from your laboratory will be
accepted under the new framework. A copy of the Ministry's discussion paper,
DP10, outlining the proposed compliance process from 1 January 1999 is
available from our web site at:

<http://www.rsm.govt.nz/emc.html>

If you have any further questions on this matter please do not hesitate to
contact me.

Yours Sincerely

Brian Emmett

Brian Emmett

Technical Officer (Regulatory)
e-mail brian.emmett@moc.govt.nz

RADIO SPECTRUM MANAGEMENT GROUP

Operations and Risk Management Branch, Cnr B, 32 Manukau Street, Rotorua, Christchurch, New Zealand
P.O. Box 9102, Telephone 018 343 1289, Fax 018 343 1219



Technischer Überwachungs-Verein Rheinland

Certificate

of Appointment

No. I-9763928-9707

The applicant:

Advance Data Technology (ADT) Corporation
No. 47, 14 Ling, Chia Pau Tsuen, Lin Kou Hsiang, Taipei Hsien,
Taiwan, R.O.C.

has been authorized to carry out EMC tests by order and under supervision of
TUV Rheinland according to

CISPR16, EN 55 011:1991, EN 55 014:1993, EN 55 015:1993, EN 55 022:1994/A1,
EN 55 104:1995, EN 60 555-2:1987, EN 61 000-3-2:1995, EN 61 000-3-3:1995,
EN 50 081-1:1992, EN 50 082-1:1992, EN 50 081-2:1993, EN 50 082-2:1995,
IEC 801-2:1991, IEC 801-3:1984, IEC 801-4:1988, IEC 801-5:1990, EN 61 000-4-2:1995,
ENV 50 140:1993, ENV 50 141:1993, IEC 1 000-4-3:1995, EN 61 000-4-4:1995,
EN 61 000-4-5:1995, EN 61 000-4-8:1993, EN 61 000-4-11:1994, EN 60 601-1-2:1993

An inspection of the facility was conducted according to the Document
"Approval of Test Site" with reference to EN 45 001 by a TUV Rheinland inspector.

Audit Report No. P 9763928E01, Rev. A

This certificate is valid until the next scheduled inspection or up to 15 month,
at the discretion of TUV Rheinland.

TUV Rheinland Taiwan Ltd.
Taipei, 16.07.1997

Dipl.-Ing. U. Lübken
Vice General Manager
Product Safety Department

Dipl.-Ing. U. Meyer
Auditor

The conditions of the Testing and Certification Regulations are an integral part of this certificate.



Technischer Überwachungs-Verein Rheinland

Certificate

of Appointment

No. I 9865711-9905

The applicant:

Advance Data Technology (ADT) Corporation
Hsin Chu EMC Laboratory
No. 81-1, Lu Liao Kang, 9 Ling, Wu Lung Tsuen, Chung Lin Hsiang,
Hsin Chu Hsien, Taiwan, R.O.C.

has been authorized to carry out EMC tests by order and under supervision of
TUV Rheinland according to

EN 55 011:1991, EN 55 014:1993, EN 55 015:1993, EN 55 022:1994/A1/A2,
EN 55 104:1995, EN 60 555-2:1987, EN 61 000-3-2:1995, EN 61 000-3-3:1995,
EN 50 081-1:1992, EN 50 082-1:1992, EN 50 081-2:1993, EN 50 082-2:1995,
IEC 801-2:1991, IEC 801-3:1984, IEC 801-4:1988, IEC 801-5:1990, EN 61 000-4-2:1995,
ENV 50 140:1993, ENV 50 141:1993, IEC 1 000-4-3:1995, EN 61 000-4-4:1995,
EN 61 000-4-5:1995, EN 61 000-4-8:1993, EN 61 000-4-11:1994, EN 60 601-1-2:1993

An inspection of the facility was conducted according to the Document
"Approval of Test Site" with reference to EN 45 001 by a TUV Rheinland inspector.

Audit Report No. P 9865711E01, Rev. -

This certificate is valid until the next scheduled inspection or up to 15 month,
at the discretion of TUV Rheinland.

TUV Rheinland Taiwan Ltd.
Taipei, 25. May 1999

Dipl.-Ing. A. Klinker



Dipl.-Ing. R. Chanton
Auditor

ADT CORP.