



DEGREES OF PROTECTION OF Industry PC ENCLOSURE TEST REPORT

Report No. : IPT20080037

Issue Date : April 15, 2008

Laboratory Name : Lighting Laboratory

Laboratory Address : No. 6-6, Ronggong S. Rd.,

Caota Village, Guanyin Township, Taoyuan County

328, TAIWAN, R.O.C.

Laboratory Registration No. : 1126

大電力



財團法人台灣大電力研究試驗中心

Taiwan Electric Research & Testing Center

ADD : 328 桃園縣觀音鄉草漯村榮工南路 6-6 號

TEL : (03) 483-9090 (Generation of style-name)

FAX : (03) 483-8119 (Generation of style-name)

MAIL : customer_service@ms.tertec.org.tw

WEBSITE : www.tertec.org.tw

- ◆ This report applies only to the sample.
- ◆ This report is invalid without seal code.
- ◆ Without written permission, this report is not allowed to be duplicated partially, but it does not limit to complete copy.
- ◆ This report is not allowed to be used as advertisement, publication, and sales promotion material.
- ◆ Inquiry telephone : +886-3-483-9090



財團法人

台灣大電力研究試驗中心

Taiwan Electric Research & Testing Center

Lighting Laboratory

Report No. : IPT20080037

DEGREES OF PROTECTION OF Industry PC ENCLOSURE

Applicant : AAEON Technology Inc.

Applicant Address : F.5, NO.135, LANE 235, PAO CHIAO RD., HSIN-TIEN CITY, TAIPEI,
TAIWAN, R.O.C.

Manufacturer : AAEON Technology Inc.

Manufacturer Address : F.5, NO.135, LANE 235, PAO CHIAO RD., HSIN-TIEN CITY,
TAIPEI, TAIWAN, R.O.C.

Sample : Industry PC

Basic Model / Brand Name : AEC-6510 / —

Series Model / Brand Name : AEC-6520 / —

Dimensions : 275 mm (L) ×175 mm (W) ×65 mm (D)

Standard : IEC 60529 (2001-02)

Sampling procedure : Sent by applicant.

Sampling date : March 24, 2008

Review date : April 14, 2008

Review engineer : Cheng, Sheng-Hsing

Result of Review : The enclosure of Industry PC (Model : AEC-6510) is satisfactory for IP65,
refer to page 2 for the test result.

Note : 1. Test to the basic model only. (the basic model : AEC-6510)

2. The only difference between basic model (AEC-6510) and series model (AEC-6520)
is motherboard that will not affect the degree of protection of the enclosure.

Signatory of the report:



Result of Test

1.Result of test: The enclosure of Industry PC is satisfactory for IP65.

2.Description of test:

Test items	Standards of test	Result of test
1.Degrees of protection against access to hazardous parts. 2.Degrees of protection against solid foreign objects. First characteristic numeral 6.	IEC60529 (2001-02) sec.11.4 sec.13.1 sec.13.4 sec.13.6	The protection is satisfactory.
Degrees of protection against water. Second characteristic numeral 5.	IEC60529 (2001-02) sec.14.1 sec.14.2.5 sec.14.3	The protection is satisfactory.





財團法人

台灣大電力研究試驗中心

Taiwan Electric Research & Testing Center

Lighting Laboratory


Report No. : IPT20080037

Pictures of sample:

Front View



Rear View





Internal View



Series Model

