



Lighting Laboratory  
(1126)



DEGREES OF PROTECTION OF  
WinCE, Ethernet, Operator Panel ENCLOSURE TEST REPORT

Report No. : IPT950173

Issue Date : January 5, 2007

Laboratory Name : Lighting Laboratory

Laboratory Address : No. 6-6, Ronggong S. Rd.,

Caota Village, Guanyin Township, Taoyuan County

328, TAIWAN, R.O.C.

Laboratory Registration No. : 1126

大電力



財團法人台灣大電力研究試驗中心  
Taiwan Electric Research & Testing Center

地址：328 桃園縣觀音鄉草漯村榮工南路 6-6 號

電話：(03) 483-9090 (代表號)

傳真：(03) 483-8119 (代表號)

電子信箱：customer\_service@ms.tertec.org.tw

網址：[www.tertec.org.tw](http://www.tertec.org.tw)

- ◆ This report applies only to the sample.
- ◆ This report is invalid without seal code.
- ◆ Without written permission, this report is not allowed to be duplicated partially, but it does not limit to complete copy.
- ◆ This report is not allowed to be used as advertisement, publication, and sales promotion material.
- ◆ Inquiry telephone : +886-3-483-9090



財團法人

台灣大電力研究試驗中心

Taiwan Electric Research & Testing Center

Lighting Laboratory

Report No. : IPT950173

## DEGREES OF PROTECTION OF WinCE, Ethernet, Operator Panel ENCLOSURE

Applicant : AAEON TECHNOLOGY INC.

Applicant Address : F5, NO.135, LANE 235, PAO CHIAO RD., HSIN-TIEN CITY, TAIPEI,  
TAIWAN, R.O.C.

Manufacturer : AAEON TECHNOLOGY INC.

Manufacturer Address : F5, NO.135, LANE 235, PAO CHIAO RD., HSIN-TIEN CITY, TAIPEI,  
TAIWAN, R.O.C.

Sample : WinCE, Ethernet, Operator Panel

Basic Model / Brand Name : AOP-8070 / —

Series Model / Brand Name : — / —

Dimensions : 156 mm (L) ×225 mm (W) ×56 mm (D)

Standard : IEC 60529 (2001-02)

Sampling procedure : Sent by applicant.

Sampling date : November 20, 2006

Testing date : January 04, 2007

Testing engineer : Cheng, Sheng-Hsing

Result of test : The enclosure of WinCE, Ethernet, Operator Panel (Model : AOP-8070) is  
satisfactory for IP65.

Result of test refers to page 2.

Note : Test for panel only.

Signatory of the report:

*Sen-Lin Lai*



### Result of Test

1.Result of test: The enclosure of WinCE, Ethernet, Operator Panel is satisfactory for IP65.

2.Description of test:


Test items	Standards of test	Result of test
1.Degrees of protection against access to hazardous parts. 2.Degrees of protection against solid foreign objects. First characteristic numeral 6.	IEC60529 (2001-02) sec.11.4 sec.13.1 sec.13.4 sec.13.6	The protection is satisfactory.
Degrees of protection against water. Second characteristic numeral 5.	IEC60529 (2001-02) sec.14.1 sec.14.2.5 sec.14.3	The protection is satisfactory.

Note : Test for panel only.




3. Pictures of sample:

Front View



Rear View





財團法人

台灣大電力研究試驗中心

Taiwan Electric Research & Testing Center

Lighting Laboratory  
Report No. : IPT950173

Internal View

