

DEGREES OF PROTECTION OF
INDUSTRIAL PANEL PC
ENCLOSURE TEST REPORT

Report No. : IPT940078

Issue date : MAY 11, 2005

Laboratory Name: Taiwan Electric Research & Testing Center
Laboratory Address: No. 6-6, Rungung S. Rd., Tsauts Tsuen, Guanyin Shiang,
Taoyuan, Taiwan
Laboratory Registration No (CNLA): 1126

Note:

- 1.This report applies only to the sample.
- 2.This report is not allowed to be duplicated partially, unless approved by TERTEC, but complete copy is exclusive.
- 3.Inquiry telephone : +886-3-483-9090

DEGREES OF PROTECTION OF
INDUSTRIAL PANEL PC ENCLOSURE

Applicant : AAEON TECHNOLOGY

Applicant Address : F5, NO.135, LANE 235, PAO CHIAO RD., HSIN-TIEN CITY,
TAIPEI ,TAIWAN R.O.C.

Manufacturer : AAEON TECHNOLOGY

Manufacturer Address : F5, NO.135, LANE 235, PAO CHIAO RD., HSIN-TIEN CITY,
TAIPEI ,TAIWAN R.O.C.

Sample : INDUSTRIAL PANEL PC

Model / Brand Name : APC-8122 / —

Series Model / Brand Name : — / —

Dimensions : 38 mm (D) × 366 mm (W) × 291 mm (H)

Standard : IEC 60529 (2001-02)

Sampling procedure : Sent by applicant.

Sampling date : APRIL 29, 2005

Testing date : MAY 06, 2005

Testing engineer : Cheng, Sheng-Hsing

Result of test : The enclosure of INDUSTRIAL PANEL PC (Model: APC-8122) is satisfactory for
IP65.

Result of test refers to page 2.

TERTEC



Sen-Lin Lai

General Manager of Electric Appliance Testing Department

Result of Test


1.Result of test: The enclosure of INDUSTRIAL PANEL PC is satisfactory for IP65.

2.Description of test:

Test items	Standards of test	Result of test
1.Degrees of protection against access to hazardous parts. 2.Degrees of protection against solid foreign objects. First characteristic numeral 6.	IEC60529 (2001-02) sec.11.4 sec.13.1 sec.13.4 sec.13.6	The protection is satisfactory.
Degrees of protection against water. Second characteristic numeral 5.	IEC60529 (2001-02) sec.14.1 sec.14.2.5 sec.14.3	The protection is satisfactory.

3. Pictures of sample:

Front View



MODEL NO: APC -8122

Rear View



MODEL NO: APC -8122

Internal View

