

Report No. : IP 92039
Issue date : APRIL 22, 2003

17" OPEN FRAME DISPLAY MONITOR
ENCLOSURE
DEGREES OF PROTECTION TEST REPORT

TAIWAN ELECTRIC RESEARCH & TESTING CENTER I. P. Testing Laboratory
Address : No.6-6 ,Rungung S. Rd. Guanyin Shiang, Taoyuan,Taiwan 328, R.O.C.

Note:

1. This report applies only to the sample.
2. This report is not allowed to be duplicated partially, unless approved by TERTEC, but complete copy is exclusive.

17" OPEN FRAME DISPLAY MONITOR
ENCLOSURE DEGREES OF PROTECTION

Applicant : AAEON Technology Inc.

Applicant Address : 5F, NO. 135, LANE 235, PAO CHIOA RD., HSIN-TIEN CITY, TAIPEI,
TAIWAN, R.O.C.

Manufacturer : AAEON Technology Inc.

Manufacturer Address : 5F, NO. 135, LANE 235, PAO CHIOA RD., HSIN-TIEN CITY, TAIPEI,
TAIWAN, R.O.C.

Sample : 17" OPEN FRAME DISPLAY MONITOR (TEST FOR MONITOR ONLY)

Model : OPD217A

Dimensions : 399 mm (H) x483 mm (W) x63 mm (D)

Standard : IEC 60529 (2001-02)

Sampling procedure : Sent by applicant.

Sampling date : APRIL 03, 2003

Testing dates : APRIL 11, 2003

Testing engineers : Chou, Chin-Tai ; Cheng, Sheng-Hsing

Result of test : The protection of enclosure of OPD217A is satisfactory for IP65 result of test
refers to page 2

TERTEC



Sen-Lin Lai

General Manager of Testing Department

Result of Test

1. Result of test : The protection of 17" OPEN FRAME DISPLAY MONITOR enclosure is satisfactory for IP65.

2. Description of test :

Test items	Standards of test	Result of test
1.Degrees of protection against access to hazardous parts. 2.Degrees of protection against solid foreign. First characteristic numeral 6.	IEC 60529 sec. 11.4 sec. 13.1 sec. 13.4 sec. 13.6	The protection is satisfactory.
Degrees of protection against water. Second characteristic numeral 5.	IEC 60529 sec. 14.1 sec. 14.2.5 sec. 14.3	The protection is satisfactory.

Result of Test(cont'd)

3. Pictures of sample:

