



TEST REPORT IEC 60950-1 Information technology equipment – Safety – Part 1: General requirements					
Report Number:: T171027D06A-LV					
Date of issue	Jan. 15, 2018				
Total number of pages:	45				
Applicant's name:	AAEON Technology Inc.				
Address:	5F, No.135, Lane 235, Pao Chiao Rd, Hsin-Tien Dist., New Taipei City, Taiwan, R.O.C.				
Test specification:					
Standard:	EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013 IEC 60950-1:2005 (Second Edition) + Am 1:2009 + Am 2:2013				
Test procedure:	LVD of CE				
Non-standard test method	N/A				
Test Report Form No	Test Report Form No: IEC60950_1F				
Test Report Form(s) Originator :	SGS Fimko Ltd				
Master TRF Dated 2014-02					
Copyright © 2014 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.					
This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.					
If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.					
This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.					
General disclaimer:					
The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.					
Test item description:	UP-Core Gateway System				
Trade Mark:	ALEON®				
Manufacturer:	Same as Applicant.				
Model/Type reference:	xUPC-GWS01x (x-where x may be any combination of alphanumeric characters or "-" or blank)				
Ratings:	Ratings I/P : DC 5V; 4.0A (Option)				



Page 2 of 45

Testing procedure and testing location:			
Testing Laboratory:	Compliance Certification	Services Inc.	
Testing location/ address:	Address : No.8, Jiucengling, Xinhua Dist., Tainan City 712, Taiwan. Testing location : 6 F, No. 605, Zhongshan Rd., Xinhua Dist., Tainan City 712, Taiwan.		
Associated Testing Laboratory:			
Testing location/ address:			
Tested by (name + signature):	Shin Chen	Shin Chen	
Approved by (name + signature):	Eason Chiang	Shin Chen	
Testing procedure: TMP/CTF Stage 1:			
Testing location/ address			
Tested by (name + signature):			
Approved by (name + signature):			
Testing procedure: WMT/CTF Stage 2:			
Testing location/ address			
Tested by (name + signature)			
Witnessed by (name + signature)			
Approved by (name + signature):			
Testing procedure: SMT/CTF Stage 3 or 4:			
Testing location/ address:			
Tested by (name + signature):			
Witnessed by (name + signature):			
Approved by (name + signature):			
Supervised by (name + signature):			




Page 3 of 45

L'actuelle de la constant de la const	(
List of Attachments (including a total number o	or pages in each attachment):
ATTACHMENT 1 : Appended table (1 page)	
ATTACHMENT 2 : National differences (54 pages)	
ATTACHMENT 3 : Photographs (6 pages)	
Summary of testing:	
Tests performed (name of test and test	Testing location:
clause): - INPUT TEST: SINGLE-PHASE (1.6.2)	Compliance Certification Services Inc — Tainan Laboratory.
 LIMITED POWER SOURCE MEASUREMENTS (2.5) BATTERIES TEST (4.3.8) 	6F, No.605, Zhongshan Rd., Xinhua Dist., Tainan City 712, Taiwan.
- HEATING TEST (4.5.1, 1.4.12, 1.4.13)	
 Continuously operating with below described maximum normal load configuration: The unit operated under all connectors connected transmit data continuously and each USB 3.0 port connected with a dummy load of 4.5W to represent the USB load. 	
FI**, FR, GB, GR, HU, IL, IT, KR**, NL, NO, PL, SE Explanation of used codes: AT=Austria, AU=Austral CN=China, CZ=Czech Republic, DE=Germany, DK GB=United Kingdom, GR=Greece, HU=Hungary, IL	ons, AT, AU, BE, CA**, CH, CN*, CZ, DE**, DK, ES, , SG, SI, SK, US. lia, BE=Belgium, CA=Canada, CH=Switzerland, =Denmark, ES=Spain, FI=Finland, FR=France,
For National Differences see end of this test report.	
* National differences to IEC 60950-1:2005 evaluate	
** National differences to IEC 60950-1:2005+A1 eva	aluated.
The product fulfils the requirements of <u>EN 6</u> <u>A2:2013.</u>	<u>0950-1:2006 + A11:2009 + A1:2010 + A12:2011 +</u>



Page 4 of 45



COMPLIANCE Compliance Certification Services Inc.

Page 5 of 45

Report No. T171027D06A-LV

Test item particulars:		
Equipment mobility	[X] movable [] hand-held [] transportable [] stationary [] for building-in [] direct plug-in	
Connection to the mains:	 [] pluggable equipment [] type A [] type B [] permanent connection [] detachable power supply cord [] non-detachable power supply cord [X] not directly connected to the mains 	
Operating condition	[X] continuous [] rated operating / resting time:	
Access location	[X] operator accessible [] restricted access location	
Over voltage category (OVC)	[] OVC I [] OVC II [] OVC III [] OVC IV [X] other: not directly connected to the mains	
Mains supply tolerance (%) or absolute mains		
supply values	N/A	
Tested for IT power systems	[] Yes [X] No	
IT testing, phase-phase voltage (V)	N/A	
Class of equipment	[] Class I [] Class II [X] Class III [] Not classified	
Considered current rating of protective device as		
part of the building installation (A)	N/A	
Pollution degree (PD)	[] PD 1 [X] PD 2 [] PD 3	
IP protection class	IPX0	
Altitude during operation (m)	Up to 2000	
Altitude of test laboratory (m)	Up to 2000	
Mass of equipment (kg)	0.3	

Possible test case verdicts:	
- test case does not apply to the test object:	N/A
- test object does meet the requirement:	P (Pass)
- test object does not meet the requirement:	F (Fail)
Testing:	
Date of receipt of test item:	2017-11-13
Date (s) of performance of tests	2017-11-13 to 2017-12-12

General remarks:

"(See Enclosure #)" refers to additional information appended to the report. "(See appended table)" refers to a table appended to the report.

Throughout this report a \Box comma / \boxtimes point is used as the decimal separator.



COMPLIANCE Certification Services Inc.

Page 6 of 45

	5 of IECEE 02:
The application for obtaining a CB Test Certificate includes more than one factory location and a declaration from the Manufacturer stating that the sample(s) submitted for evaluation is (are) representative of the products from each factory ha been provided	
When differences exist; they shall be identified	in the General product information section.
Name and address of factory (ies)	: 1. AAEON Technology Inc.
	5F, No.135, Lane 235, Pao Chiao Rd, Hsin-Tier Dist., New Taipei City, Taiwan, R.O.C.
	2. AAEON TECHNOLOGY INC
	2nd FI 125 Lane 235 Pao Chiao Rd., Hsin-tien Dist., 231, New Taipei City, Taiwan
General product information:	
Report Summary	
1. All applicable tests according to the referenced	standard(s) have been carried out.
Product Description	
1. The equipment is an UP-Core Gateway System	ו to use with information technology equipment.
The external power adapter are CB scheme tes for detail information about the power adapter.	sted according to IEC 60950-1, see appended table 1.5
3. The equipment's all enclosures are secured by	screws.
4. The equipment is incorporated with following cri	itical parts :
1) Metal enclosure covers all components.	
2) Main board.	
3) COM board.	
Model Differences	
1. All models are identical except for model desigr	nation. For marketing purpose only, no safety impact.
Technical Considerations	
 The product was submitted and evaluated for us permitted by the manufacturer's specification of 	
2. All output data ports have been evaluated comp	plying with Limited Power Source.
3. The product is in compliance with the requireme	ent of IEC/EN 60950-1.
Additional Information	
	ed, which have been evaluated according to the releval mployed in this product. Their suitability of use has bee .2.
2. The power supply unit used with the product is a the standard of same version. The suitability of	a certified product which was investigated according to use has been evaluated in this report.
F No. IEC60950_1F	



Page 7 of 45

Report No. T171027D06A-LV

	Destination countries should investigate this matter for external adapter while the equipment is submitted for national approval.
3.	This report contains national differences as the class III equipment itself and is subject of this CB report.

Markings and Instructions

1. (IEC 60417-5009) for the stand-by condition. (See subclause 1.7.8.3)

2. The following statement is marked in operating instructions. (See subclause 1.7.13)

CAUTION

RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS

Abbreviations used in the report: - single fault conditions S.F.C - normal conditions N.C. - functional insulation FI - basic insulation BI - double insulation DI - supplementary insulation SI - between parts of opposite polarity BOP - reinforced insulation RI Indicate used abbreviations (if any)



Page 8 of 45

Rep	Report revise record:				
No.	Issue Date	Report Number	Rev.	Revisions	Effect Page
00	2018-01-15	T171027D06A-LV	00	Original report	N/A

Page 9 of 45

Report No. T171027D06A-LV

Ρ

		IEC 60950-1	
Clause	Requirement + Test	Result - Remark	Verdict

1 GENERAL

程智科技

1.5	I.5 Components		Р
1.5.1	General	See below.	Р
	Comply with IEC 60950-1 or relevant component standard	(see appended tables 1.5.1)	Р
1.5.2	Evaluation and testing of components	Components certified to IEC harmonized standard and checked for correct application. Components not certified are used in accordance with their ratings and they comply with applicable parts of IEC 60950- 1 and the relevant component Standard. Components, for which no	Ρ
		relevant IEC-Standard exist, have been tested under the conditions occurring in the equipment, using applicable parts of IEC 60950-1.	
1.5.3	Thermal controls		N/A
1.5.4	Transformers		N/A
1.5.5	Interconnecting cables	Interconnecting cables comply with the relevant requirements of this standard.	Р
1.5.6	Capacitors bridging insulation		N/A
1.5.7	Resistors bridging insulation		N/A
1.5.7.1	Resistors bridging functional, basic or supplementary insulation		N/A
1.5.7.2	Resistors bridging double or reinforced insulation between a.c. mains and other circuits		N/A
1.5.7.3	Resistors bridging double or reinforced insulation between a.c. mains and antenna or coaxial cable		N/A
1.5.8	Components in equipment for IT power systems		N/A
1.5.9	Surge suppressors		N/A
1.5.9.1	General		N/A
1.5.9.2	Protection of VDRs		N/A
1.5.9.3	Bridging of functional insulation by a VDR		N/A
1.5.9.4	Bridging of basic insulation by a VDR		N/A

CENT Compliance Certification Services Inc.

Page 10 of 45

Report No. T171027D06A-LV

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict
1.5.9.5	Bridging of supplementary, double or reinforced insulation by a VDR		N/A
1.6	Power interface	·	Р
1.6.1	AC power distribution systems	Class III equipment.	N/A
1.6.2	Input current	(see appended table 1.6.2)	Р
1.6.3	Voltage limit of hand-held equipment		N/A
1.6.4	Neutral conductor		N/A

1.7	Marking and instructions		Р
1.7.1	Power rating and identification markings	See below.	Р
1.7.1.1	Power rating marking	Not directly connected to the mains	N/A
	Multiple mains supply connections		N/A
	Rated voltage(s) or voltage range(s) (V)		N/A
	Symbol for nature of supply, for d.c. only		N/A
	Rated frequency or rated frequency range (Hz):		N/A
	Rated current (mA or A)		N/A
1.7.1.2	Identification markings		Р
	Manufacturer's name or trade-mark or identification mark	See copy of marking plate.	Р
	Model identification or type reference	See copy of marking plate.	Р
	Symbol for Class II equipment only	Class III equipment.	N/A
	Other markings and symbols	Other markings and symbols do not give rise to misunderstanding.	Р
1.7.1.3	Use of graphical symbols	Not used.	N/A
1.7.2	Safety instructions and marking	See below.	Р
1.7.2.1	General	The user's manual contains information for operation, installation and technical.	Р
1.7.2.2	Disconnect devices		N/A
1.7.2.3	Overcurrent protective device		N/A
1.7.2.4	IT power distribution systems		N/A
1.7.2.5	Operator access with a tool		N/A
1.7.2.6	Ozone		N/A
1.7.3	Short duty cycles		N/A
1.7.4	Supply voltage adjustment		N/A



Page 11 of 45

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict
	Methods and means of adjustment; reference to installation instructions		N/A
1.7.5	Power outlets on the equipment		N/A
1.7.6	Fuse identification (marking, special fusing characteristics, cross-reference)		N/A
1.7.7	Wiring terminals		N/A
1.7.7.1	Protective earthing and bonding terminals	:	N/A
1.7.7.2	Terminals for a.c. mains supply conductors		N/A
1.7.7.3	Terminals for d.c. mains supply conductors		N/A
1.7.8	Controls and indicators	See below.	Р
1.7.8.1	Identification, location and marking	: The function of indicators and controls is clearly identified.	Р
1.7.8.2	Colours	Colors are used and safety is not involved.	N/A
1.7.8.3	Symbols according to IEC 60417	Marking for stand-by type marking according IEC 60417. No. 5009 (line half inside circle) provided.	Р
1.7.8.4	Markings using figures		N/A
1.7.9	Isolation of multiple power sources		N/A
1.7.10	Thermostats and other regulating devices		N/A
1.7.11	Durability	Marking is durable and legible.	Р
1.7.12	Removable parts	The required marking is not placed on removable parts.	Р
1.7.13	Replaceable batteries:	The required warning is in both the operation and service manuals.	Р
	Language(s):	Only English language reviewed. May be provided in other languages upon request from the manufacturer.	
1.7.14	Equipment for restricted access locations:		N/A

2	PROTECTION FROM HAZARDS		Р
2.1	Protection from electric shock and energy hazards		Р
2.1.1	Protection in operator access areas See below.		Р
2.1.1.1	Access to energized parts	No access with test finger and test pin to any parts with hazardous voltage or energy hazardous.	Р



Page 12 of 45

Report No. T171027D06A-LV

	IEC 60950-1			
Clause	Requirement + Test	Result - Remark	Verdict	
	Test by inspection	Complied.	Р	
	Test with test finger (Figure 2A)	Complied.	Р	
	Test with test pin (Figure 2B)	Complied.	Р	
	Test with test probe (Figure 2C)	No TNV circuit.	N/A	
2.1.1.2	Battery compartments		N/A	
2.1.1.3	Access to ELV wiring		N/A	
	Working voltage (Vpeak or Vrms); minimum distance through insulation (mm)		—	
2.1.1.4	Access to hazardous voltage circuit wiring		N/A	
2.1.1.5	Energy hazards	No energy hazards at all user accessible part.	Р	
2.1.1.6	Manual controls		N/A	
2.1.1.7	Discharge of capacitors in equipment		N/A	
	Measured voltage (V); time-constant (s)			
2.1.1.8	Energy hazards – d.c. mains supply		N/A	
	a) Capacitor connected to the d.c. mains supply:		N/A	
	b) Internal battery connected to the d.c. mains supply :		N/A	
2.1.1.9	Audio amplifiers		N/A	
2.1.2	Protection in service access areas		N/A	
2.1.3	Protection in restricted access locations		N/A	

2.2	SELV circuits		Р
2.2.1	General requirements	See below.	Р
2.2.2	Voltages under normal conditions (V)	The equipment is supplied by SELV only and there's no voltage generate circuit within.	Р
2.2.3	Voltages under fault conditions (V):		N/A
2.2.4	Connection of SELV circuits to other circuits:	No direct connection between SELV and any primary circuits.	Р

2.3	TNV circuits		N/A
2.3.1	Limits	No TNV circuits.	N/A
	Type of TNV circuits		
2.3.2	Separation from other circuits and from accessible parts		N/A
2.3.2.1	General requirements		N/A

CENT Compliance Certification Services Inc.

Page 13 of 45

	IEC 60950-1			
Clause	Requirement + Test	Result - Remark	Verdict	
	_			
2.3.2.2	Protection by basic insulation		N/A	
2.3.2.3	Protection by earthing		N/A	
2.3.2.4	Protection by other constructions:		N/A	
2.3.3	Separation from hazardous voltages		N/A	
	Insulation employed:			
2.3.4	Connection of TNV circuits to other circuits		N/A	
	Insulation employed:			
2.3.5	Test for operating voltages generated externally		N/A	

2.4	Limited current circuits	
2.4.1	General requirements	N/A
2.4.2	Limit values	N/A
	Frequency (Hz)	_
	Measured current (mA)	_
	Measured voltage (V)	_
	Measured circuit capacitance (nF or µF)	_
2.4.3	Connection of limited current circuits to other circuits	N/A

2.5	Limited power sources		Р
	a) Inherently limited output	Complied with table 2B.	Р
	b) Impedance limited output	Complied with table 2B.	Р
	c) Regulating network or IC current limiter, limits output under normal operating and single fault condition	Complied with table 2B.	Р
	Use of integrated circuit (IC) current limiters	Protective device IC used., see appended table Critical Component List.	Р
	d) Overcurrent protective device limited output		N/A
	Max. output voltage (V), max. output current (A), max. apparent power (VA):	(see appended table 2.5)	
	Current rating of overcurrent protective device (A) .:		

2.6	2.6 Provisions for earthing and bonding		N/A
2.6.1	Protective earthing	Class III equipment.	N/A
2.6.2	Functional earthing		N/A



Page 14 of 45

IEC 60950-1			
Clause	Requirement + Test	Result - Remark	Verdict
	Use of symbol for functional earthing		N/A
2.6.3	Protective earthing and protective bonding conductors		N/A
2.6.3.1	General		N/A
2.6.3.2	Size of protective earthing conductors		N/A
	Rated current (A), cross-sectional area (mm ²), AWG:		
2.6.3.3	Size of protective bonding conductors		N/A
	Rated current (A), cross-sectional area (mm ²), AWG:		
	Protective current rating (A), cross-sectional area (mm ²), AWG:		
2.6.3.4	Resistance of earthing conductors and their terminations; resistance (Ω), voltage drop (V), test current (A), duration (min):		N/A
2.6.3.5	Colour of insulation:		N/A
2.6.4	Terminals		N/A
2.6.4.1	General		N/A
2.6.4.2	Protective earthing and bonding terminals		N/A
	Rated current (A), type, nominal thread diameter (mm):		
2.6.4.3	Separation of the protective earthing conductor from protective bonding conductors		N/A
2.6.5	Integrity of protective earthing		N/A
2.6.5.1	Interconnection of equipment		N/A
2.6.5.2	Components in protective earthing conductors and protective bonding conductors		N/A
2.6.5.3	Disconnection of protective earth		N/A
2.6.5.4	Parts that can be removed by an operator		N/A
2.6.5.5	Parts removed during servicing		N/A
2.6.5.6	Corrosion resistance		N/A
2.6.5.7	Screws for protective bonding		N/A
2.6.5.8	Reliance on telecommunication network or cable distribution system		N/A

2.7	Overcurrent and earth fault protection in primary circuits	
2.7.1	Basic requirements	N/A

CENT Compliance Certification Services Inc.

Page 15 of 45

Report No. T171027D06A-LV

	IEC 60950-1			
Clause	Requirement + Test	Result - Remark	Verdict	
	Instructions when protection relies on building installation		N/A	
2.7.2	Faults not simulated in 5.3.7		N/A	
2.7.3	Short-circuit backup protection		N/A	
2.7.4	Number and location of protective devices:		N/A	
2.7.5	Protection by several devices		N/A	
2.7.6	Warning to service personnel:		N/A	

2.8	Safety interlocks		N/A
2.8.1	General principles	No safety interlocks.	N/A
2.8.2	Protection requirements		N/A
2.8.3	Inadvertent reactivation		N/A
2.8.4	Fail-safe operation		N/A
	Protection against extreme hazard		N/A
2.8.5	Moving parts		N/A
2.8.6	Overriding		N/A
2.8.7	Switches, relays and their related circuits		N/A
2.8.7.1	Separation distances for contact gaps and their related circuits (mm):		N/A
2.8.7.2	Overload test		N/A
2.8.7.3	Endurance test		N/A
2.8.7.4	Electric strength test		N/A
2.8.8	Mechanical actuators		N/A

2.9	2.9 Electrical insulation		Р
2.9.1	Properties of insulating materials	Natural rubber, asbestos or hygroscopic materials are not used.	Р
2.9.2	Humidity conditioning		N/A
	Relative humidity (%), temperature (°C):		
2.9.3	Grade of insulation	Functional insulation requirement.	Р
2.9.4	Separation from hazardous voltages		N/A
	Method(s) used		

2.10	Clearances, creepage distances and distances through insulation	N/A
------	---	-----



Page 16 of 45

Report No. T171027D06A-LV

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict
2.10.1	General		N/A
2.10.1.1	Frequency:		N/A
2.10.1.2	Pollution degrees		N/A
2.10.1.3	Reduced values for functional insulation		N/A
2.10.1.4	Intervening unconnected conductive parts		N/A
2.10.1.5	Insulation with varying dimensions		N/A
2.10.1.6	Special separation requirements		N/A
2.10.1.7	Insulation in circuits generating starting pulses		N/A
2.10.2	Determination of working voltage		N/A
2.10.2.1	General		N/A
2.10.2.2	RMS working voltage		N/A
2.10.2.3	Peak working voltage		N/A
2.10.3	Clearances		N/A
2.10.3.1	General		N/A
2.10.3.2	Mains transient voltages		N/A
	a) AC mains supply:		N/A
	b) Earthed d.c. mains supplies:		N/A
	c) Unearthed d.c. mains supplies:		N/A
	d) Battery operation:		N/A
2.10.3.3	Clearances in primary circuits		N/A
2.10.3.4	Clearances in secondary circuits		N/A
2.10.3.5	Clearances in circuits having starting pulses		N/A
2.10.3.6	Transients from a.c. mains supply:		N/A
2.10.3.7	Transients from d.c. mains supply:		N/A
2.10.3.8	Transients from telecommunication networks and cable distribution systems:		N/A
2.10.3.9	Measurement of transient voltage levels		N/A
	a) Transients from a mains supply		N/A
	For an a.c. mains supply		N/A
	For a d.c. mains supply		N/A
	b) Transients from a telecommunication network :		N/A
2.10.4	Creepage distances		N/A
2.10.4.1	General		N/A
2.10.4.2	Material group and comparative tracking index		N/A
	CTI tests		



Page 17 of 45

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict
2.10.4.3	Minimum creepage distances		N/A
2.10.5	Solid insulation		N/A
2.10.5.1	General		N/A
2.10.5.2	Distances through insulation		N/A
2.10.5.3	Insulating compound as solid insulation		N/A
2.10.5.4	Semiconductor devices		N/A
2.10.5.5.	Cemented joints		N/A
2.10.5.6	Thin sheet material – General		N/A
2.10.5.7	Separable thin sheet material		N/A
	Number of layers (pcs):		
2.10.5.8	Non-separable thin sheet material		N/A
2.10.5.9	Thin sheet material – standard test procedure		N/A
	Electric strength test		
2.10.5.10	Thin sheet material – alternative test procedure		N/A
	Electric strength test		
2.10.5.11	Insulation in wound components		N/A
2.10.5.12	Wire in wound components		N/A
	Working voltage		N/A
	a) Basic insulation not under stress		N/A
	b) Basic, supplementary, reinforced insulation:		N/A
	c) Compliance with Annex U		N/A
	Two wires in contact inside wound component; angle between 45° and 90°		N/A
2.10.5.13	Wire with solvent-based enamel in wound components		N/A
	Electric strength test		
	Routine test		N/A
2.10.5.14	Additional insulation in wound components		N/A
	Working voltage		N/A
	- Basic insulation not under stress		N/A
	- Supplementary, reinforced insulation		N/A
2.10.6	Construction of printed boards		N/A
2.10.6.1	Uncoated printed boards		N/A
2.10.6.2	Coated printed boards		N/A



Page 18 of 45

Report No. T171027D06A-LV

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict
2.10.6.3	Insulation between conductors on the same inner surface of a printed board		N/A
2.10.6.4	Insulation between conductors on different layers of a printed board		N/A
	Distance through insulation		N/A
	Number of insulation layers (pcs)		N/A
2.10.7	Component external terminations		N/A
2.10.8	Tests on coated printed boards and coated components		N/A
2.10.8.1	Sample preparation and preliminary inspection		N/A
2.10.8.2	Thermal conditioning		N/A
2.10.8.3	Electric strength test		N/A
2.10.8.4	Abrasion resistance test		N/A
2.10.9	Thermal cycling		N/A
2.10.10	Test for Pollution Degree 1 environment and insulating compound		N/A
2.10.11	Tests for semiconductor devices and cemented joints		N/A
2.10.12	Enclosed and sealed parts		N/A

3	WIRING, CONNECTIONS AND SUPPLY	Р
3.1	General	
3.1.1	Current rating and overcurrent protection	N/A
3.1.2	Protection against mechanical damage	N/A
3.1.3	Securing of internal wiring	N/A
3.1.4	Insulation of conductors	N/A
3.1.5	Beads and ceramic insulators	N/A
3.1.6	Screws for electrical contact pressure	N/A
3.1.7	Insulating materials in electrical connections	N/A
3.1.8	Self-tapping and spaced thread screws	N/A
3.1.9	Termination of conductors	N/A
	10 N pull test	N/A
3.1.10	Sleeving on wiring	N/A

3.2	Connection to a mains supply		N/A
3.2.1	Means of connection		N/A

CENT Compliance Certification Services Inc.

Page 19 of 45

Report No. T171027D06A-LV

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict
3.2.1.1	Connection to an a.c. mains supply		N/A
3.2.1.2	Connection to a d.c. mains supply		N/A
3.2.2	Multiple supply connections		N/A
3.2.3	Permanently connected equipment		N/A
	Number of conductors, diameter of cable and conduits (mm)		—
3.2.4	Appliance inlets		N/A
3.2.5	Power supply cords		N/A
3.2.5.1	AC power supply cords		N/A
	Туре:		
	Rated current (A), cross-sectional area (mm ²), AWG:		
3.2.5.2	DC power supply cords		N/A
3.2.6	Cord anchorages and strain relief		N/A
	Mass of equipment (kg), pull (N):		
	Longitudinal displacement (mm):		
3.2.7	Protection against mechanical damage		N/A
3.2.8	Cord guards		N/A
	Diameter or minor dimension D (mm); test mass (g)		
	Radius of curvature of cord (mm):		
3.2.9	Supply wiring space		N/A

3.3	Wiring terminals for connection of external conductors	N/A
3.3.1	Wiring terminals	N/A
3.3.2	Connection of non-detachable power supply cords	N/A
3.3.3	Screw terminals	N/A
3.3.4	Conductor sizes to be connected	N/A
	Rated current (A), cord/cable type, cross-sectional area (mm ²):	—
3.3.5	Wiring terminal sizes	N/A
	Rated current (A), type, nominal thread diameter (mm):	—
3.3.6	Wiring terminal design	N/A
3.3.7	Grouping of wiring terminals	N/A
3.3.8	Stranded wire	N/A



Page 20 of 45

Report No. T171027D06A-LV

	IE	C 60950-1	
Clause	Requirement + Test	Result - Remark	Verdict

3.4	Disconnection from the mains supply	N	J/A
3.4.1	General requirement	N	J/A
3.4.2	Disconnect devices	Ν	J∕A
3.4.3	Permanently connected equipment	N	J/A
3.4.4	Parts which remain energized	N	J/A
3.4.5	Switches in flexible cords	N	J/A
3.4.6	Number of poles - single-phase and d.c. equipment	N	J/A
3.4.7	Number of poles - three-phase equipment	N	J/A
3.4.8	Switches as disconnect devices	N	J/A
3.4.9	Plugs as disconnect devices	N	J/A
3.4.10	Interconnected equipment	N	I/A
3.4.11	Multiple power sources	N	J/A

3.5	Interconnection of equipment		Р	
3.5.1	General requirements	Conformance to 2.2 is continued.	Р	
3.5.2	Types of interconnection circuits:	Interconnection circuits of SELV through secondary connector.	Р	
3.5.3	ELV circuits as interconnection circuits		N/A	
3.5.4	Data ports for additional equipment	See appended table 2.5.	Р	

4	PHYSICAL REQUIREMENTS		Р
4.1	Stability		N/A
	Angle of 10°	Unit weight less than 7 kg, not subject to the test.	N/A
	Test force (N)		N/A

4.2	Mechanical strength	
4.2.1	General	N/A
	Rack-mounted equipment.	N/A
4.2.2	Steady force test, 10 N	N/A
4.2.3	Steady force test, 30 N	N/A
4.2.4	Steady force test, 250 N	N/A
4.2.5	Impact test	N/A

CENT Compliance Certification Services Inc.

Page 21 of 45

Report No. T171027D06A-LV

IEC 60950-1			
Clause	Requirement + Test	Result - Remark	Verdict
	1	1	
	Fall test		N/A
	Swing test		N/A
4.2.6	Drop test; height (mm)		N/A
4.2.7	Stress relief test		N/A
4.2.8	Cathode ray tubes		N/A
	Picture tube separately certified		N/A
4.2.9	High pressure lamps		N/A
4.2.10	Wall or ceiling mounted equipment; force (N):		N/A

4.3	Design and construction		Р
4.3.1	Edges and corners	All edges and corners judged to be sufficiently well rounded so as not to constitute a hazard.	Р
4.3.2	Handles and manual controls; force (N)		N/A
4.3.3	Adjustable controls		N/A
4.3.4	Securing of parts	Mechanical fixings in such a way designed that they will withstand mechanical stress occurring in normal use.	Р
4.3.5	Connection by plugs and sockets	No mismatch of connectors, plugs or sockets possible.	N/A
4.3.6	Direct plug-in equipment		N/A
	Torque:		
	Compliance with the relevant mains plug standard		N/A
4.3.7	Heating elements in earthed equipment		N/A
4.3.8	Batteries	See below.	Р
	- Overcharging of a rechargeable battery		N/A
	- Unintentional charging of a non-rechargeable battery	The RTC battery is protected from reverse charging by a protection circuit. Test result : - Normal= 0mA - D1 (2 – 3) short= 2mA - R45 short= 0mA	Ρ
	- Reverse charging of a rechargeable battery		N/A
	- Excessive discharging rate for any battery		N/A
4.3.9	Oil and grease		N/A



Page 22 of 45

Report No. T171027D06A-LV

IEC 60950-1			
Clause	Requirement + Test	Result - Remark	Verdict
4.3.10	Dust, powders, liquids and gases		N/A
4.3.11	Containers for liquids or gases		N/A
4.3.12	Flammable liquids		N/A
	Quantity of liquid (I)		N/A
	Flash point (°C):		N/A
4.3.13	Radiation		Р
4.3.13.1	General	See below.	Р
4.3.13.2	Ionizing radiation		N/A
	Measured radiation (pA/kg)		
	Measured high-voltage (kV):		
	Measured focus voltage (kV):		
	CRT markings		
4.3.13.3	Effect of ultraviolet (UV) radiation on materials		N/A
	Part, property, retention after test, flammability classification		N/A
4.3.13.4	Human exposure to ultraviolet (UV) radiation:		N/A
4.3.13.5	Lasers (including laser diodes) and LEDs	See below.	Р
4.3.13.5.1	Lasers (including laser diodes)		N/A
	Laser class		
4.3.13.5.2	Light emitting diodes (LEDs)	This product contains only visible indicator LEDs. No IEC 62471 evaluation was deemed necessary.	Р
4.3.13.6	Other types		N/A

4.4	Protection against hazardous moving parts		N/A
4.4.1	General	No such part.	N/A
4.4.2	Protection in operator access areas		N/A
	Household and home/office document/media shredders		N/A
4.4.3	Protection in restricted access locations:		N/A
4.4.4	Protection in service access areas		N/A
4.4.5	Protection against moving fan blades		N/A
4.4.5.1	General		N/A
	Not considered to cause pain or injury. a)		N/A
	Is considered to cause pain, not injury. b)		N/A

CENTRE Compliance Certification Services Inc.

Page 23 of 45

	IEC 60950-1			
Clause	Requirement + Test	Result - Remark	Verdict	
		1		
	Considered to cause injury. c):		N/A	
4.4.5.2	Protection for users		N/A	
	Use of symbol or warning		N/A	
4.4.5.3	Protection for service persons		N/A	
	Use of symbol or warning		N/A	

4.5	Thermal requirements		Р
4.5.1	General	No exceeding temperature.	Р
4.5.2	Temperature tests	(see appended table 4.5)	Р
	Normal load condition per Annex L	(See Annex L)	
4.5.3	Temperature limits for materials	(see appended table 4.5)	Р
4.5.4	Touch temperature limits	(see appended table 4.5)	Р
4.5.5	Resistance to abnormal heat:	No such part.	N/A

4.6	Openings in enclosures		N/A
4.6.1	Top and side openings	No electrical and fire enclosure required.	N/A
	Dimensions (mm)		
4.6.2	Bottoms of fire enclosures	No electrical and fire enclosure required.	N/A
	Construction of the bottomm, dimensions (mm) :		
4.6.3	Doors or covers in fire enclosures		N/A
4.6.4	Openings in transportable equipment		N/A
4.6.4.1	Constructional design measures		N/A
	Dimensions (mm)		_
4.6.4.2	Evaluation measures for larger openings		N/A
4.6.4.3	Use of metallized parts		N/A
4.6.5	Adhesives for constructional purposes		N/A
	Conditioning temperature (°C), time (weeks) :		

4.7	Resistance to fire		Р
4.7.1	Reducing the risk of ignition and spread of flame See below.		Р
	Method 1, selection and application of components wiring and materials	(see appended table 4.7)	Р

CENTRE Compliance Certification Services Inc.

Page 24 of 45

Report No. T171027D06A-LV

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict
	Method 2, application of all of simulated fault condition tests		N/A
4.7.2	Conditions for a fire enclosure	See below.	Р
4.7.2.1	Parts requiring a fire enclosure	See clause 4.7.2.2.	N/A
4.7.2.2	Parts not requiring a fire enclosure	 With having the following parts : The EUT is supplied by limited power sources and components are mounted on PWB of flammability Class V-1. 	Р
		The fire enclosure is not required.	
4.7.3	Materials		Р
4.7.3.1	General	PCB rated V-1 or better.	Р
4.7.3.2	Materials for fire enclosures	See appended table 1.5.1.	N/A
4.7.3.3	Materials for components and other parts outside fire enclosures		N/A
4.7.3.4	Materials for components and other parts inside fire enclosures	Internal components except small parts are V-2 or better.	N/A
4.7.3.5	Materials for air filter assemblies		N/A
4.7.3.6	Materials used in high-voltage components		N/A

5	ELECTRICAL REQUIREMENTS AND SIMULATED ABNORMAL CONDITION	NS P
5.1	Touch current and protective conductor current	N/A
5.1.1	General	N/A
5.1.2	Configuration of equipment under test (EUT)	N/A
5.1.2.1	Single connection to an a.c. mains supply	N/A
5.1.2.2	Redundant multiple connections to an a.c. mains supply	N/A
5.1.2.3	Simultaneous multiple connections to an a.c. mains supply	N/A
5.1.3	Test circuit	N/A
5.1.4	Application of measuring instrument	N/A
5.1.5	Test procedure	N/A
5.1.6	Test measurements	N/A
	Supply voltage (V)	
	Measured touch current (mA)	
	Max. allowed touch current (mA)	



Page 25 of 45

Report No. T171027D06A-LV

	IEC 60950-1				
Clause	Requirement + Test	Result - Remark	Verdict		
	Measured protective conductor current (mA):		_		
	Max. allowed protective conductor current (mA):				
5.1.7	Equipment with touch current exceeding 3,5 mA		N/A		
5.1.7.1	General:		N/A		
5.1.7.2	Simultaneous multiple connections to the supply		N/A		
5.1.8	Touch currents to telecommunication networks and cable distribution systems and from telecommunication networks		N/A		
5.1.8.1	Limitation of the touch current to a telecommunication network or to a cable distribution system		N/A		
-	Supply voltage (V)				
-	Measured touch current (mA)				
	Max. allowed touch current (mA)				
5.1.8.2	Summation of touch currents from telecommunication networks		N/A		
	a) EUT with earthed telecommunication ports:		N/A		
	b) EUT whose telecommunication ports have no reference to protective earth		N/A		

5.2	Electric strength		N/A
5.2.1	General		N/A
5.2.2	Test procedure		N/A

5.3	Abnormal operating and fault conditions		Р
5.3.1	Protection against overload and abnormal operation	No test had been performed due to no risk of electric shock and fire no fire hazards foreseeable for this Class III equipment.	N/A
5.3.2	Motors		N/A
5.3.3	Transformers		N/A
5.3.4	Functional insulation	: Method c) considered. The test did not conduct due to there's no electric shock and components are mounted on PCB rated V-1 or better.	Ρ
5.3.5	Electromechanical components		N/A
5.3.6	Audio amplifiers in ITE	:	N/A

COMPLIANCE Certification Services Inc.

Page 26 of 45

Report No. T171027D06A-LV

	IEC 60950-1				
Clause	Requirement + Test	Result - Remark	Verdict		
		1	i		
5.3.7	Simulation of faults		N/A		
5.3.8	Unattended equipment		N/A		
5.3.9	Compliance criteria for abnormal operating and fault conditions		N/A		
5.3.9.1	During the tests		N/A		
5.3.9.2	After the tests		N/A		

6	CONNECTION TO TELECOMMUNICATION NETWORKS Protection of telecommunication network service persons, and users of other equipment connected to the network, from hazards in the equipment	
6.1		
6.1.1	Protection from hazardous voltages	N/A
6.1.2	Separation of the telecommunication network from earth	
6.1.2.1	Requirements	N/A
	Supply voltage (V)	
	Current in the test circuit (mA):	
6.1.2.2	Exclusions	N/A

6.2	Protection of equipment users from overvoltages on telecommunication networks		N/A
6.2.1	Separation requirements		N/A
6.2.2	Electric strength test procedure		N/A
6.2.2.1	Impulse test		N/A
6.2.2.2	Steady-state test		N/A
6.2.2.3	Compliance criteria		N/A

6.3	Protection of the telecommunication wiring system from overheating	
	Max. output current (A)	
	Current limiting method	

7	CONNECTION TO CABLE DISTRIBUTION SYSTEMS	
7.1	General	N/A
7.2	Protection of cable distribution system service persons, and users of other equipment connected to the system, from hazardous voltages in the equipment	N/A
7.3	Protection of equipment users from overvoltages on the cable distribution system	N/A

CENTRE Compliance Certification Services Inc.

Page 27 of 45

	IEC 60950-1				
Clause	Requirement + Test	Result - Remark	Verdict		
I		1			
7.4	Insulation between primary circuits and cable distribution systems		N/A		
7.4.1	General		N/A		
7.4.2	Voltage surge test		N/A		
7.4.3	Impulse test		N/A		

Α	ANNEX A, TESTS FOR RESISTANCE TO HEAT AND FIRE	N/A
A.1	Flammability test for fire enclosures of movable equipment having a total mass exceeding 18 kg, and of stationary equipment (see 4.7.3.2)	N/A
A.1.1	Samples	
	Wall thickness (mm):	
A.1.2	Conditioning of samples; temperature (°C):	N/A
A.1.3	Mounting of samples	N/A
A.1.4	Test flame (see IEC 60695-11-3)	N/A
	Flame A, B, C or D	
A.1.5	Test procedure	N/A
A.1.6	Compliance criteria	N/A
	Sample 1 burning time (s)	
	Sample 2 burning time (s)	
	Sample 3 burning time (s)	
A.2	Flammability test for fire enclosures of movable equipment having a total mass not exceeding 18 kg, and for material and components located inside fire enclosures (see 4.7.3.2 and 4.7.3.4)	N/A
A.2.1	Samples, material	
	Wall thickness (mm):	
A.2.2	Conditioning of samples; temperature (°C):	N/A
A.2.3	Mounting of samples	N/A
A.2.4	Test flame (see IEC 60695-11-4)	N/A
	Flame A, B or C	—
A.2.5	Test procedure	N/A
A.2.6	Compliance criteria	N/A
	Sample 1 burning time (s)	
	Sample 2 burning time (s)	
	Sample 3 burning time (s)	



Page 28 of 45

Report No. T171027D06A-LV

	IEC 60950-1				
Clause	Requirement + Test	Result - Remark	Verdict		
A.2.7	Alternative test acc. to IEC 60695-11-5, cl. 5 and 9		N/A		
	Sample 1 burning time (s)				
	Sample 2 burning time (s)				
	Sample 3 burning time (s)				
A.3	Hot flaming oil test (see 4.6.2)		N/A		
A.3.1	Mounting of samples		N/A		
A.3.2	Test procedure		N/A		
A.3.3	Compliance criterion		N/A		

В	ANNEX B, MOTOR TESTS UNDER ABNORMAL CONDITIONS (see 4.7.2.2 and 5.3.2)	N/A
B.1	General requirements	N/A
	Position	
	Manufacturer	
	Туре:	
	Rated values	
B.2	Test conditions	N/A
B.3	Maximum temperatures	N/A
B.4	Running overload test	N/A
B.5	Locked-rotor overload test	N/A
	Test duration (days)	—
	Electric strength test: test voltage (V)	
B.6	Running overload test for d.c. motors in secondary circuits	N/A
B.6.1	General	N/A
B.6.2	Test procedure	N/A
B.6.3	Alternative test procedure	N/A
B.6.4	Electric strength test; test voltage (V)	N/A
B.7	Locked-rotor overload test for d.c. motors in secondary circuits	N/A
B.7.1	General	N/A
B.7.2	Test procedure	N/A
B.7.3	Alternative test procedure	N/A
B.7.4	Electric strength test; test voltage (V):	N/A
B.8	Test for motors with capacitors	N/A

COMPLIANCE Compliance Certification Services Inc.

Page 29 of 45

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict
r		1	
B.9	Test for three-phase motors		N/A

B.9	Test for three-phase motors	N/A
B.10	Test for series motors	N/A
	Operating voltage (V)	—

С	ANNEX C, TRANSFORMERS (see 1.5.4 and 5.3.3)	N/A
	Position:	
	Manufacturer	
	Туре	
	Rated values	
	Method of protection	
C .1	Overload test	N/A
C.2	Insulation	N/A
	Protection from displacement of windings:	N/A

D	ANNEX D, MEASURING INSTRUMENTS FOR TOUCH-CURRENT TESTS (see 5.1.4)		N/A
D.1	Measuring instrument		N/A
D.2	Alternative measuring instrument		N/A

E	ANNEX E, TEMPERATURE RISE OF A WINDING (see 1.4.13)	N
---	---	---

F	ANNEX F, MEASUREMENT OF CLEARANCES AND CREEPAGE DISTANCES	N/A
	(see 2.10 and Annex G)	

G	ANNEX G, ALTERNATIVE METHOD FOR DETERMINING MINIMUM CLEARANCES	N/A
G.1	Clearances	N/A
G.1.1	General	N/A
G.1.2	Summary of the procedure for determining minimum clearances	N/A
G.2	Determination of mains transient voltage (V)	N/A
G.2.1	AC mains supply	N/A
G.2.2	Earthed d.c. mains supplies	N/A
G.2.3	Unearthed d.c. mains supplies	N/A
G.2.4	Battery operation	N/A

N/A



Page 30 of 45

Report No. T171027D06A-LV

	IEC 60950-1				
Clause	Requirement + Test	Result - Remark	Verdict		
G.3	Determination of telecommunication network transient voltage (V)		N/A		
G.4	Determination of required withstand voltage (V)		N/A		
G.4.1	Mains transients and internal repetitive peaks:		N/A		
G.4.2	Transients from telecommunication networks:		N/A		
G.4.3	Combination of transients		N/A		
G.4.4	Transients from cable distribution systems		N/A		
G.5	Measurement of transient voltages (V)		N/A		
	a) Transients from a mains supply		N/A		
	For an a.c. mains supply		N/A		
	For a d.c. mains supply		N/A		
	b) Transients from a telecommunication network		N/A		
G.6	Determination of minimum clearances:		N/A		

	ŀ	1	ANNEX H, IONIZING RADIATION (see 4.3.13)	N/A
--	---	---	--	-----

J	ANNEX J, TABLE OF ELECTROCHEMICAL POTENTIALS (see 2.6.5.6)	N/A
	Metal(s) used	

K	ANNEX K, THERMAL CONTROLS (see 1.5.3 and 5.3.8)	N/A
K.1	Making and breaking capacity	N/A
K.2	Thermostat reliability; operating voltage (V)	N/A
K.3	Thermostat endurance test; operating voltage (V)	N/A
K.4	Temperature limiter endurance; operating voltage (V)	N/A
K.5	Thermal cut-out reliability	N/A
K.6	Stability of operation	N/A

L	ANNEX L, NORMAL LOAD CONDITIONS FOR SOME TYPES OF ELECTRICAL BUSINESS EQUIPMENT (see 1.2.2.1 and 4.5.2)	
L.1	Typewriters	N/A
L.2	Adding machines and cash registers	N/A
L.3	Erasers	N/A
L.4	Pencil sharpeners	N/A
L.5	Duplicators and copy machines	N/A

Other business equipment

L.7

CENTRE Compliance Certification Services Inc.

Page 31 of 45

Report No. T171027D06A-LV

Ρ

See summary of testing.

	IEC 60950-1			
Clause	Requirement + Test	Result - Remark	Verdict	
L.6	Motor-operated files		N/A	

М	ANNEX M, CRITERIA FOR TELEPHONE RINGING SIGNALS (see 2.3.1)	N/A
M.1	Introduction	N/A
M.2	Method A	N/A
M.3	Method B	N/A
M.3.1	Ringing signal	N/A
M.3.1.1	Frequency (Hz)	
M.3.1.2	Voltage (V)	
M.3.1.3	Cadence; time (s), voltage (V)	
M.3.1.4	Single fault current (mA)	
M.3.2	Tripping device and monitoring voltage	N/A
M.3.2.1	Conditions for use of a tripping device or a monitoring voltage	N/A
M.3.2.2	Tripping device	N/A
M.3.2.3	Monitoring voltage (V)	N/A

N	ANNEX N, IMPULSE TEST GENERATORS (see 1.5.7.2, 1.5.7.3, 2.10.3.9, 6.2.2.1, 7.3.2, 7.4.3 and Clause G.5)		N/A
N.1	ITU-T impulse test generators		N/A
N.2	IEC 60065 impulse test generator		N/A

Ρ

ANNEX P, NORMATIVE REFERENCES

Q	ANNEX Q, Voltage dependent resistors (VDRs) (see 1.5.9.1)	N/A
	- Preferred climatic categories	N/A
	- Maximum continuous voltage	N/A
	- Combination pulse current	N/A
	Body of the VDR Test according to IEC60695-11-5	N/A
	Body of the VDR. Flammability class of material (min V-1)	N/A

R	ANNEX R, EXAMPLES OF REQUIREMENTS FOR QUALITY CONTROL PROGRAMMES	N/A
---	---	-----



Reduced clearances (see 2.10.3)

R.2

COMPLIANCE Certification Services Inc.

Page 32 of 45

Report No. T171027D06A-LV

N/A

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict
R.1	Minimum separation distances for unpopulated coated printed boards (see 2.10.6.2)		N/A

S	ANNEX S, PROCEDURE FOR IMPULSE TESTING (see 6.2.2.3)		N/A
S.1	Test equipment		N/A
S.2	Test procedure		N/A
S.3	Examples of waveforms during impulse testing		N/A

Т	ANNEX T, GUIDANCE ON PROTECTION AGAINST INGRESS OF WATER (see 1.1.2)		N/A

U	ANNEX U, INSULATED WINDING WIRES FOR USE WITHOUT INTERLEAVED INSULATION (see 2.10.5.4)		N/A
			_

V	ANNEX V, AC POWER DISTRIBUTION SYSTEMS (see 1.6.1)		N/A
V.1	Introduction		N/A
V.2	TN power distribution systems		N/A

W	ANNEX W, SUMMATION OF TOUCH CURRENTS	N/A
W.1	Touch current from electronic circuits	N/A
W.1.1	Floating circuits	N/A
W.1.2	Earthed circuits	N/A
W.2	Interconnection of several equipments	N/A
W.2.1	Isolation	N/A
W.2.2	Common return, isolated from earth	N/A
W.2.3	Common return, connected to protective earth	N/A

X	ANNEX X, MAXIMUM HEATING EFFECT IN TRANSFORMER TESTS (see clause C.1)		N/A
X.1	Determination of maximum input current		N/A
X.2	Overload test procedure		N/A

Y	ANNEX Y, ULTRAVIOLET LIGHT CONDITIONING TEST (see 4.3.13.3)	N/A
---	---	-----

COMPLIANCE Certification Services Inc.

Page 33 of 45

Report No. T171027D06A-LV

IEC 60950-1					
Clause	Requirement + Test	Result - Remark	Verdict		
h		1	4		
Y.1	Test apparatus		N/A		
Y.2	Mounting of test samples		N/A		
Y.3	Carbon-arc light-exposure apparatus		N/A		
Y.4	Xenon-arc light exposure apparatus		N/A		

Ζ ANNEX Z, OVERVOLTAGE CATEGORIES (see 2.10.3.2 and Clause G.2)

N/A

AA ANNEX AA, MANDREL TEST (see 2.10.5.8) N/A

BB ANNEX BB, CHANGES IN THE SECOND EDITION

CC	ANNEX CC, Evaluation of integrated circuit (IC) current limiters		
CC.1	General	Protective device IC used, see appended table Critical Component List.	Р
CC.2	Test program 1		N/A
CC.3	Test program 2	Applied.	Р
CC.4	Test program 3		N/A
CC.5	Compliance	Considered.	Р

DD	ANNEX DD, Requirements for the mounting means of rack-mounted equipment	
DD.1	General	N/A
DD.2	Mechanical strength test, variable N	N/A
DD.3	Mechanical strength test, 250N, including end stops	N/A
DD.4	Compliance	N/A

EE	ANNEX EE, Household and home/office document/media shredders	
EE.1	General	N/A
EE.2	Markings and instructions	N/A
	Use of markings or symbols	N/A
	Information of user instructions, maintenance and/or servicing instructions	N/A
EE.3	Inadvertent reactivation test	N/A
EE.4	Disconnection of power to hazardous moving parts:	N/A
	Use of markings or symbols	N/A

CENTRE Compliance Certification Services Inc.

Page 34 of 45

IEC 60950-1					
Clause	Requirement + Test	Result - Remark	Verdict		
			-		
EE.5	Protection against hazardous moving parts		N/A		
	Test with test finger (Figure 2A)		N/A		
	Test with wedge probe (Figure EE1 and EE2):		N/A		

COMPLIANCE Certification Services Inc.

Page 35 of 45

Report No. T171027D06A-LV

			IEC 609	50-1				
Clause	Req	uirement + Test		Result	- Remark		Verdict	
1.5.1	TAE	BLE: List of critical	components				Р	
Object/par	t No.	Manufacturer/ trademark	Type/model	Technical data	Standard (Edition / year)		k(s) of ormity ¹)	
Metal enclo	sure	Interchangeable	Interchangeable	Metal, thickness min. 1.0 mm.				
Power Ada	ptor	Powertron Electronics Corp.	PA1024- 050IB400	I/P: 100-240V~ 0.6A, 50-60Hz O/P: 5.0Vdc, 4.0A Class II, 40°C	EN 60950-1: 2006+A11+A1 +A12+A2, IEC 60950-1: 2005+A1, UL 60950-1	50329 CB (JF 06832	TÜV GS (S 50329206), CB (JPTUV- 068323-M1) UL (E248122)	
PCB mater	ial	Interchangeable	Interchangeable	V-1 or better , 105°C min.	UL 796	UL		
PTC (F1) (H port protect		Polytronics Technology Corp.	SMD0603P020 TF	PTC type, Vmax=6Vdc, Ih=0.5A, It=1.0A	IEC/EN 60730- 1: 2000 Tested to clauses 15, 17, J15 and J17, UL 1434	TÜV (R 50099121), UL (E)		
Protection I (U32) (USE port protect	3.0	3.0 Technology Corp. 6.0Vdc, Cont. 2005+A1+A2, UL (E2		O87949), 219878)				
RTC battery (CN1)		Shun Wo New Power Battery Technology Ltd. (Newsun)	CR2032	Max. abnormal charging current 10mA	UL 1642	UL (MH25881)		
		Panasonic Corporation,	CR2032	Max. abnormal charging current 10mA	UL 1642	UL (MI	H12210)	
		Sony Energy Devices Corp.	CR2032	Max. abnormal charging current 10mA	UL 1642	UL (MI	H12566)	
		Mitsubishi Electric Corp.	CR2032	Max. abnormal charging current 10mA	UL 1642	UL (MI	H15370)	
		Mitsubishi Electric Home Appliance Co Ltd.	CR2032, CR2032E, CR2032E+, CR2032N	Max. abnormal charging current 10mA	UL 1642	UL (MI	H21249)	
		VIC-DAWN Enterprise Co., Ltd. (KTS)	CR2032	Max. abnormal charging current 10mA	UL 1642	UL (MI	H20550)	

TRF No. IEC60950_1F

程智科技

COMPLIANCE Certification Services Inc.

Page 36 of 45

Report No. T171027D06A-LV

	IEC 60950-1							
Clause Requirement + Test					Result - Remark			Verdict
		Hitachi Maxell Ltd.	CR2032, CR2032H, CR2032HA	Max. abn charging 10mA		UL 1642	UL (MI	H12568)
		Toshiba Home Appliances Corp.	CR2032	Max. abn charging 10mA		UL 1642	UL (MI	H12828)
		Double Best Co., Ltd.	CR2032	Max. abn charging 10mA		UL 1642	UL (MI	H46388)
		Spectrum Brands Inc.	CR2032	Max. abn charging 5mA		UL 1642	UL (MI	H12542)
		FDK Corp.	CR2032, CR2032s, CR2032T, CR2032U, CR-2032U, CR2032V	Max. abn charging 5mA		UL 1642	UL (MI	H13421)

Supplementary information:

程智科技

¹⁾ Provided evidence ensures the agreed level of compliance. See OD-CB2039.

1.5.1	TABLE: Opto Electronic Devices	N/A		
Manufacture	۲ ۲			
Туре	:			
Separately t	ested			
Bridging ins	ulation			
External cre	External creepage distance:			
Internal cree	epage distance			
Distance thr	ough insulation			
Tested unde	er the following conditions:			
Input	:			
Output	:			
supplementa	ary information			

1.6.2	TABLE: Electrical data (in normal conditions)	Р
-------	---	---

Page 37 of 45

Report No. T171027D06A-LV

IEC 60950-1						
Clause Requirement + Test Result - Remark Verdic					Verdict	
U (V) I (A) Irated (A) P (W) Fuse # Ifuse (A) Condition/status						
DC 5 2.4 4.0 12.0 Maximum normal load.						
Supplemen	Supplementary information:					

 2.1.1.5 c)
 TABLE: max. V, A, VA test
 N/A

 Voltage (rated)
 Current (rated)
 Voltage (max.)
 Current (max.)
 VA (max.)

 (V)
 (A)
 (V)
 (A)
 (VA)
 (VA)

 supplementary information:
 Image: Constraint of the second se

2.1.1.5 c) 2)	TABLE: s	ABLE: stored energy						
Capacitance C (µF) Voltage U (V)		Voltage U (V)	Energy E (J)					
supplementa	ary informat	ion:						

2.2	TABLE: evaluation of voltage limiting	evaluation of voltage limiting components in SELV circuits N/A				
Component (measured between)		max. voltage (V) (normal operation)		Voltage Limiting Compo	onents	
	_		V d.c.			
Fault test per components	rformed on voltage limiting	Vo		sured (V) in SELV circuit peak or V d.c.)	S	
supplementa	ary information:					

2.5 **TABLE: Limited power sources**

Ρ

COMPLIANCE Certification Services Inc.

Page 38 of 45

Report No. T171027D06A-LV

			IEC 60950-1			
Clause	Requirement + To	est		Result - Re	emark	Verdic
Circuit output	ut tested: See belo	ow.				
Note: Meas	ured Uoc (V) with	all load circuits	disconnected: S	See below.		
Components	Test condition (Single fault)	Uoc (V)	I _{sc}	(A)	V	A
	(Single laut)		Meas.	Limit	Meas.	Limit
USB 3.0 port (CN35), pin 1 to GND. (Protection by U32)	Normal	5.038	2.64	8	10.91	100
USB port (CN35), other pins to GND.	Normal	0	0	8	0	100
HDMI port (CN11), pin 15 to GND.	Normal	4.896	0	8	0	100
HDMI port (CN11), pin 16 to GND.	Normal	4.893	0	8	0	100
HDMI port (CN11), pin 18 to GND. (Protection by F1)	Normal	4.991	2.00	8	7.14	100
HDMI port (CN11), other pins to GND.	Normal	0	0	8	0	100
RJ45 port (LAN1), all pins to GND.	Normal condition	0	0	≤8	0	≤100
RS232 port (COM2), all pins to GND.		0	0	8	0	100
supplement	ary information:					
Sc=Short ci	rcuit, Oc=Open ci	rcuit				

2.10.2	Table: working ve	oltage measureme	Cable: working voltage measurement					
Location		RMS voltage (V)	Peak voltage (V)	Comments				

Page 39 of 45

Report No. T171027D06A-LV

	IEC 60950-1							
Clause	Requirement + Test			Result - Remark		Verdict		
supplementary information:								

2.10.3 and 2.10.4							N/A
	cl) and creepage) at/of/between:	U peak (V)	U r.m.s. (V)	Required cl (mm)	cl (mm)	Required cr (mm)	cr (mm)
Functional:							
Reinforced:							
Supplement	ary information:					<u>.</u>	

2.10.5	TABLE: Distance through insulation measurements						
Distance through insulation (DTI) at/of:		U peak (V)	U rms (V)	Test volt- age (V)	Required DTI (mm)	DTI (mm)	
Supplementary information:							

4.3.8	TABLE: Batteries	TABLE: Batteries			
The tests of 4.3.8 are applicable only when appropriate battery data is not available				Р	
Is it possible	to install the battery in a reverse po	plarity position?	Not possible.	N/A	
	Non-rechargeable batteries Rechargeable batteries				

COMPLIANCE Certification Services Inc.

Page 40 of 45

Report No. T171027D06A-LV


			I	EC 60950-	·1				
Clause	Requirem	ent + Test				Result - Rei	Result - Remark		
	Discha	arging	Un- intentional	Chai	rging	Disch	arging	Reve char	
	Meas. current	Manuf. Specs.	charging	Meas. current	Manuf Specs		Manuf. Specs.	Meas. current	Manuf. Specs.
Max. current during normal condition			1)						
Max. current during fault condition			1)						
Test results:	:								Verdict
- Chemical I	eaks								Р
- Explosion of the battery						Р			
- Emission of flame or expulsion of molten metal						Р			
- Electric strength tests of equipment after completion of tests						N/A			
Supplement	ary informa	ation:							

4.3.8	TABLE: Batteries	Р
Battery cate	gory: Lithium	
Manufacture	er: See appended table 1.5.1.	
Type / mode	el: See appended table 1.5.1.	
Voltage	: See appended table 1.5.1.	
Capacity	: See appended table 1.5.1.	
Tested and	Certified by (incl. Ref. No.): See appended table 1.5.1.	
Circuit prote	ction diagram:	

COMPLIANCE Certification Services Inc.

Page 41 of 45

Report No. T171027D06A-LV



MARKINGS AND INSTRUCTIONS (1.7.13)			
Location of replaceable battery	Not operator access area.		
Language(s)	English.		
Close to the battery	N/A		
In the servicing instructions	Complied.		
In the operating instructions	Complied.		

4.5	TABLE: Thermal requirement	nts	Р
	Supply voltage (V)	DC 5	
	Ambient T _{min} (°C):		
	Ambient T _{max} (°C):	See below	
Maximum measured temperature T of part/at:		T (°C)	Allowed T _{max} (°C)
Main boar	d PCB near U1	80.2	105

TRF No. IEC60950_1F

Page 42 of 45

Report No. T171027D06A-LV

	IEC 60950-1						
Clause	Requirement + Test	Result - Remark	Verdict				
Main boar	rd PCB near U98	77.8	105				
Main boar	d PCB near U19	85.1	105				
RTC batte	ery	75.2					
COM boar	rd PCB near U2	90.9	105				
COM boar	rd PCB near U3	108.1	105				
COM boar	rd PCB near TF1	88.8	105				
Metal enc	losure outside	69.8	70				
Tma		45.0					
Tamb		20.9					

Supplementary information:

程智科技

1) The temperatures were measured under worst case normal mode defined in 1.2.2.1 and as described in sub-clause 1.6.2 and at voltages as described above.

2) With a maximum ambient temperature of +45°C as declared by the manufacturer.

3) All values for T (°C) are re-calculated from actual ambient.

Temperature T of winding:	t ₁ (°C)	R ₁ (Ω)	t ₂ (°C)	R ₂ (Ω)	T (°C)	Allowed T _{max} (°C)	Insulatio n class
Supplementary information:							

4.5.5	TABLE: Ball pressure test of thermoplastic parts			N/A
	Allowed impression diameter (mm):	≤ 2 mm	—	
Part		Test temperature Impression (°C) (mn		
Suppleme	entary information:			

4.7	TABLE:	Resistance to fire	esistance to fire					
Part		Manufacturer of material	Type of material	Thickness (mm)	Flammability class	Evidence		
РСВ					V-1			
Enclosure				1)	Metal			
Supplement 1) See appe	•				· ·			

Page 43 of 45

Report No. T171027D06A-LV

IEC 60950-1							
Clause	Requirement + Test			Result - Remark	Verdict		
5.1 TABLE: touch current measurement							
Measured between:		Measured (mA)	Limit (mA)	Comments/conditions			
supplementary information:							

5.2	TABLE: Electric strength tests, impulse tests and voltage surge tests				
Test voltage applied between:		Voltage shape (AC, DC, (V) impulse, surge)		Breakdo wn Yes / No	
Supplement	ary information:				

5.3	TABLE: Fault condition tests						N/A	
	Ambient temperature (°C) 25, if not specified.							
	Power source for EUT: Manufacturer, model/type, output rating: (see appended table 1.5.1)							
Component No.	Fault	Supply voltage (V)	Test time	Fuse #		Fuse urrent (A)	Observation	
Supplementary information:								

C.2		TABLE: transfo	ormers						N/A
Loc.	Тє	ested insulation	Working voltage peak / V	Working voltage rms / V	Required electric strength	Required clearance / mm	Required creepage distance / mm	Requi distan insul.	red ce thr.
			(2.10.2)	(2.10.2)	(5.2)	(2.10.3)	(2.10.4)	(2.10.	5)
Loc.	Te	ested insulation			Test voltage/ V	Measured clearance / mm	Measured creepage dist./ mm	Measu distan insul. numbe layers	ce thr. / mm; er of

Page 44 of 45

Report No. T171027D06A-LV

	IEO	C 60950-1	
Clause	Requirement + Test	Result - Remark	Verdict
supplement	ary information:		

C.2	TABLE: transformers	N/A

Page 45 of 45

Report No. T171027D06A-LV

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict

List of test equipment used:

	ID Number	Manufacture	Description	Model No.	Specification
Х	CR02	YOKOGAWA	Mobile Recorder	MV230-2-2-1-1D	K Type, –40 to 1000°C
Х	CR13	Lascar	Logger	EL-GFX-2	a) 10°C-40°C ; b) 30%-90% RH
Х	EL01	PRODIGIT	DC Electronic Load	3300C	0-60∨dc, 0-60A, 0-300W
Х	MD03	TECLOCK	Thickness Gauge	SM-114	0-10mm
Х	TM05	CASIO	STOPWATCH	HS-3	9:59'59.99"
Х	TP01	TESTING	Test Pin	N/A	IEC 61032 Probe13 / 3Φ(4Φ)x 15mm
Х	TP06	E.D&D	Test Finger	UFP-01	IEC 61032 Probe11 / 12Φ×80mm
Х	VM03	FLUKE	Digital Multimeter	15B	a) 0-1000∀, 0-10A ; b) 40MΩ
Х	WT03	JADEVER	Electronic scale	JWI-3000W	0-150kg

Page 1 of 1

ATTACHMENT 1

程智科技

Г

	IEC 60950-1		
Clause	Requirement + Test	Result - Remark	Verdict

2.1.1.7 TABL	E : discharge test				N/A
Location	τ calculated (S)	⊤ measured (S)	t u → 0V (S)	Comments	
Supplementary information :					

2.4.2 TABLE : limited current circuit measurement N/A Location Voltage Current Freq. Limit Comments (V) (mA) (Hz) (mA) Supplementary information :

2.6.3.4 TABLE : ground continue test			N/A		
L	ocation	Resistant measured (m Ω)	Voltage drop (V)	Comme	nts
Supplementary information :					

4.6.1 & 4.6.2 Ventilation opening			
Location	Dimensions (mm)	Remark	
All enclosure		No opening.	
Supplementary information	:		



Page 1 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

ATTACHMENT TO TEST REPORT IEC 60950-1 EUROPEAN GROUP DIFFERENCES AND NATIONAL DIFFERENCES Information technology equipment – Safety – Part 1: General requirements Differences according to...... EN 60950-1:2006/A11:2009/A1:2010/A12:2011/A2:2013 Attachment Form No....... EU GD IEC60950 1F

Attachment Originator SGS Fimko Ltd

Master Attachment Date 2014-02

Copyright © 2014 IEC System for Conformity Testing and Certification of Electrical Equipment (IECEE), Geneva, Switzerland. All rights reserved.

EN 60950-1:2006/A11:2009/A1:2010/A12:2011/A2:2013 - CENELEC COMMON MODIFICATIONS

	IEC 60950-1, GROU	P DIFFERE	NCES (CENE	LEC commo	n modifications EN)	
Clause	Requirement + Test	t		Resul	t - Remark	Verdict
	Clauses, subclause IEC60950-1 and it				additional to those in	Р
Contents	Add the following a Annex ZA (normati	ve) N F F	oublications	ith their corres	rnational sponding European	Р
(A2:2013)	Annex ZB (normati Annex ZD (informa	tive) I	Special nationa EC and CENE lexible cords		signations for	
General	Delete all the "cour according to the fol 1.4.8 Note 2 1.5.8 Note 2 2.2.3 Note 2.3.2.1 Note 2 2.7.1 Note 3.2.1.1 Note 4.3.6 Note 1 & 2 4.7.3.1 Note 2 6 Note 2 & 5 6.2.2 Note 7.1 Note 3 G.2.1 Note 2	lowing list: 1.5.1 1.5.9.4 2.2.4 2.3.4 2.10.3.2 3.2.4 4.7 5.1.7.1	Note 2 & 3 Note Note Note 2	e document (1 1.5.7.1 1.7.2.1 2.3.2 2.6.3.3 2.10.5.13 2.5.1 4.7.2.2 5.3.7 6.1.2.2 6.2.2.2 7.3	EC 60950-1:2005) Note Note 4, 5 & 6 Note Note 2 & 3 Note 3 Note 3 Note 2 Note Note 1 Note Note Note 1 Note Note 1 & 2	Ρ

CELERF Compliance Certification Services Inc.

Page 2 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Requirement + Test Result - Remark Verdict Clause

	IEC 60950-1, GROUP DIFFERENCES (CENELEC c	ommon modifications EN)	
Clause	Requirement + Test	Result - Remark	Verdict
General (A1:2010)	Delete all the "country" notes in the reference docu1:2005/A1:2010) according to the following list:1.5.7.1Note6.1.2.1Note 26.2.2.1Note 2EE.3Note	ment (IEC 60950-	Р
General (A2:2013)	Delete all the "country" notes in the reference document1:2005/A2:2013) according to the following list:2.7.1Note *2.10.3.1Note 26.2.2.Note* Note of secretary: Text of Common Modification remains unch		Р
1.1.1 (A1:2010)	Replace the text of NOTE 3 by the following. NOTE 3 The requirements of EN 60065 may also be used to me equipment. See IEC Guide 112, Guide on the safety of multimed 60065 applies.		N/A
1.3.Z1	 Add the following subclause: 1.3.Z1 Exposure to excessive sound pressure The apparatus shall be so designed and constructed as to present no danger when used for its intended purpose, either in normal operating conditions or under fault conditions, particularly providing protection against exposure to excessive sound pressures from headphones or earphones. NOTE Z1 A new method of measurement is described in EN 50332-1, Sound system equipment: Headphones and earphones associated with portable audio equipment - Maximum sound pressure level measurement methodology and limit considerations - Part 1: General method for "one package equipment", and in EN 50332-2, Sound system equipment: Headphones and earphones associated with portable audio equipment - Maximum sound pressure level measurement methodology and limit considerations - Part 2: Guidelines to associate sets with headphones coming from different manufacturers. 	Not such equipment.	N/A
(A12:2011)	In EN 60950-1:2006/A12:2011 Delete the addition of 1.3.Z1 / EN 60950-1:2006 Delete the definition 1.2.3.Z1 / EN 60950-1:2006 /A1:2010	Deleted.	N/A
1.5.1 (Added info*)	Add the following NOTE: NOTE Z1 The use of certain substances in electrical and electronic equipment is restricted within the EU: see Directive 2002/95/EC. New Directive 2011/65/11 *	Added.	Р

CELERF Compliance Certification Services Inc.

Page 3 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test		Result - Remark	Verdict

	IEC 60950-1, GROUP DIFFERENCES (CENELEC o	common modifications EN)	_
Clause	Requirement + Test	Result - Remark	Verdict
1.7.2.1 (A1:2010)	In addition, for a PORTABLE SOUND SYSTEM, the instructions shall include a warning that excessive sound pressure from earphones and headphones can cause hearing loss.	Added.	N/A
1.7.2.1 (A12.2011)	In EN 60950-1:2006/A12:2011 Delete NOTE Z1 and the addition for Portable Sound System. Add the following clause and annex to the existing standard and amendments.	Deleted.	N/A
	Zx Protection against excessive sound pres players	sure from personal music	N/A

CENTRE Compliance Certification Services Inc.

Page 4 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

	—		
Clause	Requirement + Test	Result - Remark	Verdict

IEC 60950-1, GROUP DIFFERENCES (CENELEC common modifications EN)				
Clause	Requirement + Test	Result - Remark	Verdict	
	Zx.1 General This sub-clause specifies requirements for protection against excessive sound pressure from personal music players that are closely coupled to the ear. It also specifies requirements for earphones and headphones intended for use with personal music players. A personal music player is a portable equipment for personal use, that:		N/A	
	 is designed to allow the user to listen to recorded or broadcast sound or video; and 			
	 primarily uses headphones or earphones that can be worn in or on or around the ears; and 			
	 allows the user to walk around while in use. 			
	NOTE 1 Examples are hand-held or body-worn portable CD players, MP3 audio players, mobile phones with MP3 type features, PDA's or similar equipment.			
	A personal music player and earphones or headphones intended to be used with personal music players shall comply with the requirements of this sub-clause.			
	The requirements in this sub-clause are valid for music or video mode only.			
	The requirements do not apply:			
	 while the personal music player is connected to an external amplifier; or 			
	 while the headphones or earphones are not used. 			
	NOTE 2 An external amplifier is an amplifier which is not part of the personal music player or the listening device, but which is intended to play the music as a standalone music player.			
	The requirements do not apply to:			
	 hearing aid equipment and professional equipment; 			
	NOTE 3 Professional equipment is equipment sold through special sales channels. All products sold through normal electronics stores are considered not to be professional equipment.			

ししつ 程智科技

CELERF Compliance Certification Services Inc.

Page 5 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Result - Remark Requirement + Test Clause

Verdict

Clause	Requirement + Test	Result - Remark	Verdict
	 analogue personal music players (personal music players without any kind of digital processing of the sound signal) that are brought to the market before the end of 2015. NOTE 4 This exemption has been allowed because this technology is falling out of use and it is expected that within a few years it will no longer exist. This exemption will not be 		N/A
	extended to other technologies. For equipment which is clearly designed or intended for use by young children, the limits of EN 71-1 apply.		
	Zx.2 Equipment requirements		N/A
	No safety provision is required for equipment that complies with the following:		
	 equipment provided as a package (personal music player with its listening device), where 		
	the acoustic output $L_{Aeq,T}$ is ≤ 85 dBA measured while playing the fixed "programme simulation noise" as described in EN 50332-1; and		
	 a personal music player provided with an analogue electrical output socket for a listening device, where the electrical output is ≤ 27 mV measured as described in EN 50332-2, while playing the fixed "programme simulation noise" as described in EN 50332-1. 		
	NOTE 1 Wherever the term acoustic output is used in this clause, the 30 s A-weighted equivalent sound pressure level $L_{Aeq,T}$ is meant. See also Zx.5 and Annex Zx.		
	All other equipment shall:		
	 a) protect the user from unintentional acoustic outputs exceeding those mentioned above; and 		
	 b) have a standard acoustic output level not exceeding those mentioned above, and 		
	automatically return to an output level not exceeding those mentioned above when the power is switched off; and		

CENTRE Compliance Certification Services Inc.

Page 6 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

	IEC 60950-1, GROUP DIFFERENCES (CENELEC common modifications EN)			
Clause	Requirement + Test	Result - Remark	Verdict	
	c) provide a means to actively inform the user of the increased sound pressure when the equipment is operated with an acoustic output exceeding those mentioned above. Any means used shall be acknowledged by the user before activating a mode of operation which allows for an acoustic output exceeding those mentioned above. The acknowledgement does not need to be repeated more than once every 20 h of cumulative listening time; and		N/A	
	NOTE 2 Examples of means include visual or audible signals. Action from the user is always required.			
	NOTE 3 The 20 h listening time is the accumulative listening time, independent how often and how long the personal music player has been switched off.			
	d) have a warning as specified in Zx.3; and			
	e) not exceed the following:			
	 equipment provided as a package (player with Its listening device), the acoustic output shall be ≤ 100 dBA measured while playing the fixed "programme simulation noise" described in EN 50332-1; and a personal music player provided with an analogue electrical output socket for a listening device, the electrical output shall be ≤ 150 mV measured as described in EN 50332-2, while playing the fixed "programme simulation noise" 			
	described in EN 50332-1. For music where the average sound pressure (long term L _{Aeq,T}) measured over the duration of the song is lower than the average produced by the programme simulation noise, the warning does not need to be given as long as the average sound pressure of the song is below the basic limit of 85 dBA. In this case T becomes the duration of			
	the song. NOTE 4 Classical music typically has an average sound pressure (long term $L_{Aeq,T}$) which is much lower than the average programme simulation noise. Therefore, if the player is capable to analyse the song and compare it with the programme simulation noise, the warning does not need to be given as long as the average sound pressure of the song is below the basic limit of 85 dBA.			
	For example, if the player is set with the programme simulation noise to 85 dBA, but the average music level of the song is only 65 dBA, there is no need to give a warning or ask an acknowledgement as long as the average sound level of the song is not above the basic limit of 85 dBA.			

CELERF Compliance Certification Services Inc.

Page 7 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

ſ

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test		Result - Remark	Verdict

IEC 60950-1, GROUP DIFFERENCES (CENELEC common modifications EN)				
Clause	Requirement + Test	Result - Remark	Verdic	
	 Zx.3 Warning The warning shall be placed on the equipment, or on the packaging, or in the instruction manual and shall consist of the following: the symbol of Figure 1 with a minimum height of 5 mm; and 		N/A	
	 the following wording, or similar: "To prevent possible hearing damage, do not listen at high volume levels for long periods." 			
	Figure 1 – Warning label (IEC 60417-6044) Alternatively, the entire warning may be given through the equipment display during use, when the user is asked to acknowledge activation of the higher level.			
	Zx.4 Requirements for listening devices (headp	hones and earphones)	N/A	
	 Zx.4.1 Wired listening devices with analogue input With 94 dBA sound pressure output LAeq,T, the input voltage of the fixed "programme simulation noise" described in EN 50332-2 shall be ≥ 75 mV. This requirement is applicable in any mode where the headphones can operate (active or passive), including any available setting (for example built-in volume level control). 		N/A	
	NOTE The values of 94 dBA – 75 mV correspond with $85dBA - 27$ mV and 100 dBA – 150 mV.			



CENTRE Compliance Certification Services Inc. 程智科技

Page 8 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

	— — —		
Clause	Requirement + Test	Result - Remark	Verdict

	IEC 60950-1, GROUP DIFFERENCES (CENELEC common modifications EN)			
Clause	Requirement + Test	Result - Remark	Verdict	
	 Zx.4.2 Wired listening devices with digital input With any playing device playing the fixed "programme simulation noise" described in EN 50332-1 (and respecting the digital interface standards, where a digital interface standard exists that specifies the equivalent acoustic level), the acoustic output LAeq,⊤ of the listening device shall be ≤ 100 dBA. This requirement is applicable in any mode where the headphones can operate, including any available setting (for example built-in volume level control, additional sound feature like equalization, etc.). NOTE An example of a wired listening device with digital input is a USB headphone. 		N/A	
	 Zx.4.3 Wireless listening devices In wireless mode: with any playing and transmitting device playing the fixed programme simulation noise described in EN 50332-1; and respecting the wireless transmission standards, where an air interface standard exists that specifies the equivalent acoustic level; and with volume and sound settings in the listening device (for example built-in volume level control, additional sound feature like equalization, etc.) set to the combination of positions that maximize the measured acoustic output for the abovementioned programme simulation noise, the acoustic output LAeq,T of the listening device shall be ≤ 100 dBA. 		N/A	

CENTRE Compliance Certification Services Inc.

Page 9 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

	—		
Clause	Requirement + Test	Result - Remark	Verdict

IEC 60950-1, GROUP DIFFERENCES (CENELEC common modifications EN)				
Clause	Requirement + Test	Result - Remark	Verdict	
	Zx.5 Measurement methods Measurements shall be made in accordance with EN 50332-1 or EN 50332-2 as applicable. Unless stated otherwise, the time interval T shall be 30 s. NOTE Test method for wireless equipment provided without listening device should be defined.		N/A	
2.7.1	 Replace the subclause as follows: Basic requirements To protect against excessive current, short-circuits and earth faults in PRIMARY CIRCUITS, protective devices shall be included either as integral parts of the equipment or as parts of the building installation, subject to the following, a), b) and c): a) except as detailed in b) and c), protective devices necessary to comply with the requirements of 5.3 shall be included as parts of the equipment; b) for components in series with the mains input to the equipment such as the supply cord, appliance coupler, r.f.i. filter and switch, short-circuit and earth fault protection may be provided by protective devices in the building installation; 	Replaced.	Ρ	
	 c) it is permitted for PLUGGABLE EQUIPMENT TYPE B or PERMANENTLY CONNECTED EQUIPMENT, to rely on dedicated overcurrent and short-circuit protection in the building installation, provided that the means of protection, e.g. fuses or circuit breakers, is fully specified in the installation instructions. If reliance is placed on protection in the building installation, the installation instructions shall so state, except that for PLUGGABLE EQUIPMENT TYPE A the building installation shall be regarded as providing protection in accordance with the rating of the wall socket outlet. 		N/A	
2.7.2	This subclause has been declared 'void'.		N/A	
3.2.3	Delete the NOTE in Table 3A, and delete also in this table the conduit sizes in parentheses.	Deleted.	N/A	

CELERF Compliance Certification Services Inc. 程智科技

Page 10 of 54

Verdict

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Requirement + Test Clause

IEC 60950-1, GROUP DIFFERENCES (CENELEC common modifications EN)				
Clause	Requirement + Test	Result - Remark	Verdict	
3.2.5.1	 Replace "60245 IEC 53" by "H05 RR-F"; "60227 IEC 52" by "H03 VV-F or H03 VVH2-F"; "60227 IEC 53" by "H05 VV-F or H05 VVH2-F2". In Table 3B, replace the first four lines by the following: Up to and including 6 0,75 ^{a)} Over 6 up to and including 10 (0,75) ^{b)} 1,0 Over 10 up to and including 16 (1,0) ^{c)} 1,5 In the conditions applicable to Table 3B delete the words "in some countries" in condition ^{a)}. In NOTE 1, applicable to Table 3B, delete the second sentence. 	Replaced.	N/A	
3.2.5.1 (A2:2013)	NOTE Z1 The harmonised code designations corresponding to the IEC cord types are given in Annex ZD		N/A	
3.3.4	In Table 3D, delete the fourth line: conductor sizes for 10 to 13 A, and replace with the following: Over 10 up to and including 16 1,5 to 2,5 1,5 to 4 Delete the fifth line: conductor sizes for 13 to 16 A	Deleted.	N/A	
4.3.13.6 (A1:2010)	Replace the existing NOTE by the following: NOTE Z1 Attention is drawn to: 1999/519/EC: Council Recommendation on the limitation of exposure of the general public to electromagnetic fields 0 Hz to 300 GHz, and 2006/25/EC: Directive on the minimum health and safety requirements regarding the exposure of workers to risks arising from physical agents (artifical optical radiation).	Replaced.	N/A	
	Standards taking into account mentioned Recommendation and Directive which demonstrate compliance with the applicable EU Directive are indicated in the OJEC.		N/A	
Annex H	Replace the last paragraph of this annex by: At any point 10 cm from the surface of the OPERATOR ACCESS AREA, the dose rate shall not exceed 1 μ Sv/h (0,1 mR/h) (see NOTE). Account is taken of the background level. Replace the notes as follows: NOTE These values appear in Directive 96/29/Euratom. Delete NOTE 2.	Replaced.	N/A	
Bibliography	Additional EN standards.	Added.		

CELERF Compliance Certification Services Inc.

Page 11 of 54

Report No. T171027D06A-LV

٦

ATTACHMENT 2

程智科技

	IEC60950_1F - ATTACHMENT			
Clause	Requirement + Test		Result - Remark	Verdict

I	IEC 60950-1, GROUP DIFFERENCES (CENELEC common modifications EN)		
Clause	Requirement + Test	Result - Remark	Verdict

ΖA NORMATIVE REFERENCES TO INTERNATIONAL PUBLICATIONS WITH THEIR CORRESPONDING EUROPEAN PUBLICATIONS

ZB ANNEX (normative) SPECIAL NATIONAL CONDITIONS (EN)					
Clause	Requirement + Test	Result - Remark	Verdict		
1.2.4.1	In Denmark , certain types of Class I appliances (see 3.2.1.1) may be provided with a plug not establishing earthing conditions when inserted into Danish socket-outlets.		N/A		
1.2.13.14 (A11:2009)	In Norway and Sweden , for requirements see 1.7.2.1 and 7.3 of this annex.		N/A		
1.5.7.1 (A11:2009)	In Finland, Norway and Sweden , resistors bridging BASIC INSULATION in CLASS I PLUGGABLE EQUIPMENT TYPE A must comply with the requirements in 1.5.7.1. In addition when a single resistor is used, the resistor must withstand the resistor test in 1.5.7.2.		N/A		
1.5.8	In Norway , due to the IT power system used (see annex V, Figure V.7), capacitors are required to be rated for the applicable line-to-line voltage (230 V).		Р		
1.5.9.4	In Finland , Norway and Sweden , the third dashed sentence is applicable only to equipment as defined in 6.1.2.2 of this annex.		N/A		

CELERF Compliance Certification Services Inc.

Page 12 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

ZB ANNEX (normative)					
SPECIAL NATIONAL CONDITIONS (EN)					
Clause Requirement + Test	Result - Remark	Verdict			
1.7.2.1 In Finland, Norway and Sweden, CLASS I PLUGGABLE EQUIPMENT TYPE A intended for connection to other equipment or a network shall, if safety relies on connection to protective earth or if surge suppressors are connected between the network terminals and accessible parts, have a marking stating that the equipment must be connected to an earthed mains socket-outlet. The marking text in the applicable countries shall be as follows: In Finland: "Laite on liitettävä suojakoskettimilla varustettuun pistorasiaan" In Norway: "Apparatet må tilkoples jordet stikkontakt" In Sweden: "Apparaten skall anslutas till jordat uttag" 1.7.2.1 (A11:2009) In Norway and Sweden, the screen of the cable distribution system is normally not earthed at the entrance of the building and there is normally no equipotential bonding system. It is however accepted to provide the insulation external to the equipment by an adapter or an interconnection cable with galvanic isolator, which may be provided by e.g. a retailer. The user manual shall then have the following or similar information in Norwegian and Swedish language respectively, depending on in what country the equipment is intended to be used in: "Equipment connected to the protective earthing of the building installation through the mains connection to protective earthing – and to a cable distribution system using coaxial cable, may in some circumstances create a fire hazard. Connection to a cable distribution system has therefore to be provided through a device		N/A			

CELERF Compliance Certification Services Inc.

Page 13 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

	ZB ANNEX (normative) SPECIAL NATIONAL CONDITIONS (EN)			
Clause	Requirement + Test	Result - Remark	Verdict	
	NOTE In Norway, due to regulation for installations of cable distribution systems, and in Sweden, a galvanic isolator shall provide electrical insulation below 5 MHz. The insulation shall withstand a dielectric strength of 1,5 kV r.m.s., 50 Hz or 60 Hz, for 1 min.		N/A	
	Translation to Norwegian (the Swedish text will also be accepted in Norway):			
	"Utstyr som er koplet til beskyttelsesjord via nettplugg og/eller via annet jordtilkoplet			
	utstyr – og er tilkoplet et kabel-TV nett, kan forårsake brannfare. For å unngå dette skal det ved tilkopling av utstyret til kabel-TV nettet installeres en galvanisk isolator mellom utstyret og kabel- TV nettet."			
	Translation to Swedish:			
	"Utrustning som är kopplad till skyddsjord via jordat vägguttag och/eller via annan			
	utrustning och samtidigt är kopplad till kabel-TV nät kan i vissa fall medfőra risk főr			
	brand. Főr att undvika detta skall vid anslutning av utrustningen till kabel-TV nät			
	galvanisk isolator finnas mellan utrustningen och kabel-TV nätet."			
1.7.2.1 (A2:2013)	In Denmark , CLASS I PLUGGABLE EQUIPMENT TYPE A intended for connection to other equipment or a network shall, if safety relies on connection to protective earth or if surge suppressors are connected between the network terminals and accessible parts, have a marking stating that the equipment must be connected to an earthed mains socket-outlet.		N/A	
	The marking text in Denmark shall be as follows: In Denmark : "Apparatets stikprop skal tilsluttes en stikkontakt med jord, som giver forbindelse til stikproppens jord."			

COMPLIANCE Compliance Certification Services Inc.

Page 14 of 54

Report No. T171027D06A-LV

Verdict

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

ZB ANNEX (normative) SPECIAL NATIONAL CONDITIONS (EN)				
Clause	Requirement + Test	Result - Remark	Verdict	
1.7.5	In Denmark , socket-outlets for providing power to other equipment shall be in accordance with the Heavy Current Regulations, Section 107-2-D1, Standard Sheet DK 1-3a, DK 1-5a or DK 1-7a, when used on Class I equipment. For STATIONARY EQUIPMENT the socket-outlet shall be in accordance with Standard Sheet DK 1- 1b or DK 1-5a.		N/A	
1.7.5 (A11:2009)	For CLASS II EQUIPMENT the socket outlet shall be in accordance with Standard Sheet DKA 1-4a.			
1.7.5 (A2:2013)	In Denmark , socket-outlets for providing power to other equipment shall be in accordance with the DS 60884-2-D1:2011.		N/A	
	For class I equipment the following Standard Sheets are applicable: DK 1-3a, DK 1-1c, DK 1-1d, DK 1-5a or DK 1-7a, with the exception for STATIONARY EQUIPMENT where the socket-outlets shall be in accordance with Standard Sheet DK 1-1b, DK 1-1c, DK 1-1d or DK 1-5a.			
	Socket outlets intended for providing power to Class II apparatus with a rated current of 2,5 A shall be in accordance with DS 60884-2-D1 standard sheet DKA 1-4a. Other current rating socket outlets shall be in compliance with by DS 60884-2-D1 Standard Sheet DKA 1-3a or DKA 1-3b.			
	Justification the Heavy Current Regulations, 6c			
2.2.4	In Norway , for requirements see 1.7.2.1, 6.1.2.1 and 6.1.2.2 of this annex.	No TNV circuits.	N/A	
2.3.2	In Finland , Norway and Sweden there are additional requirements for the insulation. See 6.1.2.1 and 6.1.2.2 of this annex.	No TNV circuits.	N/A	
2.3.4	In Norway , for requirements see 1.7.2.1, 6.1.2.1 and 6.1.2.2 of this annex.	No TNV circuits.	N/A	
2.6.3.3	In the United Kingdom , the current rating of the circuit shall be taken as 13 A, not 16 A.		N/A	

ににらに 程智科技

COMPLIANCE Compliance Certification Services Inc.

Page 15 of 54

Report No. T171027D06A-LV

Verdict

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

	ZB ANNEX (normative) SPECIAL NATIONAL CONDITIC		
Clause	Requirement + Test	Result - Remark	Verdict
2.7.1	In the United Kingdom , to protect against excessive currents and short-circuits in the PRIMARY CIRCUIT of DIRECT PLUG-IN EQUIPMENT, tests according to 5.3 shall be conducted, using an external protective device rated 30 A or 32 A. If these tests fail, suitable protective devices shall be included as integral parts of the DIRECT PLUG-IN EQUIPMENT, so that the requirements of 5.3 are met.	One build-in fuse provided.	P
2.10.5.13	In Finland , Norway and Sweden , there are additional requirements for the insulation, see 6.1.2.1 and 6.1.2.2 of this annex.	No TNV circuits.	N/A
3.2.1.1	In Switzerland , supply cords of equipment having a RATED CURRENT not exceeding 10 A shall be provided with a plug complying with SEV 1011 or IEC 60884-1 and one of the following dimension sheets: SEV 6532-2.1991 Plug Type 15 3P+N+PE 250/400 V, 10 A SEV 6533-2.1991 Plug Type 11 L+N 250 V, 10 A SEV 6534-2.1991 Plug Type 12 L+N+PE 250 V, 10 A In general, EN 60309 applies for plugs for currents exceeding 10 A. However, a 16 A plug and socket-outlet system is being introduced in Switzerland, the plugs of which are according to the following dimension sheets, published in February 1998: SEV 5932-2.1998: Plug Type 25, 3L+N+PE 230/400 V, 16 A SEV 5933-2.1998: Plug Type 23, L+N+PE 250 V,		N/A

CELERF Compliance Certification Services Inc.

Page 16 of 54

Report No. T171027D06A-LV

Verdict

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

	ZB ANNEX (normative) SPECIAL NATIONAL CONDITIONS (EN)			
Clause	Requirement + Test	Result - Remark	Verdict	
3.2.1.1	In Denmark , supply cords of single-phase equipment having a rated current not exceeding13 A shall be provided with a plug according to the Heavy Current Regulations, Section 107-2-D1.		N/A	
	CLASS I EQUIPMENT provided with socket- outlets with earth contacts or which are intended to be used in locations where protection against indirect contact is required according to the wiring rules shall be provided with a plug in accordance with standard sheet DK 2-1a or DK 2-5a.			
	If poly-phase equipment and single-phase equipment having a RATED CURRENT exceeding 13 A is provided with a supply cord with a plug, this plug shall be in accordance with the Heavy Current Regulations, Section 107-2-D1 or EN 60309-2.			
3.2.1.1 (A2:2013)	In Denmark , supply cords of single-phase equipment having a rated current not exceeding 13 A shall be provided with a plug according to DS 60884-2-D1. CLASS I EQUIPMENT provided with socket- outlets with earth contacts or which are intended to be used in locations where protection against indirect contact is required according to the wiring rules shall be provided with a plug in accordance with standard sheet DK 2-1a or DK 2-5a.		N/A	
	If a single-phase equipment having a RATED CURRENT exceeding 13 A or if a poly-phase equipment is provided with a supply cord with a plug, this plug shall be in accordance with the standard sheets DK 6-1a in DS 60884-2-D1 or EN 60309-2. Justification the Heavy Current Regulations, 6c			

CELERF Compliance Certification Services Inc.

Page 17 of 54

Report No. T171027D06A-LV

Verdict

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

	ZB ANNEX (normative)		
	SPECIAL NATIONAL CONDITIC	NS (EN)	
Clause	Requirement + Test	Result - Remark	Verdict
3.2.1.1	In Spain , supply cords of single-phase equipment having a rated current not exceeding 10 A shall be provided with a plug according to UNE 20315:1994.		N/A
	Supply cords of single-phase equipment having a rated current not exceeding 2,5 A shall be provided with a plug according to UNE-EN 50075:1993.		
	CLASS I EQUIPMENT provided with socket- outlets with earth contacts or which are intended to be used in locations where protection against indirect contact is required according to the wiring rules, shall be provided with a plug in accordance with standard UNE 20315:1994.		
	If poly-phase equipment is provided with a supply cord with a plug, this plug shall be in accordance with UNE-EN 60309-2.		
3.2.1.1	In the United Kingdom , apparatus which is fitted with a flexible cable or cord and is designed to be connected to a mains socket conforming to BS 1363 by means of that flexible cable or cord and plug, shall be fitted with a 'standard plug' in accordance with Statutory Instrument 1768:1994 - The Plugs and Sockets etc. (Safety) Regulations 1994, unless exempted by those regulations. NOTE 'Standard plug' is defined in SI 1768:1994 and essentially means an approved plug conforming to BS 1363 or an approved conversion plug.		N/A
3.2.1.1	In Ireland , apparatus which is fitted with a flexible cable or cord and is designed to be connected to a mains socket conforming to I.S. 411 by means of that flexible cable or cord and plug, shall be fitted with a 13 A plug in accordance with Statutory Instrument 525:1997 - National Standards Authority of Ireland (section 28) (13 A Plugs and Conversion Adaptors for Domestic Use) Regulations 1997.		N/A
3.2.4	In Switzerland , for requirements see 3.2.1.1 of this annex.		N/A
3.2.5.1	In the United Kingdom , a power supply cord with conductor of 1,25 mm2 is allowed for equipment with a rated current over 10 A and up to and including 13 A.		N/A

CELERF Compliance Certification Services Inc.

Page 18 of 54

Report No. T171027D06A-LV

Verdict

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

	ZB ANNEX (normative) SPECIAL NATIONAL CONDITIC		
Clause	Requirement + Test	Result - Remark	Verdict
3.3.4	In the United Kingdom , the range of conductor sizes of flexible cords to be accepted by terminals for equipment with a RATED CURRENT of over 10 A up to and including 13 A is: • 1,25 mm ² to 1,5 mm ² nominal cross-sectional area.		N/A
4.3.6	In the United Kingdom , the torque test is performed using a socket outlet complying with BS 1363 part 1:1995, including Amendment 1:1997 and Amendment 2:2003 and the plug part of DIRECT PLUG-IN EQUIPMENT shall be assessed to BS 1363: Part 1, 12.1, 12.2, 12.3, 12.9, 12.11, 12.12, 12.13, 12.16 and 12.17, except that the test of 12.17 is performed at not less than 125 °C. Where the metal earth pin is replaced by an Insulated Shutter Opening Device (ISOD), the requirements of clauses 22.2 and 23 also apply.		N/A
4.3.6	In Ireland , DIRECT PLUG-IN EQUIPMENT is known as plug similar devices. Such devices shall comply with Statutory Instrument 526:1997 - National Standards Authority of Ireland (Section 28) (Electrical plugs, plug similar devices and sockets for domestic use) Regulations, 1997.		N/A
5.1.7.1	 In Finland, Norway and Sweden TOUCH CURRENT measurement results exceeding 3,5 mA r.m.s. are permitted only for the following equipment: STATIONARY PLUGGABLE EQUIPMENT TYPE A that is intended to be used in a RESTRICTED ACCESS LOCATION where equipotential bonding has been applied, for example, in a telecommunication centre; and has provision for a permanently connected PROTECTIVE EARTHING CONDUCTOR; and is provided with instructions for the installation of that conductor by a SERVICE PERSON; STATIONARY PLUGGABLE EQUIPMENT TYPE B; STATIONARY PERMANENTLY CONNECTED EQUIPMENT. 		N/A

CELERF Compliance Certification Services Inc.

Page 19 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

	ZB ANNEX (normative) SPECIAL NATIONAL CONDITIONS (EN)			
Clause	Requirement + Test	Result - Remark	Verdict	
6.1.2.1 (A1:2010)	In Finland , Norway and Sweden , add the following text between the first and second paragraph of the compliance clause: If this insulation is solid, including insulation forming part of a component, it shall at least		N/A	
	 consist of either two layers of thin sheet material, each of which shall pass the electric strength test below, or one layer having a distance through insulation of at least 0,4 mm, which shall pass the 			
	electric strength test below. Alternatively for components, there is no distance through insulation requirements for the insulation consisting of an insulating compound completely filling the casing, so that CLEARANCES and CREEPAGE DISTANCES do not exist, if the component passes the electric strength test in accordance with the compliance clause below and in addition			
	 passes the tests and inspection criteria of 2.10.11 with an electric strength test of 1,5 kV multiplied by 1,6 (the electric strength test of 2.10.10 shall be performed using 1,5 kV), and is subject to ROUTINE TESTING for electric strength during manufacturing, using a test voltage of 1,5 kV. 			

COMPLIANCE Compliance Certification Services Inc.

Page 20 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

	ZB ANNEX (normative)		
	SPECIAL NATIONAL CONDITION	ONS (EN)	
Clause	Requirement + Test	Result - Remark	Verdict
	It is permitted to bridge this insulation with an optocoupler complying with 2.10.5.4 b). It is permitted to bridge this insulation with a capacitor complying with EN 60384-14:2005, subclass Y2. A capacitor classified Y3 according to EN 60384-14:2005, may bridge this insulation under the following conditions:		N/A
	 the insulation requirements are satisfied by having a capacitor classified Y3 as defined by EN 60384-14, which in addition to the Y3 testing, is tested with an impulse test of 2,5 kV defined in EN 60950-1:2006, 6.2.2.1; the additional testing shall be performed on all the test specimens as described in 		
	EN 60384-14: - the impulse test of 2,5 kV is to be performed before the endurance test in EN 60384-14, in the sequence of tests as described in EN 60384- 14.		
6.1.2.2	In Finland , Norway and Sweden , the exclusions are applicable for PERMANENTLY CONNECTED EQUIPMENT, PLUGGABLE EQUIPMENT TYPE B and equipment intended to be used in a RESTRICTED ACCESS LOCATION where equipotential bonding has been applied, e.g. in a telecommunication centre, and which has provision for a permanently connected PROTECTIVE EARTHING CONDUCTOR and is provided with instructions for the installation of that conductor by a SERVICE PERSON.		N/A
7.2	In Finland , Norway and Sweden , for requirements see 6.1.2.1 and 6.1.2.2 of this annex. The term TELECOMMUNICATION NETWORK in 6.1.2 being replaced by the term CABLE DISTRIBUTION SYSTEM.		N/A
7.3 (A11:2009)	In Norway and Sweden , for requirements see 1.2.13.14 and 1.7.2.1 of this annex.		N/A



Page 21 of 54

ATTACHMENT 2

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test		Result - Remark	Verdict

(informative)

IEC and CENELEC code designations for flexible cords			
Type of flexible cord	Code de	signations	
	IEC	CENELEC	
PVC insulated cords			
Flat twin tinsel cord	60227 IEC 41	H03VH-Y	
Light polyvinyl chloride sheathed flexible cord	60227 IEC 52	H03VV-F H03VVH2-F	
Ordinary polyvinyl chloride sheathed flexible cord	60277 IEC 53	H05VV-F H05VVH2-F	
Rubber insulated cords			
Braided cord	60245 IEC 51	H03RT-F	
Ordinary tough rubber sheathed flexible cord	60245 IEC 53	H05RR-F	
Ordinary polychloroprene sheathed flexible cord	60245 IEC 57	H05RN-F	
Heavy polychloroprene sheathed flexible cord	60245 IEC 66	H07RN-F	
Cords having high flexibility			
Rubber insulated and sheathed cord	60245 IEC 86	H03RR-H	
Rubber insulated, crosslinked PVC sheathed cord	60245 IEC 87	H03RV4-H	
Crosslinked PVC insulated and sheathed cord	60245 IEC 88	H03V4V4-H	

COMPLIANCE Compliance Certification Services Inc.

Page 22 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

ATTACHMENT TO TEST REPORT IEC 60950-1 AUSTRALIA NATIONAL DIFFERENCES

Information technology equipment - Safety -

Part 1: General requirements

Differences according to..... AS/NZS 60950.1 : 2015

Annex ZZ Variations

	Annex 22 Variations		
1.2.12.201	Addition: POTENTIAL IGNITION SOURCE Possible fault which can starts a fire if the open- circuit voltage measured across an interruption or faulty contact exceeds a value of 50 V (peak) a.c. or d.c. and the product of the peak value of this voltage and the measured r.m.s. current under normal operating conditions exceeds 15VA. Such a faulty contact or interruption in an electrical connection includes those which may occur in conductive patterns on printed boards. Note 201: An electronic protection circuit may be used to prevent such a fault from becoming a POTENTIAL IGNITION SOURCE. Note 202: This definition is from AS/NZS 60065:2012, Clause 2.8.11	Added.	P
1.5.1	Add to the end of the first paragraph and in note 1 after the word "standard; "or the relevant Australian / New Zealand Standard". Delete from second paragraph 'without further evaluation'.	Added	Р
1.5.2	Add to the first line of the first paragraph and first paragraph second dashed item second line and last line after the word "standard:" or an Australian/New Zealand Standard ".	Added	Р
1.7.1.3	Replace existing text with Graphical symbols placed on the equipment as a requirement of this standard, shall be in accordance with IEC 60417 or ISO 3864-2 or ISO 7000, if available. In absence of suitable symbols, the manufacturer may design specific graphical symbols	Added	Р
2.9.2	Delete from second paragraph the word "designated".	Added.	N/A
3.2.5.1	ConstantReplace the first four rows for Table 3B with the following: Sizes of ConductorsRated current of equipment ANominal cross- sectional area mm²Over 0.2 up to and including 30.5 1)	No power supply cord provided.	N/A

CELERF Compliance Certification Services Inc.

Page 23 of 54

Report No. T171027D06A-LV

	IE	C60950_1F - ATTACHME	ENT	•
Clause	Requirement + Test		Result - Remark	Verdict
	I	0.75	1	I
	Over 3 up to and	0.75	-	
	including 7.5			
	Over 7.5 up to and	(0.75) ²⁾ 1.00		
	including 10	(0.1.0)		
	Over 10 up to and including 16	(1.0) ³⁾ 1.5		
	Replace footnote a) with	the following:	1	
	This nominal cross-secti allowed for Class II appl the power supply cord, r point where the cord or o appliance, and the entry exceed 2 m (0.5 mm ² the cords are not permitted;	onal area is only iances if the length of neasured between the cord guard, enters the to the plug, does not ree-core supply flexible		
	Delete Note 1. And renu Note	mber existing Note 2 as		
4.1.201	Addition: Display devices purposes Display devices which ma purposes, with a mass of comply with the requirem mechanical hazards, inclu- stability requirements for specified in AS/NZS 6006	ay be used for television 7 kg or more, shall ents for stability and uding the additional television received,	No such device.	N/A
4.3.6	Replace the third paragra plug portion, suitable for pin flat-pin socket-outlet of 3112, shall comply with the AS/NZS 3112 for equipment insertion into socket-outlet	nsertion into a 10 A 3- complying with AS/NZS ne requirements in ent with integral pins for	The EUT is not a DIRECT PLUG-IN EQUIPMENT.	N/A
4.3.8	Add new note after the fir paragraph eight.	st dashed item of		N/A
	Note 6.201 In cases whe provided by power from a source, consideration sho effect of possible single fa unassociated equipment. unknown then it should b maximum limit of SELV n source input under assum conditions in the source of charging circuit in the equ	an unassociated power buld be given to the ault conditions in the If the power source is e assumed that the hay be applied to the ned single fault when accessing the		
4.3.8.201	Additional after Clause 4. coin/button cell batteries R1. The requirements of AS/I	and batteries designated	Equipment for locations where it is unlikely that children will be present	N/A

CENTRE Compliance Certification Services Inc.

Page 24 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT					
Clause	Requirement + Test	Result - Remark	Verdict		
	Amendment 1:2015, clause 14.10.201 apply for this Clause.				
4.3.13.5.1	Add the following after each reference to 'IEC 60825-1': 'or AS/NZS 60825.1' Add the following after 'IEC 60825-2' in line two of the first paragraph: 'or AS/NZS 60825.2'		N/A		
4.7	Add after the clause: For alternative resistance to fire tests, refer to Clause 4.7.201	Alternative tests not performed.	N/A		
4.7.201	Additional after the clause 4.7.3.6: Resistance to fire - Alternative tests		N/A		
4.7.201.1	 Addition: General Parts of non-metallic material shall be resistant to ignition and spread of fire. This requirement does not apply to decorative trims, knobs and other parts unlikely to be ignited or to propagate flames originating from inside the apparatus, or the following: (a) Components that are contained in an enclosure having a flammability category of V-0 according to AS/NZS 60695.11.10 and having openings only for the connecting wires filling the openings completely, and for ventilation not exceeding 1 mm in width regardless of length. (b) The following parts which would contribute negligible fuel to a fire: - small mechanical parts, the mass of which does not exceed 4 g, such as mounting parts, gears, cams, belts and bearings; - small electrical components, such as capacitors with a volume not exceeding 1 750 mm3, integrated circuits, transistors and optocoupler packages, if these components are mounted on material of flammability category V-1, or better, according to AS/NZS 60695.11.10. NOTE In considering how to minimize propagation of fire and what 'small parts' are, account should be taken of the cumulative effect of small parts adjacent to each other for the possible effect of propagating fire from one part to another. Compliance shall be checked by the tests of 4.7.201.2, 4.7.201.3, 4.7.201.4 and 4.7.201.5. 		N/A		



CENTRE Compliance Certification Services Inc.

Page 25 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test	Result - Remark	Verdict	
	compliance shall be checked by the test of 4.7.201.5.			
	The tests shall be carried out on parts of non- metallic material which have been removed from the apparatus. When the glow-wire test is carried out, the parts shall be placed in the same orientation as they would be in normal use.			
	These tests are not carried out on internal wiring.			
4.7.201.2	Addition: Testing of non-metallic materials Parts of non-metallic material shall be subject to the glow-wire test of AS/NZS 60695.2.11 which shall be carried out at 550°C.		N/A	
	Parts for which the glow-wire test cannot be carried out, such as those made of soft or foamy material, shall meet the requirements specified in ISO 9772 for category FH-3 material. The glow- wire test shall be not carried out on parts of material classified at least FH-3 according to ISO 9772 provided that the sample tested was not thicker than the relevant part.			
4.7.201.3	Addition: Testing of insulating materials Parts of insulating material supporting POTENTIAL IGNITION SOURCES shall be subject to the glow-wire test of AS/NZS 60695.2.11 which shall be carried out at 750°C. The test shall be also carried out on other parts of insulating material which are within a distance of 3mm of the connection.		N/A	
	NOTE Contacts in components such as switch contacts are considered to be connections.			
	For parts which withstand the glow-wire test but produce a flame, other parts above the connection within the envelope of a vertical cylinder having a diameter of 20 mm and a height of 50 mm shall be subjected to the needle-flame test. However, parts shielded by a barrier which meets the needle-flame test shall not be tested. The needle-flame test shall be made in accordance with AS/NZS 60695.11.5 with the following modifications:			
	Clause of AS/NZS 60695.11.5 Change			
	9 Test procedure			

CELERF Compliance Certification Services Inc.

Page 26 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT Result - Remark Clause Requirement + Test Verdict

r		T
	9.2 Replace the first paragraph with: The specimen shall be arranged so that the flame can be applied to a vertical or horizontal edge as shown in the examples of figure 1.If possible the flame shall be applied at least 10mm from a corner.	
	Replace the second paragraph with: The duration of application of the test flame shall be $30s \pm 1s$.	
	9.3 Replace with: The test shall be made on one specimen. If the specimen does not withstand the test, the test may be repeated on two further specimens, both of which shall then withstand the test.	
	11 Evaluation of test resultsReplace with: The duration of burning (tb) shall not exceed 30 s. However, for printed circuit boards, it shall not exceed 15 s.	
	The needle-flame test shall not be carried out on parts of material classified as V-0 or V-1 according to AS/NZS 60695.11.10, provided that the sample tested was not thicker than the relevant part.	
4.7.201.4	Addition: Testing in the event of non- extinguishing material If parts, other than enclosures, do not withstand the glow wire tests of 4.7.201.3, by failure to extinguish within 30 s after the removal of the glow-wire tip, the needle-flame test detailed in 4.7.201.3 shall be made on all parts of non- metallic material which are within a distance of 50 mm or which are likely to be impinged upon by flame during the tests of 4.7.201.3. Parts shielded by a separate barrier which meets the needle- flame test need not be tested.	N/A
	NOTE 1 - If the enclosure does not withstand the glow-wire test the equipment is considered to have failed to meet the requirements of Clause 4.7.201 without the need for consequential testing.	
	NOTE 2 - If other parts do not withstand the glow-	

CELERF Compliance Certification Services Inc.

Page 27 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test	Result - Remark	Verdict	
	wire test due to ignition of the tissue paper and if this indicates that burning or glowing particles can fall onto an external surface underneath the equipment, the equipment is considered to have			
	failed to meet the requirements of Clause 4.7.201 without the need for consequential testing. NOTE 3 - Parts likely to be impinged upon by the			
	flame are considered to be those within the envelope of a vertical cylinder having a radius of 10 mm and a height equal to the height of the flame, positioned above the point of the material supporting, in contact with, or in close proximity to, connections.			
4.7.201.5	Addition: Testing of printed boards The base material of printed boards shall be subjected to the needle-flame test of Clause 4.7.201.3. The flame shall be applied to the edge of the board where the heat sink effect is lowest when the board is positioned as in normal use. The flame shall not be applied to an edge, consisting of broken perforations, unless the edge is less than 3 mm from a POTENTIAL IGNITION SOURCE.		N/A	
	The test is not carried out if the - Printed board does not carry any POTENTIAL IGNITION SOURCE; - Base material of printed boards, on which the available apparent power at a connection exceeds 15 VA operating at a voltage exceeding 50 V and equal or less than 400 V (peak) a.c. or d.c. under normal operating conditions, is of flammability category V-1 or better according to AS/NZS 60695.11.10, or the printed boards are protected by an enclosure meeting the			
	flammability category V-0 according to AS/NZS 60695.11.10, or made of metal, having openings only for connecting wires which fill the openings completely; or - Base material of printed boards, on which the available apparatus power at a connection exceeds 15 VA operating at a voltage exceeding 400 V (peak) a.c. or d.c. under normal operating conditions, and base material of printed boards			
	supporting spark gaps which provides protection against overvoltages, is of flammability category V-0 according to AS/NZS 60695.11.10 or the printed boards are contained in a metal enclosure, having openings only for connecting			

CELERF Compliance Certification Services Inc.

Page 28 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test		Result - Remark	Verdict

	uning a subtable fill the supervision of a supervision of the base	
	wires which fill the openings completely.	
	Compliance shall be determined using the smallest thickness of the material.	
	NOTE – Available apparent power is the maximum apparent power which can be drawn from the supplying circuit through a resistive load whose value is chosen to maximise the apparent power for more than 2 min when the circuit supplied is disconnected.	
6.2.2	For Australia only, delete the first paragraph and Note, and replace with the following: In Australia (not in New Zealand) only, compliance with 6.2.2 is checked by the tests of both 6.2.2.1 and 6.2.2.2.	N/A
6.2.2.1	For Australia only, delete the first paragraph including the note and replace with the following: In Australia only(not in New Zealand), the electrical separation is subjected to 10 impulses of alternating polarity, using the impulse test generator Reference 1 of Table N1 for 10/700µs impulses. The interval between successive impulses is 60 s and the initial voltage, Uc is:	N/A
	(i) for 6.2.1a): 7.0 kV for hand-held telephones and for headsets and 2.5 kV for other equipment and	
	(ii) for 6.2.1b) and 6.2.1c): 1.5 kV.	
	NOTE 201 - The 7 kV impulse is to simulate lightning surges on typical rural and semi-rural network lines. NOTE 202 - The value of 2.5 kV for 6.2.1a) was chosen to ensure adequacy of the insulation concerned and does not necessarily simulate likely overvoltages.	
6.2.2.2	For Australia only, delete the second paragraph including the Note and replace with the following: In Australia (not New Zealand), the a.c. test voltage is:	N/A
	(i) for 6.2.1a) 3 kV; and (ii) for 6.2.1b) and 6.2.1c) 1.5 kV	
	NOTE 201 - Where there are capacitors across the insulation under test, it is recommended that d.c. test voltages are used.	

CELERF Compliance Certification Services Inc.

Page 29 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test		Result - Remark	Verdict

	NOTE 202 - The 3 kV and 1.5 kV values have been determined considering the low frequency induced voltages from the power supply distribution system.		
7.3	Add the following before the first paragraph: Equipment providing functions that fall only within the scope of AS/NZS 60065 and that incorporate a PSTN interface, are not required to comply with this Clause where the only ports provided on the equipment, in addition to a coaxial cable connection and a PSTN interface, are audio or video ports and analogue or data ports not intended to be used for telecommunication purposes.	Not connected to cable distribution system.	N/A
Annex P	Add the following Normative References: AS/NZS 3191, Electric flexible cords AS/NZS 3112, Approval and test specification— Plugs and socket-outlets		N/A
Index	replace the reference to AS/NZS 2211.1 with references to AS/NZS 60825.1 and AS/NZS 60825.2:		N/A
	AS/NZS 60825.1 4.3.13.5.1 AS/NZS 60825.2 4.3.13.5.1		



COMPLIANCE Certification Services Inc.

Page 30 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

ATTACHMENT TO TEST REPORT IEC 60950-1 with A1:2009 and A2:2013 **CANADA NATIONAL DIFFERENCES**

Information technology equipment - Safety - Part 1: General requirements

Differences according to: CAN/CSA-C22.2 No. 60950-1-07, Amd 1:2011, Amd 2:2014

Attachment Form No.....: CA_ND_IEC60950_1F

Attachment Originator: CSA

Master Attachment: Date (2015-05)

Copyright © 2015 IEC System for Conformity Testing and Certification of Electrical Equipment (IECEE), Geneva, Switzerland. All rights reserved.

1.1.1	All equipment is to be designed to allow installation in accordance with the National Electrical Code (NEC), ANSI/NFPA 70, the Canadian Electrical Code (CEC), Part I, CAN/CSA C22.1, and when applicable, the National Electrical Safety Code, IEEE C2. Also, unless marked or otherwise identified, installation is allowed per the Standard for the Protection of Electronic Computer/Data- Processing Equipment, ANSI/NFPA 75.		Ρ
1.1.2	Baby monitors are required to additionally comply with ASTM F2951, Consumer Safety Specification for Baby Monitors.		N/A
1.4.14	For Pluggable Equipment Type A, the protection in the installation is assumed to be 20A:	Equipment acceptable for connection toA	N/A
1.5.5	 For lengths exceeding 3.05 m, external interconnecting flexible cord and cable assemblies are required to be a suitable cable type (e.g., DP, CL2) specified in the CEC/NEC. For lengths 3.05 m or less, external interconnecting flexible cord and cable assemblies that are not types specified in the CEC/NEC are required to have special construction features and identification markings. 	See component list for Cable Type used.	N/A



Page 31 of 54

Report No. T171027D06A-LV

N/A

3.2.1

	IEC60950_1F - ATTACHM	ENT	
Clause	Requirement + Test	Result - Remark	Verdic
1.7.1	Equipment for use on a.c. mains supply systems with a neutral and more than one phase conductor (e.g. 120/240 V, 3-wire) require a special marking format for electrical ratings. A voltage rating that exceeds an attachment plug cap rating is only permitted if it does not exceed the extreme operating conditions in Table 2 of CAN/CSA C22.2 No. 235, and if it is part of a range that extends into the Table 2 "Normal Operating Conditions." Likewise, a voltage rating shall not be lower than the specified "Normal Operating Conditions," unless it is part of a range that extends into the "Normal Operating Conditions."	See main TRF cl 1.7.1	N/A
1.7.7	Wiring terminals intended to supply Class 2 outputs in accordance with CEC Part 1 or NEC shall be marked with the voltage rating and "Class 2" or equivalent. Marking shall be located adjacent to the terminals and shall be visible during wiring.		N/A
2.5	Where a fuse is used to provide Class 2, Limited Power Source, or TNV current limiting, it shall not be operator-accessible unless it is not interchangeable.		N/A
2.6	Equipment with isolated ground (earthing) receptacles are required to comply with NEC 250.146(D) and CEC 10-112 and 10-906(8).		N/A
2.7.1	Suitable NEC/CEC branch circuit protection rated at the maximum circuit rating is required for all standard supply outlets and receptacles (such as supplied in power distribution units) if the supply branch circuit protection is not suitable. Power distribution transformers distributing power at 100 volts or more, and rated 10 kVA or		N/A
3.2	more, require special transformer overcurrent protection. Wiring methods (terminals, leads, etc.) used for		
	the connection of the equipment to the mains shall be in accordance with the NEC/CEC.		N/A
2 2 4		1	

Power supply cords are required to have

attachment plugs rated not less than 125 percent of the rated current of the equipment.



Page 32 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test	Result - Remark	Verdict	
3.2.1.2	Equipment connected to a centralized d.c. power system, and having one pole of the DC mains input terminal connected to the main protective earthing terminal in the equipment, is required to comply with special earthing, wiring, marking and installation instruction requirements.	See Fig/III for marking. See Attachment for installation instruction	N/A	
3.2.3	Permanent connection of equipment to the mains supply by a power supply cord is not permitted, except for certain equipment, such as ATMs.		N/A	
3.2.5	 Power supply cords are required to be no longer than 4.5 m in length. Minimum cord length is required to be 1.5 m, with certain constructions such as external power supplies allowed to consider both input and output cord lengths into the requirement. Flexible power supply cords are required to be compatible with Article 400 of the NEC, and Tables 11 and 12 of the CEC. 		N/A	
3.2.9	Permanently connected equipment is required to have a suitable wiring compartment and wire bending space.	See Illustration for wire bending space.	N/A	
3.3	Wiring terminals and associated spacings for field wiring connections shall comply with CSA C22.2 No. 0		N/A	
3.3.3	Wire binding screws are not permitted to attach conductors larger than 10 AWG (5.3 mm2).	Wire binding screw AWG.	N/A	
3.3.4	Terminals for permanent wiring, including protective earthing terminals, are required to be suitable for US/Canadian wire gauge sizes, rated 125 percent of the equipment rating, and be specially marked when specified (1.7.7).		N/A	
3.3.5	First column of Table 3E revised to require "Smaller of the RATED CURRENT of the equipment or the PROTECTIVE CURRENT RATING of the circuit under consideration."		N/A	
3.4.2	Motor control devices are required for cord-connected equipment with a motor if the equipment is rated more than 12 A, or if the motor has a nominal voltage rating greater than 120 V, or is rated more than 1/3 hp (locked rotor current over 43 A).		N/A	
3.4.8	Vertically-mounted disconnect switches and circuit breakers are required to have the "on" position indicated by the handle in the up position.		N/A	



Page 33 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

	IEC60950_1F - ATTACHME	ENT	
Clause	Requirement + Test	Result - Remark	Verdict
3.4.11	For computer room applications, equipment with battery systems capable of supplying 750 VA for five minutes are required to have a battery disconnect means that may be connected to the computer room remote power-off circuit.		N/A
4.3.12	The maximum quantity of flammable liquid stored in equipment is required to comply with NFPA 30.		N/A
4.3.13.5.1	Equipment with lasers is required to meet the U.S. Code of Federal Regulations 21 CFR 1040 (and the Canadian Radiation Emitting Devices Act, REDR C1370).		N/A
4.7	For computer room applications, automated information storage systems with combustible media greater than 0.76 m3 (27 cu ft) are required to have a provision for connection of either automatic sprinklers or a gaseous agent extinguishing system with an extended discharge.		N/A
4.7.3.1	For computer room applications, enclosures with combustible material measuring greater than 0.9 m2 (10 sq ft) or a single dimension greater than 1.8 m (6 ft) are required to have a flame spread rating of 50 or less. For other applications, enclosures with the same dimensions require a flame spread rating of 200 or less.	Material: Flame spread rating	N/A
	Non-metallic enclosures of equipment for use in spaces used for environmental air (plenums) are required to comply with UL 2043.		N/A
Annex H	Equipment that produces ionizing radiation is required to comply with the U.S. Code of Federal Regulations, 21 CFR 1020 (and the Canadian Radiation Emitting Devices Act, REDR C1370).		N/A

The following key national differences are based on requirements other than national regulatory requirements.



Page 34 of 54

Report No. T171027D06A-LV

	IEC60950_1F - ATTACHM		
Clause	Requirement + Test	Result - Remark	Verdict
1.5.1	Some components and materials associated with the risk of fire, electric shock, or personal injury are required to have component or material ratings in accordance with the applicable national (Canadian and/or U.S.) component or material standard requirements. These components include: attachment plugs, battery packs (rechargeable type, used with transportable equipment), cathode ray tubes, circuit breakers, communication circuit accessories, connectors (used for current interruption of non-LPS circuits), cord sets and power supply cords, direct plug-in equipment, enclosures (outdoor), flexible cords and cables, fuses (branch circuit), fuseholders, ground-fault current interrupters, industrial control equipment, insulating tape, interconnecting cables, lampholders, limit controls, printed wiring, protectors for communications circuits, receptacles, solid state controls, supplementary protectors, switches (including interlock switches), thermal cutoffs, thermostats, (multi-layer) transformer winding wire, transient voltage surge suppressors, tubing, wire connectors, and wire and cables.	See safety component list	P
1.6.1.2	A circuit for connection to the DC Mains Supply is classified as either a SELV Circuit, TNV-2 Circuit or Hazardous Voltage Circuit depending on the maximum operating voltage of the supply. This maximum operating voltage shall include consideration of the battery charging "float voltage" associated with the intended supply system, regardless of the marked power rating of the equipment.	Evaluated for Max operating voltageV. Classified as	
2.3.1	For TNV-2 and TNV-3 circuits with other than ringing signals and with voltages exceeding 42.4 Vpeak or 60 Vd.c., the maximum acceptable current through a 2000 ohm resistor (or greater) connected across the voltage source with other loads disconnected is 7.1 mA peak or 30 mA d.c. under normal operating conditions.	Measured max current mA	N/A
2.3.2.1	In the event of a single fault between TNV and SELV circuits, the limits of 2.2.3 apply to SELV Circuits and accessible conductive parts.		N/A
2.6.2	Equipment with functional earthing is required to be marked with the functional earthing symbol (IEC 60417-6092).		N/A
2.6.3.4	Protective bonding conductors of non-standard protective bonding constructions (e.g., printed circuit traces) may be subjected to the additional limited short circuit test conditions specified.	A conducted between and	N/A

CELERF Compliance Certification Services Inc.

Page 35 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test		Result - Remark	Verdict

4.2.8.1	Enclosures around CRTs with a face diameter of		N/A
	160 mm or more are required to reduce the risk		
	of injury due to the implosion of the CRT.		
4.3.2	Equipment with handles is required to comply with special loading tests.	Test load applied:KG.	N/A
4.3.8	Battery packs for both portable and stationary applications are required to comply with special component requirements.		N/A
5.1.8.3	Equipment intended to receive telecommunication ringing signals is required to comply with a special touch current measurement tests.		N/A
5.3.7	Internal (e.g., card cage) SELV circuit connectors and printed wiring board connectors that are accessible to the operator and that deliver power are to be overloaded. During abnormal operating testing, if a circuit is interrupted by the opening of a component, the test shall be repeated twice (three tests total) using new components as necessary.	See attached data	P
6.4	Equipment intended for connection to telecommunication network outside plant cable is required to be protected against overvoltage from power line crosses in accordance with 6.4 and Annex NAC.	See attached data	N/A
Annex EE	UL articulated accessibility probe (Fig EE.3) required for assessing accessibility to document/media shredders instead of the Figure 2A test finger.		N/A
M.2	Continuous ringing signals up to 16 mA only are permitted if the equipment is subjected to special installation and performance restrictions.		N/A
Annex NAD	Equipment connected to a telecommunication and cable distribution networks and supplied with an earphone intended to be held against, or in the ear is required to comply with special acoustic pressure requirements.	See attached data	N/A



Page 36 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

ATTACHMENT TO TEST REPORT IEC 60950-1 CHINA NATIONAL DIFFERENCES

Information technology equipment - Safety -

Part 1: General requirements

Differences according to	GB 4943.1-2011
Attachment Form No	CN_ND_IEC60950_1A
Attachment Originator	CQC-TIRT
Master Attachment	Date 2012-11
Copyright © 2010 IEC System for Co	nformity Testing and Certification of Electrical Equipment

(IECEE), Geneva, Switzerland. All rights reserved.

	China National Differences		
1.5. 2	Add a note behind the first dashed paragraph.	Added.	N/A
	Note: A component used shall comply with related requirements corresponding altitude of 5000m.	Shall be provided accordingly during national approval.	
1.7	Add a paragraph before the last paragraph:	Added.	N/A
	The required marking and instruction should be given in normative Chinese unless otherwise specified.	Shall be provided accordingly during national approval.	
1.7.1	Amend dashed paragraph at the fifth paragraph : The RATED VOLTAGE should be 220V (single phase) or 380V (three-phases) for single rated voltage, for RATED VOLTAGE RANGE, it should cover 220V or 380V (three-phases), for multiple RATED VOLTAGES, one of them should be 220V or 380V (three-phases) and set on 220V or 380V (three-phases) when manufactured. And the RATED FREQUENCY or RATED FREQUENCY RANGE should be 50Hz or include 50Hz.		N/A



Page 37 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT			
Clause	Requirement + Test	Result - Remark	Verdict
1.7.2.1	Add requirements of warning for equipment intended to be used at altitude not exceeding 2000m or at non-tropical climate regions: For equipment intended to be used at altitude not	Added. Shall be provided accordingly during national approval.	N/A
	exceeding 2000m, a warning label containing the following or a similar appropriate wording, or a symbol as in annex DD shall fixed to the equipment at readily visible place.		
	"Only used at altitude not exceeding 2000m."		
	For equipment intended to be used in not-tropical climate regions, a warning label containing the following or a similar appropriate wording, or a symbol as in annex DD shall fixed to the equipment at readily visible place.		
	"Only used in not-tropical climate regions."		
	If only the symbol used, the explanation of the symbol shall be contained in the instruction manual.		
	The above statements shall be given in a language acceptable to the regions where the apparatus is intended to be used.		
2.7.1	Amended the first paragraph as: Protection in PRIMARY CIRCUITS against overcurrent short-circuits and earth faults shall be provided as an integral part of the equipment except special provisions. And the protective device shall meet the requirement of Clause 5.3.		N/A
	Delete note of Clause 2.7.1.		

CELERF Compliance Certification Services Inc.

Page 38 of 54

Report No. T171027D06A-LV

	IEC60950_1F - ATTACHN	MENT	
Clause Requirement + Test Result - Remark		Result - Remark	Verdict
2.9.2	First section of Clause 2.9.2 amended as two sections: Where required by 2.9.1, 2.10.8.3, 2.10.10 or 2.10.11, humidity conditioning is conducted for	Added. Shall be provided accordingly during national approval.	N/A

	Where required by 2.9.1, 2.10.8.3, 2.10.10 or 2.10.11, humidity conditioning is conducted for 120 h in a cabinet or room containing air with ambient temperature 40±2°C and a relative humidity of (93±3)%. During this conditioning the component or subassembly is not energized. For equipment not to be operated at tropical climatic conditions, Where required by 2.9.1, 2.10.8.3, 2.10.10 or 2.10.11, humidity conditioning is conducted for 48 h in a cabinet or room containing air with a relative humidity of (93±3) %. The temperature of the air, at all places where samples can be located, is maintained within 2 °C of any convenient value between 20 °C and 30 °C such that condensation does not occur. Due to pretreatment of equipment operated at high altitude area is humidity conditioning withstand hot shock, specific requirements are to be considered. Add note: For equipment to be operated at 2000 m - 5000m above sea level, assessment and requirement of humidity conditioning for Insulation material properties are considered.	during national approval.	
2.10.3.1	Amend the third paragraph of Clause 2.10.3.1 to be: These requirements apply for equipment to be operated up to 2000 m above sea level. For equipment to be operated at more than 2000 m above sea level and up to 5000m above sea level, the minimum CLEARANCE shall be multiplied by the factor 1.48 corresponding altitude of 5000m given in Table A.2 of IEC 60664-1. For equipment to be operated at more than 5000 m above sea level, the minimum CLEARANCE shall be multiplied by the factor given in Table A.2 of IEC 60664-1. Linear interpolation is permitted between the nearest two points in Table A.2. The calculated minimum CLEARANCE using this multiplication factor shall be rounded up to the next higher 0,1 mm increment.	Added. Shall be provided accordingly during national approval.	N/A
2.10.3.3& 2.10.3.4	Add "(applicable for altitude up to 2000m)" in header of Table $2K_{\sim}$ 2L and 2M.		N/A

CENTRE Compliance Certification Services Inc.

Page 39 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT			
Clause	Requirement + Test	Result - Remark	Verdict
2.10.3.4	Add a new section above Table 2K and in Clause 2.10.3.4: Minimum CLEARANCES determined by above rules apply for equipment to be operated up to 2000m above sea level. For equipment operated at 2000 m - 5000m above sea level, the minimum CLEARANCES apply for equipment operated by the factor.		N/A
	CLEARANCE shall be multiplied by the factor 1.48 corresponding altitude of 5000m given in Table A.2 of GB/T16935.1 (IEC 60664-1). For equipment to be operated at more than 5000 m above sea level, the minimum CLEARANCE shall be multiplied by the factor given in Table A.2 of GB/T16935.1.		
3.2.1.1	Add a paragraph before the last paragraph: Plugs connected to AC mains supply shall comply with GB 1002 or GB 1003 or GB/T 11918 as applicable.		N/A
4.2.8	Clause 4.2.8 cathode ray tubes quoted Clause 18 of GB8898-2011. Delete note of Clause 4.2.8.	No CRT.	N/A
Annex E	Amend last section: For comparison of winding temperatures determined by the resistance method of this annex with the temperature limits of Table 4B, 35 °C shall be added to the calculated temperature rise. Add note: for equipment not to be operated at tropical climatic conditions, 25 °C shall be added to the calculated temperature rise to compare with the temperature of Table 4B.	Amended.	N/A
Annex G.6	Change the second section of Clause G.6 to be: For equipment to be operated at 2000 m - 5000m above sea level, the minimum CLEARANCE shall be multiplied by the factor 1.48 corresponding altitude of 5000m given in Table A.2 of GB/T16935.1. For equipment to be operated at more than 5000 m above sea level, the minimum CLEARANCE shall be multiplied by the factor given in Table A.2 of IEC 60664-1. Linear interpolation is permitted between the nearest two points in Table A.2. The calculated minimum CLEARANCE using this multiplication factor shall be rounded up to the next higher 0,1 mm increment.	Changed. The alternative method was not considered.	N/A

CELERF Compliance Certification Services Inc.

Page 40 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test		Result - Remark	Verdict

Annex DD	Added annex DD: Instructions for the new safety	Added.	N/A
(normative)	warning labels. DD.1 Altitude warning label Meaning of the label: Evaluation for apparatus only based on altitude not exceeding 2000m, therefor it's the only operating condition applied for the equipment .There may be some potential safety hazard if the equipment is used at altitude above 2000m. DD.2 Climate warning label	Shall be provided accordingly during national approval.	
	Meaning of the label: Evaluation for apparatus only based on temperate climate condition, therefor it's the only operating condition applied for the equipment .There may be some potential safety hazard if the equipment is used in tropical climate region.		
Annex EE (informative)	Added annex EE: Illustration relative to safety explanation in normative Chinese、Tibetan、Mongolian、 Zhuang Language and Uighur.	Added. Shall be provided accordingly during national approval.	N/A

	Special national conditions	
1.1.2	GB4943.1-2011 applies to equipment used at altitudes not exceeding 5000m above sea level, primarily in regions with moderate or tropical climates.	N/A
	Revise the third dashed paragraph of 1.1.2 as: ——equipment intended to be used in vehicles, on board ships or aircraft, at altitudes greater than 5000m;	
1.4.5	Amend the second paragraph by the following:	N/A
	If the equipment is intended for direct connection to an AC mains supply, the tolerances on RATED VOLTAGE shall be taken as +10% and -10%.	



Page 41 of 54

Report No. T171027D06A-LV

	IEC60950_1F - ATTACHMENT		
Clause	Requirement + Test	Result - Remark	Verdict
1.4.12.1	Tma: The maximum ambient temperature permitted by the manufacturer's specification, or 35 °C, whichever is greater.	The manufacturer specified ambient temperature of the equipment is 45 °C.	N/A
	Add note 1: For equipment not to be operated at tropical climatic conditions, Tma is the maximum ambient temperature permitted by the manufacturer's specification, or 25 °C, whichever is greater.	However, shall be provided accordingly during national approval.	
	Add note 2: For equipment to be operated at 2000m-5000m above sea leave, its temperature test conditions and temperature limits are under consideration.		



Page 42 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

ATTACHMENT TO TEST REPORT IEC 60950-1 FINLAND NATIONAL DIFFERENCES

Information technology equipment - Safety -

Part 1: General requirements

Differences according to	EN 60950-1:2006/A11:2009/A1:2010	
Attachment Form No	FI_ND_IEC60950_1C	
Attachment Originator	SGS Fimko Ltd	
Master Attachment	Date (2010-04)	
Convright © 2010 IEC System for Conformity Testing and Certification of Electrical Equipment		

Copyright © 2010 IEC System for Conformity Testing and Certification of Electrical Equipment (IECEE), Geneva, Switzerland. All rights reserved.

	National Differences	Р
General	See also Group Differences (EN 60950-1:2006/A11/A1)	Р
1.5.7.1	In Finland resistors bridging BASIC INSULATION in CLASS I PLUGGABLE EQUIPMENT TYPE A must comply with the requirements in 1.5.7.1. In addition when a single resistor is used, the resistor must withstand the resistor test in 1.5.7.2.	N/A
1.5.9.4	In Finland , the third dashed sentence is applicable only to equipment as defined in 6.1.2.2 of this annex.	N/A
1.7.2.1	In Finland , CLASS I PLUGGABLE EQUIPMENT TYPE A intended for connection to other equipment or a network shall, if safety relies on connection to protective earth or if surge suppressors are connected between the network terminals and accessible parts, have a marking stating that the equipment must be connected to an earthed mains socket-outlet. The marking text in in Finland shall be as follows: "Laite on liitettävä suojakoskettimilla varustettuun pistorasiaan"	N/A
2.3.2	In Finland , there are additional requirements for the insulation. See 6.1.2.1 and 6.1.2.2 of this annex.	N/A
2.10.5.13	In Finland , there are additional requirements for the insulation, see 6.1.2.1 and 6.1.2.2 of this annex.	N/A



Page 43 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test	Result - Remark	Verdict	
5.1.7.1	 In Finland, TOUCH CURRENT measurement results exceeding 3,5 mA r.m.s. are permitted only for the following equipment: STATIONARY PLUGGABLE EQUIPMENT TYPE A that is intended to be used in a RESTRICTED ACCESS LOCATION where equipotential bonding has been applied, for example, in a telecommunication centre; and 		N/A	
6.1.2.1 (A1:2010)	In Finland , add the following text between the first and second paragraph of the compliance clause: If this insulation is solid, including insulation forming part of a component, it shall at least consist of either - two layers of thin sheet material, each of which shall pass the electric strength test below, or - one layer having a distance through insulation of at least 0,4 mm, which shall pass the electric strength test below. Alternatively for components, there is no distance through insulation requirement for the insulation consisting of an insulating compound completely filling the casing, so that CLEARANCES and CREEPAGE DISTANCES do not exist, if the component passes the electric strength test in accordance with the compliance clause below and in addition - passes the tests and inspection criteria of 2.10.11 with an electric strength test of 1,5 kV multiplied by 1,6 (the electric strength test of 2.10.10 shall be performed using 1,5 kV), and - is subject to ROUTINE TESTING for electric strength during manufacturing, using a test voltage of 1,5 kV.		N/A	



Page 44 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Clause Requirement + Test Result - Remark Verdi			

	It is permitted to bridge this insulation with an optocoupler complying with 2.10.5.4 b).	N/A
	It is permitted to bridge this insulation with a capacitor complying with EN 60384-14:2005, subclass Y2.	
	A capacitor classified Y3 according to EN 60384- 14:2005, may bridge this insulation under the following conditions:	
	- the insulation requirements are satisfied by having a capacitor classified Y3 as defined by EN 60384-14:2005 which in addition to the Y3 testing, is tested with an impulse test of 2,5 kV defined in EN 60950-1:2006, 6.2.2.1;	
	- the additional testing shall be performed on all the test specimens as described in EN 60384- 14:2005;	
	- the impulse test of 2,5 kV is to be performed before the endurance test in EN 60384-14:2005, in the sequence of tests as described in EN 60384-14:2005.	
6.1.2.2	In Finland , the exclusions are applicable for PERMANENTLY CONNECTED EQUIPMENT, PLUGGABLE EQUIPMENT TYPE B and equipment intended to be used in a RESTRICTED ACCESS LOCATION where equipotential bonding has been applied, e.g. in a telecommunication centre, and which has provision for a permanently connected PROTECTIVE EARTHING CONDUCTOR and is provided with instructions for the installation of that conductor by a SERVICE PERSON.	N/A
7.2	In Finland , for requirements see 6.1.2.1 and 6.1.2.2 of this annex. The term TELECOMMUNICATION NETWORK in 6.1.2 being replaced by the term CABLE DISTRIBUTION SYSTEM.	N/A



Page 45 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

ATTACHMENT TO TEST REPORT IEC 60950-1 GERMANY NATIONAL DIFFERENCES

Information technology equipment - Safety -

Part 1: General requirements

Differences according to VDE 0805-1:2011-01

	National Differences	N/A
Annex ZC, 1.7.2.1	According to GPSG, section 2, clause 4: If certain rules on the use, supplementation or maintenance of an item of technical work equipment or ready-to-use commodity must be observed in order to guarantee safety and health, instructions for use in German must be supplied when it is brought into circulation.	N/A

ににらに「 程智科技

COMPLIANCE Compliance Certification Services Inc.

Page 46 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

ATTACHMENT TO TEST REPORT IEC 60950-1 ISRAEL NATIONAL DIFFERENCES

Information technology equipment - Safety -

Part 1: General requirements

Differences according to SI 60950 Part 1

	Special national conditions		N/A
1.1.1	Replace the the text of Note 3 as follows: The requirements of Israel Standard SI 60065 may also be used to meet safety requirements for multimedia equipment. See IEC Guide 112, Guide on the safety of multimedia equipment.	Replaced.	N/A
1.6	The clause is applicable with the following addition:	Overall acceptance has to be evaluated during the national approval process.	N/A
1.6.1	Add following note: In Israel, this clause is applicable subject to the Electricity Law, 1954, its regulations and revisions.	Overall acceptance has to be evaluated during the national approval process.	N/A
1.7	The clause is applicable with the following additions: Subclause 1.7.201 shall be added at the beginning of the clause as follows:	Added.	Р
1.7.201	 Marking in the Hebrew language The marking in the Hebrew language shall be in accordance with the Consumer Protection Order (Marking of goods), 1983. In addition to the marking required by clause 1.7.1, the following details shall be marked in the Hebrew language. The details shall be marked on the apparatus or on its package, or on a label properly attached to the apparatus or on the package, by bonding or sewing, in a manner that the label cannot be easily removed. 1. Name of the apparatus and it commercial designation; 2. Manufacturer's name and address. If the apparatus is imported, the importer's name and address; 3. Manufacturer's registered trademark, if any; 4. Name of the model and serial number, if any; 5. Country of manufacture. 	Overall acceptance has to be evaluated during the national approval process.	N/A
1.7.2.1	The following shall be added to the clause: All the instructions and warnings related to safety shall also be written in the Hebrew language.	Overall acceptance has to be evaluated during the national approval process.	N/A

CELERF Compliance Certification Services Inc.

Page 47 of 54

Report No. T171027D06A-LV

	IEC60950_1F - ATTACHMENT		
Clause	Requirement + Test	Result - Remark	Verdict

2	The clause is applicable with the following additions:		Р
2.9.4	 The following shall be added at the beginning of the clause: In Israel, according to the Electricity Law, 1954, and the Electricity Regulations (Earthing and means of protection against electricity of voltages up to 1,000V) 1991, seven means of protection against electrocution are permitted, as follows: 1) TN-S - Network system earthing; TN-C-S - Network system earthing; 2) TT - Network Insulation Terre; 4) Isolated transformer; 5) Safety extra low voltage (SELV or ELV); 6) Residual current circuit breaker (30 mA = 1); 7) Reinforced insulation; Double insulation (class II) 	Added.	Ρ
2.201	 Prevention of electromagnetic interference Prior to carrying out the tests in accordance with the clauses of this Standard, the compliance of the apparatus with the relevant requirements specified in the appropriate part of the Standard series, SI 961, shall be checked. The apparatus shall meet the requirements in the appropriate part of the Standard series, SI 961. If there are components in the apparatus for the prevention of electromagnetic interference, these components shall not reduce the safety level of the apparatus as required by this Standard. 	Overall acceptance has to be evaluated during the national approval process.	N/A
3	The clause is applicable with the following additions:	Added.	N/A
3.2.1.1	Connection to an a.c. mains supply After the note, the following note shall be added: Note: In Israel, the feed plug shall comply with the requirements of Israel Standard SI 32 Part 1.1.	Overall acceptance has to be evaluated during the national approval process.	N/A
3.2.1.2	Connection to a d.c. mains supply At the end of the first paragraph, the following note shall be added: Note: At the time of issue of this Standard, there is no Israel Standard for connection accessories to d.c.		N/A
Annex P	Normative references (List of relevant Israel Standards that have been inserted in place of some of the International Standards)		Р



Page 48 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

ATTACHMENT TO TEST REPORT IEC 60950-1 KOREA NATIONAL DIFFERENCES

Information technology equipment - Safety -

Part 1: General requirements

Differences according to..... K 60950-1

	Special national conditions		N/A
1.5.101	Plugs for the connection of the apparatus to the supply mains shall comply with the Korean requirement (KSC 8305).	No power cord provided.	N/A
8	EMC The apparatus shall comply with the relevant CISPR standards.	The CISPR requirements have to be considered during national approval.	N/A



Page 49 of 54

Report No. T171027D06A-LV

ATTACHMENT 2

IEC60950_1F - ATTACHMENT

Clause

Requirement + Test

Result - Remark

Verdict

ATTACHMENT TO TEST REPORT IEC 60950-1 with A1: 2009 and A2:2013 **U.S.A. NATIONAL DIFFERENCES**

Information technology equipment – Safety – Part 1: General requirements

Differences according to:	UL 60950-1-07(Second Edition) + A1: 2011 + A2: 2014	
Attachment Form No	US_ND_IEC60950_1F	
Attachment Originator	UL	
Master Attachment	Date 2014-07	
Convright @ 2014 IEC System for Conformity Testing and Cartification of Electrical Equipment		

Copyright © 2014 IEC System for Conformity Testing and Certification of Electrical Equipment (IECEE), Geneva, Switzerland. All rights reserved.

	Special national conditions		Р
1.1.1	All equipment is designed as to allow installation in accordance with the National Electrical Code (NEC), ANSI/NFPA 70, Canadian Electrical Code (CEC), Part I, CAN/CSA C22.1, and if applicable, the National Electrical Safety Code, IEEE C2	Unit was evaluated according to IEC 60950-1. The requirements have to be checked during national approval.	N/A
	Also, unless marked or otherwise identified, installation is allowed per the Standard for the Protection of Electronic Computer/Data-Processing Equipment, ANSI/NFPA 75		N/A
1.1.2	Baby monitors are required to additionally comply with ASTM F2951, Consumer Safety Specification for Baby Monitors		N/A
1.4.14	For Pluggable Equipment Type A, the protection in the installation is assumed to be 20A	Considered.	Р
1.5.5	For lengths exceeding 3.05 m, external interconnecting flexible cord and cable assemblies are required to be a suitable cable type (e.g., DP, CL2) specified in the /NEC		N/A
	For lengths 3.05 m or less, external interconnecting flexible cord and cable assemblies that are not types specified in the NEC are required to have special construction features and identification markings		N/A
1.7.1	Equipment for use on a.c. mains supply systems with a neutral and more than one phase conductor (e.g. 120/240 V, 3-wire) require a special marking format for electrical ratings	Single-phase equipment.	N/A

CELERF Compliance Certification Services Inc.

Page 50 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Clause Requirement + Test		Result - Remark	Verdict

	A voltage rating that exceeds an attachment plug cap rating is only permitted if it does not exceed the extreme operating conditions in Table 2 of CAN/CSA C22.2 No. 235, and	N/A
	- if it is part of a range that extends into the Table 2 "Normal Operating Conditions"	N/A
	Likewise, a voltage rating is not to be lower than the specified "Normal Operating Conditions," unless it is part of a range that extends into the "Normal Operating Conditions"	N/A
1.7.7	Wiring terminals intended to supply Class 2 outputs in accordance with NEC or CEC Part 1 or NEC are marked with the voltage rating and "Class 2" or equivalent	N/A
	- Marking is located adjacent to the terminals	N/A
	- Marking is visible during wiring	N/A
2.5	Fuse providing Class 2, Limited Power Source, or TNV current limiting is not operator-accessible unless it is not interchangeable	N/A
2.6	Equipment with isolated ground (earthing) receptacles is in compliance with NEC 250.146(D) and CEC 10-112 and 10-906(8)	N/A
2.7.1	Suitable NEC/CEC branch circuit protection rated at the maximum circuit rating is provided for all standard supply outlets and receptacles (such as supplied in power distribution units) if the supply branch circuit protection is not suitable.	N/A
	Power distribution transformers distributing power at 100 volts or more, and rated 10 kVA or more, provided with special transformer overcurrent protection	N/A
3.2	Wiring methods (terminals, leads, etc.) used for the connection of the equipment to the mains is in accordance with the NEC/CEC	N/A
3.2.1	Attachment plugs of power supply cords are rated not less than 125 percent of the rated current of the equipment	N/A
3.2.1.2	Equipment connected to a centralized d.c. power system, and having one pole of the DC mains input terminal connected to the main protective earthing terminal in the equipment comply with special earthing, wiring, marking and installation instruction requirements	N/A

CENTRE Compliance Certification Services Inc.

Page 51 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT			
Clause	Requirement + Test	Result - Remark	Verdict
3.2.3	Permanent connection of equipment to the mains supply by a power supply cord is not permitted, except for certain equipment, such as ATMs		N/A
3.2.5	Power supply cords are no longer than 4.5 m in length		N/A
	Minimum cord length is 1.5 m, with certain constructions such as external power supplies allowed to consider both input and output cord lengths into the requirement		N/A
	Flexible power supply cords are compatible with Article 400 of the NEC, and Tables 11 and 12 of the CEC		N/A
3.2.9	Permanently connected equipment has a suitable wiring compartment and wire bending space		N/A
3.3	Wiring terminals and associated spacings for field wiring connections comply with CSA C22.2 No. 0		N/A
3.3.3	Wire binding screws are not attached with conductors larger than 10 AWG (5.3 mm2)		N/A
3.3.4	Terminals for permanent wiring, including protective earthing terminals, are suitable for Canadian/US wire gauge sizes, are	Overall acceptance has to be evaluated during the national approval process.	N/A
	- rated 125 per cent of the equipment rating, and		N/A
	- are specially marked when specified (1.7.7)		N/A
3.3.5	Revise first column of Table 3E to "Smaller of the RATED CURRENT of the equipment or the PROTECTIVE CURRENT RATING of the circuit under consideration"	See above.	N/A
3.4.2	Motor control devices are provided for cord-connected equipment with a motor if the equipment is rated more than 12 A,	Equipment is not such a device.	N/A
	- or if the motor has a nominal voltage rating greater than 120 V		N/A
	- or is rated more than 1/3 hp (locked rotor current over 43 A)		N/A
3.4.8	Vertically-mounted disconnect switches and circuit breakers have the "on" position indicated by the handle in the up position	No such device incorporated.	N/A
3.4.11	For computer room applications, equipment with battery systems capable of supplying 750 VA for five minutes have a battery disconnect means that may be connected to the computer room remote power-off circuit	Not such application.	N/A

CELERF Compliance Certification Services Inc.

Page 52 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause Requirement + Test Result - Remark Ve		Verdict		

	Other National Differences		Р
Annex H	Equipment that produces ionizing radiation complies with U.S. Code of Federal Regulations, 21 CFR 1020 (and the Canadian Radiation Emitting Devices Act, REDR C1370)		N/A
4.7.3.1	Non-metallic enclosures of equipment for use in spaces used for environmental air (plenums) are required to comply with UL 2043	No ionizing radiation.	N/A
	For other applications, enclosures with the same dimensions require a flame spread rating of 200 or less		N/A
4.7.3.1	For computer room applications, enclosures with combustible material measuring greater than 0.9m ² (10 sq ft) or a single dimension greater than 1.8 m (6 ft) have a flame spread rating of 50 or less	No such enclosure.	N/A
4.7	For computer room applications, automated information storage systems with combustible media greater than 0.76 m ³ (27 cu ft) have a provision for connection of either automatic sprinklers or a gaseous agent extinguishing system with an extended discharge	Not automated information storage systems.	N/A
4.3.13.5.1	Equipment with lasers meets the U.S. Code of Federal Regulations 21 CFR 1040 (and the Canadian Radiation Emitting Devices Act, REDR C1370).	No laser provided.	N/A
4.3.12	The maximum quantity of flammable liquid stored in equipment complies with NFPA 30	No liquids provided.	N/A



Page 53 of 54

Report No. T171027D06A-LV

IEC60950_1F - ATTACHMENT				
Clause	Requirement + Test		Result - Remark	Verdict

1.5.1	Some components and materials associated with the risk of fire, electric shock, or personal injury have component or material ratings in accordance with the applicable national (Canadian and/or U.S.) component or material standard requirements.	UL approved components used. Refer to table 1.5.1 of IEC 60950-1 test report for details.	Ρ
	These components include: attachment plugs, battery backup systems, battery packs, cathode ray tubes, circuit breakers, communication circuit accessories, connectors (used for current interruption of non-LPS circuits), cord sets and power supply cords, direct plug-in equipment, electrochemical capacitor modules (energy storage modules with ultracapacitors), enclosures (outdoor), flexible cords and cables, fuses (branch circuit), fuseholders, ground-fault current interrupters, industrial control equipment, insulating tape, interconnecting cables, lampholders, limit controls, printed wiring, protectors for communications circuits, receptacles, solid state controls, supplementary protectors, switches (including interlock switches), thermal cut-offs, thermostats, (multi-layer) transformer winding wire, surge protective devices, tubing, vehicle battery adapters, wire connectors, and wire and cables		
1.6.1.2	A circuit for connection to the DC Mains Supply is classified as a SELV Circuit, TNV-2 Circuit or Hazardous Voltage Circuit depending on the maximum operating voltage of the supply		N/A
	This maximum operating voltage includes consideration of the battery charging "float voltage" associated with the intended supply system, regardless of the marked power rating of the equipment		N/A
2.3.1	For TNV-2 and TNV-3 circuits with other than ringing signals and with voltages exceeding 42.4 V _{peak} or 60 Vd.c., the maximum acceptable current through a 2000 ohm resistor (or greater) connected across the voltage source with other loads disconnected is 7.1 mA peak or 30 mA d.c. under normal operating conditions	No TNV circuits.	N/A
2.3.2.1	In the event of a single fault between TNV and SELV circuits, the limits of 2.2.3 apply to SELV Circuits and accessible conductive parts	No TNV circuits.	N/A
2.6.2	Equipment with functional earthing marked with the functional earthing symbol (IEC 60417-6092)		N/A

CELERF Compliance Certification Services Inc.

Page 54 of 54

Report No. T171027D06A-LV

	IEC60950_1F - ATTACHME	ENT	
Clause	Requirement + Test	Result - Remark	Verdict
2.6.3.4	Protective bonding conductors of non-standard protective bonding constructions (e.g., printed circuit traces) may be subjected to the additional limited short circuit test conditions specified	No such construction.	N/A
4.2.8.1	Enclosures around CRTs with a face diameter of 160 mm or more reduce the risk of injury due to the implosion of the CRT		N/A
4.3.2	Equipment with handles complies with special loading tests		N/A
4.3.8	Battery packs for both portable and stationary applications comply with special component requirements		N/A
5.1.8.3	Equipment intended to receive telecommunication ringing signals comply with a special touch current measurement tests	No TNV circuits.	N/A
5.3.7	Internal (e.g., card cage) SELV circuit connectors and printed wiring board connectors that are accessible to the operator and that deliver power are overloaded	Complied. Refer to table 5.3 of IEC 60950-1 test report for details.	Р
	During abnormal operating testing, if a circuit is interrupted by the opening of a component, the test is repeated twice (three tests total) using new components as necessary		N/A
6.4	Equipment intended for connection to telecommunication network outside plant cable is protected against overvoltage from power line crosses in accordance with 6.4 and Annex NAC		N/A
Annex EE	Articulated accessibility probe (Fig EE.3) is used for assessing accessibility to document/media shredders instead of the Figure 2A test finger		N/A
Annex M.2	Continuous ringing signals up to 16 mA only are permitted if the equipment is subjected to special installation and performance restrictions	No TNV circuits.	N/A
Annex NAD	Equipment connected to a telecommunication and cable distribution networks and supplied with an earphone intended to be held against, or in the ear comply with special acoustic pressure requirements	No TNV circuits.	N/A



Page 1 of 6

Report No. T171027D06A-LV

ATTACHMENT 3

Photographs

Supplement Id	Description
3-01	Overall view – 01
3-02	Overall view – 02
3-03	Overall view – 03
3-04	Overall view – 04
3-05	Internal view – 01
3-06	Internal view – 02
3-07	Main board – 01
3-08	Main board – 02
3-09	COM board – 01
3-10	COM board – 02



Page 2 of 6

ATTACHMENT 3

Photographs

ID 3-01









Page 3 of 6

ATTACHMENT 3

Photographs

ID 3-03










Page 4 of 6

ATTACHMENT 3

Photographs





ID 3-06






Page 5 of 6

Report No. T171027D06A-LV


ATTACHMENT 3

Photographs





ID 3-08






Page 6 of 6

Report No. T171027D06A-LV

ATTACHMENT 3

Photographs

ID 3-09



ID 3-10

