

5. Power Consumption Data

System Information:

DRAM Type & Capacity	NEC D4564841G5 –A80 –9JF 32M*1
VGA Card	OnBoard C&T65554
DiskOnChip	MD2200-D08
O.S.	DOS Mode

Operating System Environment (DOS Mode)

Config.sys	Autoexec.bat
Device=c:\dos\himem.sys dos=high,umb files=35 Buffers=40	Prompt \$p\$g c:\dos\smartdrv.exe /x

Test Software (DOS Mode):

Test Software	Landmark Speed V.2.0(Speed200.exe)
---------------	------------------------------------

Test Result:

Mode Type	CPU Type								Note
	Pentium MMX200	Pentium MMX233	AMD K6 233	AMD K6 266	AMD K6 300	Cyrix M2 200	Cyrix M2 233	Cyrix M2 300	
Normal Mode(+5V)	4.6 A	5 A	8.1 A	3.8 A	4.4 A	7 A	7.6 A	8.6 A	
Suspend Mode(+5V)	1.9 A	2 A	1.6 A	1.5 A	1.6 A	1.5 A	1.5 A	1.5 A	

Note:

- 1.Suspend Model all function off.
- 2.Power supply voltage: +5V
- 3.Normal Model is measured while run landmark speed Rev.2.0 in DOS