

**KING DESIGN INDUSTRIAL CO., LTD.**

4F, NO. 3, Lane 270, Pei Shen Road Sec. 3,

Shen Keng Dist., New Taipei City, 222, Taiwan, R.O.C

TEL: 886-2-2662-5100 FAX: 886-2-2662-3094

**VIBRATION TEST LABORATORY**<http://www.kdi.tw><http://www.vibration.com.tw>

E-mail:service@kdi.tw

**TESTING / INSPECTION REPORT**

REPORT NO : ST-150331-1

COMPANY : AAEON Technology Inc.

ADDRESS : 5F, No.135, Lane 235, Pao Chiao Rd.

Hsin-Tien Dist, New Taipei City, 231 Taiwan, R. O. C.

TEL : 886-2-8919-1234

FAX : 886-2-8919-1049

SPECIMEN : ACP-1104 (With mSATA)

DATE OF RECEIVED : 2015/03/31


DATE OF TESTED : 2015/03/31

TEST / INSPECTION ITEMS : Shock Test

## REMARKS :

- The laboratory is accredited by ISO/IEC 17025 General Requirements for the Competence of Calibration and Testing Laboratory.
- The results only apply to the device under test.
- This report is 11 pages, and no part of it may be abstracted or reproduced.


Test Engineer :



Approval Signatory :



Laboratory Head :



金頓科技





## TESTING / INSPECTION REPORT


### Testing photos

#### Tester





## TESTING / INSPECTION REPORT






## TESTING / INSPECTION REPORT

### Testing photos

#### After test






Level: 100.00 %  
Velocity Pk: 0.550 m/s  
Control RMS: 1.559 g  
Full Level Elapsed: 3.0

Drive Pk: 1.980V  
Control Pk: 15.18 g  
Remaining: 0.0  
Pulse width: 11.00 ms

Est. Disp. : 14.07 mm Pk-Pk  
Target Pk: 15.00 g  
Total Elapsed: 21.0  
Measured Pulse width: 11.39093(ms)






Level: 100.00 %  
 Velocity Pk: 0.548 m/s  
 Control RMS: 1.558 g  
 Full Level Elapsed: 3.0

Drive Pk: 1.910V  
 Control Pk: 15.34 g  
 Remaining: 0.0  
 Pulse width: 11.00 ms

Est. Disp. : 14.09 mm Pk-Pk  
 Target Pk: 15.00 g  
 Total Elapsed: 21.0  
 Measured Pulse width: 13.63990(ms)




Level: 100.00 %  
 Velocity Pk: 0.546 m/s  
 Control RMS: 1.555 g  
 Full Level Elapsed: 3.0

Drive Pk: 1.922V  
 Control Pk: 15.27 g  
 Remaining: 0.0  
 Pulse width: 11.00 ms

Est. Disp. : 14.09 mm Pk-Pk  
 Target Pk: 15.00 g  
 Total Elapsed: 21.0  
 Measured Pulse width: 11.44158(ms)






Level: 100.00 %  
 Velocity Pk: 0.547 m/s  
 Control RMS: 1.557 g  
 Full Level Elapsed: 3.0

Drive Pk: 1.917V  
 Control Pk: 15.33 g  
 Remaining: 0.0  
 Pulse width: 11.00 ms

Est. Disp. : 14.05 mm Pk-Pk  
 Target Pk: 15.00 g  
 Total Elapsed: 20.0  
 Measured Pulse width: 11.62620(ms)




Level: 100.00 %  
 Velocity Pk: 0.549 m/s  
 Control RMS: 1.556 g  
 Full Level Elapsed: 3.0

Drive Pk: 1.944V  
 Control Pk: 15.23 g  
 Remaining: 0.0  
 Pulse width: 11.00 ms

Est. Disp. : 14.23 mm Pk-Pk  
 Target Pk: 15.00 g  
 Total Elapsed: 21.0  
 Measured Pulse width: 11.32010(ms)





Level: 100.00 %

Velocity Pk: 0.550 m/s

Control RMS: 1.560 g

Full Level Elapsed: 3.0

Drive Pk: 1.930V

Control Pk: 15.37 g

Remaining: 0.0

Pulse width: 11.00 ms

Est. Disp. : 14.11 mm Pk-Pk

Target Pk: 15.00 g

Total Elapsed: 21.0

Measured Pulse width: 13.71669(ms)

-END-