



KING DESIGN INDUSTRIAL CO., LTD.
5F, NO. 3, LANE 94, TSAO TI WEI, SHEN KENG
HSIANG, TAIPEI HSIEN, TAIWAN, R.O.C.

Reliability & Communication Testing Instruments

http://www.instrument.com.tw
E-mail: kingdsgn@ms8.hinet.net
TEL: 886-2-2662-5100 FAX: 886-2-2662-3094



TESTING / INSPECTION REPORT

DATE : July 17, 2000
REPORT NO : ST-000717-3

COMPANY : AAEON Technology Inc.
5F, No.135, Lane 235, Pao Chiao Rd.
Hsin-Tien City, Taipei, Taiwan, R. O. C.
TEL:886-2-8919-1234
FAX:886-2-8919-1049

SPECIMEN : Modular System Industrial Workstation
with 12.1" Flat-panel and Keyboard

TEST / INSPECTION ITEMS : Shock Test (See Page 2)

REMARKS :

- The results only apply to the device under test.
- This report is 9 pages, and no part of it may be abstracted or reproduced.
- Attached pages are controlling pulse of shock test.

| | |
|-------------------|-----------------------|
| Test Engineer : | <i>Chiping</i> |
| Approved by : | <i>Dave Lee</i> |
| Laboratory Head : | <i>2000/7/20 Hung</i> |





KING DESIGN INDUSTRIAL CO., LTD.
5F, NO. 3, LANE 94, TSAO TI WEI, SHEN KENG
HSIANG, TAIPEI HSIEN, TAIWAN, R.O.C.

Reliability & Communication Testing Instruments

http://www.instrument.com.tw
E-mail: kingsgn@ms8.hinet.net
TEL: 886-2-2662-5100 FAX: 886-2-2662-3094



TESTING / INSPECTION REPORT

TESTING EQUIPMENT :

- 1. Shock Testing System : (KD-DP-1200-60, S/N:KDS11054983)
- 2. Controller : (KD-1200-03C, S/N:KD674)
- 3. Accelerometer : (WR-732AT, S/N:871)

TEST ENVIRONMENT :

- Temperature : $20 \pm 2^{\circ}\text{C}$
- Humidity : $70 \pm 20\% \text{RH}$

SPECIMEN :

- Model : AMB-2420
- Quantity : 1 piece

SHOCK TEST SPECIFICATION :

- Wave Form : Half Sine wave
- Acceleration : 10 g
- Duration Time : 11 ms
- No. of Shock : Each axis 3 times
- Shock Direction : Bottom, Left, Top, Right, Front, Back axis

TEST RESULT :

- Appearance check : No damage