

International Safe Transit Association Certified Packaging Laboratory

ID Number: ST-2304

Sealed Air Taiwan Ltd.

Taiwan Packaging Laboratory

No 20 Lane 238 Tun-Hwa N. Road, Taipei, Taiwan. Tel:(886)02-2713-5321 Fax:(886)02-2713-5334

Vibration Test Report

Nov 16, 2000

Prepared for: ASTECH TECHNOLOGY CO., LTD

Product: ACS-2301

Carton Information: Double Wall AB-flute

400x325x180mm Inside Dimensions

Current Packaging: Instapak Gflex

Package Weight: 7.2 kgs

Test Equipment: LAB 275-SVMC

Test Method: Fixed Displacement, Rotary Motion

First Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts

Rotation of 90 degree

Second Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts

Total: 14200 Number of Impacts

TEST RESULTS: After testing, the outer container still afforded reasonable

protection to its contents. There was no apparent physical damage to the unit. Functional testing, however, was not

performed.

CONCLUSION: Provided that this unit is found to be in good

working order, this package is suitable for common parcel shipment of this product.

It meets or exceeds the vibration test portion of the International Safe Transit Association Procedure

1A pre-shipment test specifications

Please contact with me if you have any question!!

Mark Hsu

Packaging Lab manager/Packaging Designer

Tony Chang Packaging Designer



International Safe Transit Association **Certified Packaging Laboratory**



ID Number: ST-2304

Vibration Test Report

Nov 16, 2000

Prepared for: ASTECH TECHNOLOGY CO., LTD.

Product: ACS-2301

Carton Information: Double Wall AB-flute

400x325x180mm Inside Dimensions

Current Packaging: Instapak Gflex

Package Weight: 7.2 kgs

Test Equipment: LAB 275-SVMC

Test Method: Fixed Displacement, Rotary Motion

First Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts

Rotation of 90 degree

Second Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts

Total: 14200 Number of Impacts

TEST RESULTS: After testing, the outer container still afforded reasonable

protection to its contents. There was no apparent physical damage to the unit. Functional testing, however, was not

performed.

CONCLUSION: Provided that this unit is found to be in good

working order, this package is suitable for common parcel shipment of this product.
It meets or exceeds the vibration test portion of the

International Safe Transit Association Procedure

1A pre-shipment test specifications

Please contact with me if you have any question!!

Mark Hsu

Packaging Lab manager/Packaging Designer

Tony Chang

Packaging Designer



International Safe Transit Association **Certified Packaging Laboratory**



ID Number: ST-2304

Taiwan Packaging Laboratory No 20 Lane 238 Tun-Hwa N. Road, Taipei, Taiwan. Tel:(886)02-2713-5321 Fax:(886)02-2713-5334

Vibration Test Report

Nov 16, 2000

Prepared for: ASTECH TECHNOLOGY CO., LTD.

ACS-2301 Product:

Double Wall AB-flute Carton Information:

400x325x180mm Inside Dimensions

Current Packaging: Instapak Gflex

Package Weight: 7.2 kgs

LAB 275-SVMC Test Equipment:

Test Method: Fixed Displacement, Rotary Motion

First Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts

Rotation of 90 degree

Second Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts

Total: 14200 Number of Impacts

TEST RESULTS: After testing, the outer container still afforded reasonable

protection to its contents. There was no apparent physical damage to the unit. Functional testing, however, was not

performed.

CONCLUSION: Provided that this unit is found to be in good

working order, this package is suitable for common parcel shipment of this product.

It meets or exceeds the vibration test portion of the International Safe Transit Association Procedure

1A pre-shipment test specifications.

Please contact with me if you have any question!!

Mark Hsu

Packaging Lab manager/Packaging Designer

Tony Chang Packaging Designer