



**Sealed Air Taiwan Ltd.**  
**Taiwan Packaging Laboratory**

No 20 Lane 238 Tun-Hwa N. Road, Taipei, Taiwan. Tel:(886)02-2713-5321 Fax:(886)02-2713-5334

**International Safe Transit Association  
Certified Packaging Laboratory**



**ID Number: ST-2304**

## Vibration Test Report

Nov 9, 2000

Prepared for: ASTECH TECHNOLOGY CO., LTD.

Product: AMB-2003HTT-001

Carton Information: Double Wall AB-flute  
453x355x205mm Inside Dimensions

Current Packaging: Instapak Gflex

Package Weight: 9.1 kgs

Test Equipment: LAB 275-SVMC

Test Method: Fixed Displacement, Rotary Motion

**First Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts  
Rotation of 90 degree**

**Second Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts**

**Total: 14200 Number of Impacts**

**TEST RESULTS:** After testing, the outer container still afforded reasonable protection to its contents. There was no apparent physical damage to the unit. Functional testing, however, was not performed.

**CONCLUSION:** Provided that this unit is found to be in good working order, this package is suitable for common parcel shipment of this product. It meets or exceeds the vibration test portion of the International Safe Transit Association Procedure 1A pre-shipment test specifications.

Please contact with me if you have any question!!

*Tony Chang*

Mark Hsu  
Packaging Lab manager/Packaging Designer  
Tony Chang  
Packaging Designer





**Sealed Air Taiwan Ltd.**  
**Taiwan Packaging Laboratory**

No 20 Lane 238 Tun-Hwa N. Road, Taipei, Taiwan. Tel:(886)02-2713-5321 Fax:(886)02-2713-5334

**International Safe Transit Association  
Certified Packaging Laboratory**



**ID Number: ST-2304**

## Vibration Test Report

Nov 9, 2000

Prepared for: **ASTECH TECHNOLOGY CO., LTD.**

Product: **AMB-2003HTT-001**

Carton Information: **Double Wall AB-flute  
453x355x205mm Inside Dimensions**

Current Packaging: **Instapak Gflex**

Package Weight: **9.1 kgs**

Test Equipment: **LAB 275-SVMC**

Test Method: **Fixed Displacement, Rotary Motion**

**First Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts  
Rotation of 90 degree**

**Second Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts  
Total: 14200 Number of Impacts**

**TEST RESULTS:** After testing, the outer container still afforded reasonable protection to its contents. There was no apparent physical damage to the unit. Functional testing, however, was not performed.

**CONCLUSION:** Provided that this unit is found to be in good working order, this package is suitable for common parcel shipment of this product. It meets or exceeds the vibration test portion of the International Safe Transit Association Procedure 1A pre-shipment test specifications.

Please contact with me if you have any question!!

*Tony Chang*

Mark Hsu  
Packaging Lab manager/Packaging Designer  
Tony Chang  
Packaging Designer





**Sealed Air Taiwan Ltd.**  
**Taiwan Packaging Laboratory**

No 20 Lane 238 Tun-Hwa N. Road, Taipei, Taiwan. Tel:(886)02-2713-5321 Fax:(886)02-2713-5334

**International Safe Transit Association  
Certified Packaging Laboratory**



**ID Number: ST-2304**

## Vibration Test Report

Nov 9, 2000

Prepared for: ASTECH TECHNOLOGY CO., LTD.

Product: AMB-2003HTT-001

Carton Information: Double Wall AB-flute  
453x355x205mm Inside Dimensions

Current Packaging: Instapak Gflex

Package Weight: 9.1 kgs

Test Equipment: LAB 275-SVMC

Test Method: Fixed Displacement, Rotary Motion

**First Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts**

**Rotation of 90 degree**

**Second Part: 29.5 Minutes at 240 CPM = 7100 Number of Impacts**

**Total: 14200 Number of Impacts**

**TEST RESULTS:** After testing, the outer container still afforded reasonable protection to its contents. There was no apparent physical damage to the unit. Functional testing, however, was not performed.

**CONCLUSION:** Provided that this unit is found to be in good working order, this package is suitable for common parcel shipment of this product. It meets or exceeds the vibration test portion of the International Safe Transit Association Procedure 1A pre-shipment test specifications.

Please contact with me if you have any question!!

Mark Hsu  
Packaging Lab manager/Packaging Designer  
Tony Chang  
Packaging Designer

