

Al Core X

PER-TAICX-A10-001 Intel Myriad X mPCle Module

User's Manual 1st Ed

Copyright Notice

This document is copyrighted, 2025. All rights are reserved. The original manufacturer reserves the right to make improvements to the products described in this manual at any time without notice.

No part of this manual may be reproduced, copied, translated, or transmitted in any form or by any means without the prior written permission of the original manufacturer. Information provided in this manual is intended to be accurate and reliable. However, the original manufacturer assumes no responsibility for its use, or for any infringements upon the rights of third parties that may result from its use.

The material in this document is for product information only and is subject to change without notice. While reasonable efforts have been made in the preparation of this document to assure its accuracy, AAEON assumes no liabilities resulting from errors or omissions in this document, or from the use of the information contained herein.

AAEON reserves the right to make changes in the product design without notice to its users.

Preface II

Acknowledgements

All other products' name or trademarks are properties of their respective owners.

- Microsoft Windows® and Windows® 10 are registered trademarks of Microsoft Corp.
- Ubuntu is a registered trademark of Canonical
- Intel®, Movidius™, Myriad™, and Myriad™ X are registered trademarks of Intel Corporation
- OpenVINO™ is a registered trademark of Intel Corporation
- TensorFlow™ is a registered trademark of Google LLC
- Apache, Apache MXNet, and MXNet are registered trademarks of the Apache Software Foundation

All other product names or trademarks are properties of their respective owners. No ownership is implied or assumed for products, names or trademarks not herein listed by the publisher of this document.

Preface III

Packing List

Before setting up your product, please make sure the following items have been shipped:

Item		Quantity
•	Al Core X module card	1
•	M2 screw	1

If any of these items are missing or damaged, please contact your distributor or sales representative immediately.

Preface IV

About this Document

This User's Manual contains all the essential information, such as detailed descriptions and explanations on the product's hardware and software features (if any), its specifications, dimensions, jumper/connector settings/definitions, and driver installation instructions (if any), to facilitate users in setting up their product.

Users may refer to the product page on AAEON.com for the latest version of this document.

Preface V

Safety Precautions

Please read the following safety instructions carefully. It is advised that you keep this manual for future references

- 1. All cautions and warnings on the device should be noted.
- 2. Make sure the power source matches the power rating of the device.
- 3. Position the power cord so that people cannot step on it. Do not place anything over the power cord.
- Always completely disconnect the power before working on the system's hardware.
- 5. No connections should be made when the system is powered as a sudden rush of power may damage sensitive electronic components.
- 6. If the device is not to be used for a long time, disconnect it from the power supply to avoid damage by transient over-voltage.
- 7. Always disconnect this device from any power supply before cleaning.
- 8. While cleaning, use a damp cloth instead of liquid or spray detergents.
- 9. Make sure the device is installed near a power outlet and is easily accessible.
- 10. Keep this device away from humidity.
- 11. Place the device on a solid surface during installation to prevent falls.
- 12. Do not cover the openings on the device to ensure optimal heat dissipation.
- 13. Watch out for high temperatures when the system is running.
- 14. Do not touch the heat sink or heat spreader when the system is running
- 15. Never pour any liquid into the openings. This could cause fire or electric shock.
- 16. As most electronic components are sensitive to static electrical charge, be sure to ground yourself to prevent static charge when installing the internal components. Use a grounding wrist strap and contain all electronic components in any static-shielded containers.

Preface VI

- 17. If any of the following situations arises, please the contact our service personnel:
 - i. Damaged power cord or plug
 - ii. Liquid intrusion to the device
 - iii. Exposure to moisture
 - iv. Device is not working as expected or in a manner as described in this manual
 - v. The device is dropped or damaged
 - vi. Any obvious signs of damage displayed on the device
- 18. Do not leave this device in an uncontrolled environment with temperatures beyond the device's permitted storage temperatures (see chapter 1) to prevent damage.
- 19. Do NOT disassemble the motherboard so as not to damage the system or void your warranty.
- 20. If the thermal pad had been damaged, please contact AAEON's salesperson to purchase a new one. Do NOT use those of other brands.
- 21. The Hex Cylinder Coppers on the front panel are not removable.
- 22. Repeatedly assemble and disassemble the system may cause damages to the exterior paint and surface and screw holes.
- 23. Use the right size screwdriver.
- 24. Use the screwdriver correctly to remove screws from the system.

Preface VII



This device complies with Part 15 FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received including interference that may cause undesired operation.

Caution:

There is a danger of explosion if the battery is incorrectly replaced. Replace only with the same or equivalent type recommended by the manufacturer. Dispose of used batteries according to the manufacturer's instructions and your local government's recycling or disposal directives.

Attention:

Il y a un risque d'explosion si la batterie est remplacée de façon incorrecte. Ne la remplacer qu'avec le même modèle ou équivalent recommandé par le constructeur. Recycler les batteries usées en accord avec les instructions du fabricant et les directives gouvernementales de recyclage.

Preface VIII

产品中有毒有害物质或元素名称及含量

AAEON 主板/子板/背板

OO4-381 Rev.A2

	有毒有害物质或元素						
部件名称	铅	汞	镉	六价铬	多溴联苯	多溴二苯醚	
	(Pb)	(Hg)	(Cd)	(Cr(VI))	(PBB)	(PBDE)	
印刷电路板		0	0	C	0		
及其电子组件	×					0	
外部信号		0		0	0	0	
连接器及线材	×		0				

本表格依据 SJ/T 11364 的规定编制。

- 〇:表示该有毒有害物质在该部件所有均质材料中的含量均在GB/T 26572标准规定的限量要求以下。
- ×: 表示该有害物质的某一均质材料超出了GB/T 26572的限量要求,然而该部件仍符合欧盟指令2011/65/EU 的规范。

环保使用期限(EFUP (Environmental Friendly Use Period)): 10年

备注:此产品所标示之环保使用期限,系指在一般正常使用状况下。

Preface IX

China RoHS Requirement (EN)

Name and content of hazardous substances in product

AAEON Main Board/Daughter Board/Backplane

QO4-381 Rev.A2

	Hazardous Substances						
Part Name	铅	汞	镉	六价铬	多溴联苯	多溴二苯醚	
	(Pb)	(Hg)	(Cd)	(Cr(VI))	(PBB)	(PBDE)	
PCB Assemblies	×	0	0	0	0	0	
Connector and				0	0	(
Cable	×	0		0	0	U	

The table is prepared in accordance with the provisions of SJ/T 11364.

O: Indicates that said hazardous substance contained in all of the homogenous materials for this product is below the limit requirement of GB/T 26572.

x: Indicates that said hazardous substance contained in at least one of the homogenous materials used for this part is above the limit requirement of GB/T 26572. But this product still be compliance with 2011/65/EU Directive (allowed with 2011/65/EU Annex III of RoHS exemption with number 6(c),7(a),7(c)-1).

EFUP (Environment Friendly Use Period) value: 10 years

Notes: This product defined period of use is under normal condition.

Preface X

Table of Contents

Chapte	er 1 - F	Product	Specifications	1
	1.1	Al Core	X Specifications	2
Chapte	er 2 –	Hardwa	re Information	3
	2.1	Dimens	sions	4
	2.2	Block D	Diagram	5
	2.3	Board I	Design	6
	2.4	List of (Connectors	7
		2.4.1	mini-PCle (CN1)	7
		2.4.2	Fan (CN3)	9
		2.4.3	Switch (SW1)	9
Chapte	er 3 –	Softwar	e Installation	10
	3.1	Intel O	penVINO Toolkit	11

Chapter 1

Product Specifications

1.1 Al Core X Specifications

^ 1	/CTC	١m
ン	/ วเเ	7T I

Intel Movidius Myriad X VPU, MA2485

Supported Frameworks Tensorflow

Caffe

MXNet

Supported OS Windows 10

Ubuntu 16.04 with Intel OpenVINO

Others

Form Factor mini-PCle

Dimension 51 x 30 mm


Certification CE/FCC Class A


Operating Temperature 0~60°C


Operating Humidity 10%~80%RH, non-condensing

Chapter 2

Hardware Information







2.4 List of Connectors

This section details the connectors featured on the Al Core X module. This is a reference to help with setup and configuration for your application.

Label	Function	Connector Type	
CN1	mini-PCle	PCIE CONN 52pin	
		(TF)WAFER	
CN3	FAN	BOX.2P.180D(M).DIP.1.25mm.PINREX.712-71-02	
		TW01	
CVAIA	CMITCLE	(TF)SWITCH.3S.6P.SOJ.24V.25mA.pitch=1.27m	
SW1	SWITCH	m.180D.SMD.BIWIN.SOJ03-R	

2.4.1 mini-PCle (CN1)



			Signal Description
1	WAKE#	2	3.3V
3	NC	4	GND
5	NC	6	1.5V
7 PC	CIE_CLKREQ#	8	NC
9	GND	10	NC
11	PCIE_CLK_N	12	NC
13	PCIE_CLK_P	14	NC
15	GND	16	NC

Pin	Signal Description	Pin	Signal Description
17	NC	18	GND
19	NC	20	DISABLE#
21	GND	22	RESET#
23	PCIE_TXN	24	3.3V
25	PCIE_TXP	26	GND
27	GND	28	1.5V
29	GND	30	NC
31	PCIE_RXN	32	NC
33	PCIE_RXP	34	GND
35	GND	36	USB2_DM
37	GND	38	USB2_DP
39	3.3V	40	GND
41	3.3V	42	NC
43	GND	44	NC
45	NC	46	NC
47	NC	48	NC
49	NC	50	GND
51	NC	52	3.3V



Pin	Signal Description	Pin	Signal Description
1	5V	2	GND

2.4.3 Switch (SW1)



	SW Valu	е	Decard ID
3	2	1	Board ID
Off	Off	Off	0
Off	Off	On	1
Off	On	Off	2
Off	On	On	3
On	Off	Off	4
On	Off	On	5
On	On	Off	6
On	On	On	7

Chapter 3

Software Installation

3.1 Intel OpenVINO Toolkit

The Al Core X works with Intel OpenVINO toolkit and does not require any drivers to be installed. Visit the OpenVINO website to download and install the software.

https://software.intel.com/en-us/openvino-toolkit