5.Power Consumption

System Information:

DRAM Type & Capacity	Panassonic MN4117405CSJ-06 32M*2	
VGA Card	OnBoard C&T65554	
DiskOnChip	MD2200-D08	
O.S.	DOS Mode	

Operating System Environment (DOS Mode)

Config.sys	Autoexec.bat	
Device=c:\dos\himem.sys	Prompt \$p\$g	
dos=high,umb	c:\dos\smartdrv.exe /x	
files=35		
Buffers=40		

The Application of Software

Brand	Landmark System Speed Test Version 2.0
-------	--

Test Result:

Mode Type			
Processor Type	Normal Mode(+5V)	Suspend Mode(+5V)	Unit
Intel Pentium MMX-200	4.4	2	Amp/Max
Intel Pentium MMX-233	4.8	2	Amp/Max
Cyrix M1 PR200	8	3.8	Amp/Max
Cyrix M2 PR200	7.2	1.6	Amp/Max
Cyrix M2 PR233	7.2	1.6	Amp/Max
Cyrix M2 PR300	9	1.6	Amp/Max
AMD K6 200	6	1.7	Amp/Max
AMD K6 233	8.8	1.8	Amp/Max
AMD K6 266	3.9	1.6	Amp/Max
AMD K6-2 300	3.3	3.2	Amp/Max

Note:

1.Suspend Model all function off.