

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211100113	(TF)INDUCTOR.10uH.10%.SMD.0805.DCR=0.85ohm.IDC=360mA.ZenithTek.ZWP-0805-100K	ZenithTek	ZWP-0805-100K	E143312,
1214309008	(TF)Common Choke.90Ω (100Mhz).4P.2.0*1.2mm.SMD.Zenithtek.ZHS-0805CM2-900T	Zenithtek	ZHS-0805CM2-900T	E188164,E79028,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch with Flag.RICHTEK.RT9702A-GB	RICHTEK	RT9702A-GB	E219878,
1651900860	(TF)IC SKT.SMD.8Pin.SOIC.LOTES.ACA-SPI-004-K01	LOTES	ACA-SPI-004-K01	E57552,
1653002101	(TF)PIN HEADER.2*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653009200	(TF)PIN HEADER.9*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653130424	(TF)PCB SKT.30*4P.180D.(F).Holder=9.35mm P=2.28mm.DIP.Astron.1250120-017-R	Astron	1250120-017-R	E52579(M) UL94V-0,E109088(M) UL94V-0,
1653212100	(TF)BOX Header.12*1P.180D(M).SMD.1.0mm.CATCH.1204-700-12SMP.	CATCH	1204-700-12SMP	E52579(M),
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>JVE 2=>HO-BASE	1=>27S1001-OPS35-01G 2=>MJ-2.0B	E59481 UL94V-0,E248993 UL V94-0/E107536,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001-0PS35-01G-R	JIH VEI	27S1001-0PS35-01G-R	E59481,
1653300108	(TF)MINI JUMPER..2.0mm.(YELLOW).CATCH.1133-040-02	CATCH	1133-040-02	E107536(M),
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinforced.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
1654226303	(TF)MiniCard SLOT.52P.90D.(F).SMD.FOXCONN.AS0B226-S68Q-7H	FOXCONN	AS0B226-S68Q-7H	E54705,
1654415308	(TF)D-SUB CONNECTOR.15P.90D(F).DIP.SLIM TYPE.BLUE.ASTRON.1760015-051-R	ASTRON	1760015-051-R	E59481,
1654418103	(TF)D-SUB CONNECTOR DUAL POR.9P*2.90D(M).DIP.TechBest.A20+9191-4208L	TechBest	A20+9191-4208L	E59481,
1654808309	(TF)USB CONNECTOR DUAL PORT.8P.90D.(F).for USB2.0.TechBest.KS-002D-ANB(2.0)-L	TechBest	KS-002D-ANB(2.0)-L	E59481,
1654907004	(TF)SATA CONNECTOR.7P.180D(M).DIP.ASTRON.97-0912HA-7-R	ASTRON	97-0912HA-7-R	E47960,
1654926900	(TF)MINIPCI express.clip.52P.H=6.8mm.SMD.Right.PORT.FOXCONN.AS0B226-S68K-7H	FOXCONN	AS0B226-S68K-7H	E54705,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655302020	(TF)WAFER BOX.2P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-02S	CATCH	1192-700-02S	E132701 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1655404020	(TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S	CATCH	1121-700-04S	E132701 UL94V-0,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E41938 V-2,
1655905032	(TF)WAFER BOX.5P.180D(M).DIP.1.25mm.凱迅.1201-700-05S	CATCH	1201-700-05S	E41938 V-2,
1655906032	(TF)WAFER BOX.6P.180D(M).DIP.1.25mm.凱迅.1201-700-06S	CATCH	1201-700-06S	E41938 V-2,
1655909031	(TF)WAFER BOX.9P.180D(M).DIP.1.25mm.CATCH.1201-700-09S	CATCH	1201-700-09S	E41938 V-2,
1655909032	(TF)Wafer Box.9P.180D.(M).SMD.1.0mm.w/CAP.CATCH.1204-700-09SMR	CATCH	1204-700-09SMR	E52579(M) 94V-0,
1655910131	(TF)WAFER BOX.10P.180D.(M).1.25mm.CATCH.1201-700-10S	CATCH	1201-700-10S	E41938 V-2,
1702150155	(TF)Power Cable.15P SATA(F).2P 2.0mm Housing(PH).15cm	CATCH	A003-927	E206838/E108485,E170689,
1709070500	(TF)SATA CABLE.7P Pitch 1.27mm.50cm	CATCH	A003-308	E107536 UL94V-0,E177882 VW-1,E74020 VW-1,E101344,E83005(M) UL94V-

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1752001601	PHASE OUT(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
1752011000	(TF)FUSE.SMD.16V.1.1A.1812.FUZETEC.FSMD110-16	FUZETEC	FSMD110-16	E211981,
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.INVIN	INVIN	PAD 15*15*1T	E153203,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
121110106G	(TF)COIL.1uH.20%.SMD.7.1*6.6*3.0mm.DCR=9mohm.Idc=11Amp.Zenithtek.ZPWM-6030M-1R0M	Zenithtek	ZPWM-6030M-1R0M	E84081,
121110156M	(TF)COIL.1.5uH.DCR=9.8mohm.Irms=9.6Amp.20%.7.0*6.6*3.0mm.SMD.Panasonic.ETQP3W1R5WFN	Panasonic	ETQP3W1R5WFN	E215594,
121110226J	(TF)COIL.2.2uH.20%.SMD.11.5x10.5x4.0mm.DCR=5.5m ohm.Idc=14Amp.ZenithTek.ZPWM-1040M-2R2M	ZenithTek	ZPWM-1040M-2R2M	E84081,
121110336X	(TF)COIL.3.3uH.20%.SMD.7.1x6.6x3.0mm.DCR=28m ohm.Idc=6Amp.ZenithTek.ZPWM-6030M-3R3M	ZenithTek	ZPWM-6030M-3R3M	E84081,
121110476Q	(TF)INDUCTOR.4.7uH.10%.SMD.0805.DCR=0.43ohm.IDC=520mA.ZenithTek.ZWP-0805-4R7K	ZenithTek	ZWP-0805-4R7K	E143312,
16515A2994	(TF)DDR3 SODIMM SKT.SMD.H=9.2mm.204P.STANDARD.1.5V.FOXC ONN.AS0A626-HASN-7H	FOXCONN	AS0A626-HASN-7H	E54705,
165251420B	(TF)PHONE JACK.14P.90D.(F).RJ45.W/TF & LED(10/100/1000Base).UDE.RT7-17FAAM1A	UDE	RT7-17FAAM1A	E47960/E59481,
165321320H	(TF)BOX HEADER.13*2P.180D.(M).2.00mm.W/Cap.Narrow Frame.SMD.Astron.26-4401-213-1G-1-R	Astron	26-4401-213-1G-1-R	E90350,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
175011901M	(TF)BATTERY.3V.w/Wire 110mm.MITSUBISHI.CR2032-HAT00(MLF)	mitsubishi	CR2032- HAT00(MLF)	MH21249,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P- P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
1907CV0702	(TF)PCB.EPIC-CV07.Rev.A1.0_0_0.8Layers Green.1*1.115x165x1.8mm.Thickness=1.8mm	ALLIED CIRCUITS		E171522,