

Model: **FSB-865G-A10-RF**

| P/N        | DESCRIPTION                                                                      | MAKER     | PART NO.          | Class                                                                           |
|------------|----------------------------------------------------------------------------------|-----------|-------------------|---------------------------------------------------------------------------------|
| 121110010E | COIL.1uH.DIP Wire Size 1.2mm.44材 8Amp.永馳.PT5052*1ROM                             | YOUTH     | PT5052*1ROM       | E84081(S)<br>E142415(S)                                                         |
| 1211101161 | COIL.1.1uH.DIP Wire Size 2.3mm.35材 3wire 30Amp.三集瑞.TCU-5035B-1R1M-02             | TRIO      | TCU-5035B-1R1M-02 | E201575,E85640,<br>E180908,E35586,                                              |
| 1211103367 | COIL.3.3uH 6.4A.20%.SMD.永馳.YC0804-3R3                                            | YOUTH     | YC0804-3R3        | E201757,                                                                        |
| 1214309002 | Common Choke.4P.90 Ohm(100Mhz) 2.0*1.2mm SMD.永馳.YFD2012T#900S                    | YOUTH     | YFD2012T#900S     | E84081(S),                                                                      |
| 1651203291 | IC SKT PLCC.SMD.32P(9P*7P).PRECI-DIP.540-99-032-17-400                           | PRECI-DIP | 540-99-032-17-400 | E107536(M)<br>UL94V-0,                                                          |
| 1651592490 | DDR SKT.DIP.184P.FOXCONN.AT09211-D7                                              | FOXCONN   | AT09211-D7        | E93750 UL94V-0,                                                                 |
| 1651592491 | DDR SKT.DIP.184P.Blue.FOXCONN.AT09211-611                                        | FOXCONN   | AT09211-611       | E93750 UL94V-0,                                                                 |
| 1651608990 | ZIF mPGA478B SKT.SMD.for PENTIUM 4.FOXCONN.2D25606-2747-01                       | FOXCONN   | 2D25606-2747-01   | E93750 UL94V-0,                                                                 |
| 1652510201 | PHONE JACK.10P.90D.(F).RJ45 W/Transformer & LED.BOTHHAND.LA1T109D-D43            | BOTHHAND  | LA1T109D-D43      | E105888 UL94V-0,<br>E174837,E130155(M)<br>) UL94V-0,E56745,<br>E201362 UL94V-0, |
| 1653002100 | PIN HEADER.2*1P.180D.(M).2.54mm.DIP.何迪.205-1*XGS SERIES                          | HOTEK     | 205-1*XGS SERIES  | E107536(M)<br>UL94V-0,                                                          |
| 1653002101 | PIN HEADER.2*1P.180D.(M).2.0mm.DIP.何迪.2000-1WS-2                                 | HOTEK     | 2000-1WS-2        | E107536(M) UL94V-0,Housing UL94V-1,                                             |
| 1653003100 | PIN HEADER.3*1P.180D.(M).2.54mm.DIP.何迪.205-1*XGS SERIES                          | HOTEK     | 205-1*XGS SERIES  | E107536(M)<br>UL94V-0,                                                          |
| 1653004200 | PIN HEADER.4*2P.180D.(M).2.54mm.DIP.何迪.201-2*NGS(R)                              | HOTEK     | 201-2*NGS(R)      | E107536(M)<br>UL94V-0,                                                          |
| 1653005201 | PIN HEADER.5*2P.180D.(M).2.0mm.DIP.何迪.2000-2WS-2*5                               | HOTEK     | 2000-2WS-2*5      | E107536(M)<br>UL94V-0,                                                          |
| 1653005205 | PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP.何迪.209-2X5GS W/O 9                   | HOTEK     | 209-2X5GS W/O 9   | E107536(M)<br>UL94V-0,                                                          |
| 1653006101 | PIN HEADER.6*1P.180D.(M).2.0mm.DIP.何迪.2000-1WS-6                                 | HOTEK     | 2000-1WS-6        | E107536(M)<br>UL94V-0,                                                          |
| 1653017205 | PIN HEADER.17*2P.180D.(M).W/O PIN5.2.54mm.DIP.凱迅.1130-010-34SA                   | CATCH     | 1130-010-34SA     | E107536(M)<br>UL94V-0,                                                          |
| 1653204201 | BOX HEADER.4*2P.180D.(M).2.0mm.DIP.何迪.MBH-8GS                                    | HOTEK     | MBH-8GS           | E107536(M)<br>UL94V-0,                                                          |
| 1653205203 | BOX HEADER.5*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-10S                               | CATCH     | 1147-000-10S      | E52579(M)<br>UL94V-0,                                                           |
| 1653213203 | BOX HEADER.13*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-26S                              | CATCH     | 1147-000-26S      | E52579(M)<br>UL94V-0,                                                           |
| 1653220208 | BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA            | CATCH     | 1137-020-40SA     | E107536(A)<br>UL94V-0,                                                          |
| 1653300100 | MINI JUMPER.(YELLOW).何迪.206-BY                                                   | HOTEK     | 206-BY            | E107536(M)<br>UL94V-0,                                                          |
| 1653300101 | MINI JUMPER.(RED).何迪.206-BR                                                      | HOTEK     | 206-BR            | E107536(M)<br>UL94V-0,                                                          |
| 1653302150 | JUMPER WIRE.1*2P.90D.2.54mm DIP for 845e Heat sink.CEN.PH-S-RA9-02-G             | CEN       | PH-S-RA9-02-G     | E107536(M)<br>UL94V-0,                                                          |
| 1653900091 | Compact Flash Header.1.27mm.Ejector for TypeI.PROCONN.CFHEJT-90-0000             | PROCONN   | CFHEJT-90-0000    | E204655,<br>E41938 UL94V-0,                                                     |
| 1653925219 | Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeI.PROCONN.CFH050-27-0100 | PROCONN   | CFH050-27-0100    | E204655,<br>E54705(M) UL94V-                                                    |

|            |                                                                                                        |         |                 |                                                                                                                           |
|------------|--------------------------------------------------------------------------------------------------------|---------|-----------------|---------------------------------------------------------------------------------------------------------------------------|
| 1654030000 | Board-Wire<br>Connector.30P.180D(M).SMD.Pitch=1.25mm W/<br>Reinforcement.Hirose.DF13-30DP-1.25V        | Hirose  | DF13-30DP-1.25V | E172082(M)<br>UL94V-0,                                                                                                    |
| 1654262300 | MINIPCI<br>SLOT.124P.90D(F).SMD.FOXCONN.AS0A226-S6                                                     | FOXCONN | AS0A226-S6      | E93750 UL94V-0,                                                                                                           |
| 1654515308 | D-SUB H/D CONNECTOR.15P.90D.(F).Blue.DIP.凱<br>迅.3125-000-15SB                                          | CATCH   | 3125-000-15SB   | E107536(M)<br>UL94V-0,                                                                                                    |
| 1654606200 | MINI DIN RECEPT TABLE.6P.90D.(F).W/SPRING<br>DIP.康祐.MAL306101G401                                      | CONTEK  | MAL306101G401   | E149581 UL94V-0,                                                                                                          |
| 1654804100 | USB CONNECTOR SINGLE<br>PORT.Upright.4P.90D(M).何迪.KS-001V-ANW                                          | HOTEK   | KS-001V-ANW     | E107536(M)<br>UL94V-0,                                                                                                    |
| 1654907000 | SATA<br>CONNECTOR.7P.180D(M).FOXCONN.LD18071-<br>S13P                                                  | FOXCONN | LD18071-S13P    | E93750 UL94V-0,                                                                                                           |
| 1655003010 | WAFER.3P.180D.(M).2.54mm.DIP.凱迅.1190-700-<br>03S                                                       | CATCH   | 1190-700-03S    | E41938(M) UL94V-<br>0,                                                                                                    |
| 1655003022 | WAFER BOX.3P.180D.(M).2.54mm W/LOCK DIP.<br>凱迅.1191-700-03S                                            | CATCH   | 1191-700-03S    | E41938(M) UL94V-<br>0,                                                                                                    |
| 1655005021 | WAFER BOX.5P.180D.(M).W/LOCK.何迪.2503-<br>WS-5B                                                         | CATCH   | 2503-WS-5B      | UL94V-0,                                                                                                                  |
| 1655404020 | ATX POWER CONNECTOR.2P*2.180D.DIP.凱<br>迅.1121-700-04S                                                  | CATCH   | 1121-700-04S    | E41938(M) UL94V-<br>0,                                                                                                    |
| 1655420020 | ATX POWER CONNECTOR.10P*2.DIP.凱迅.1121-<br>700-20S                                                      | CATCH   | 1121-700-20S    | E41938(M) UL94V-<br>0,UL94V-2,                                                                                            |
| 1700060192 | 凱迅/Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse                                                              | CATCH   | A003-114        | E107536(M)<br>UL94V-0                                                                                                     |
|            | 何迪/HD-0612-19/Cable 6P-6P-6P 19cm Ivory<br>PS2/KB&Mouse                                                | HOTEK   | 1700060192      | E119932(S),<br>E107536(M) UL94V-<br>0, UL2725,UL2464,<br>E107536(M) UL94V-<br>0,                                          |
| 1701100305 | Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC<br>NO FOLD.30cm.W/BACKET                                   | CATCH   | A002-014        | UL2651,E72332,E10<br>7536(M) UL94V-<br>0,E209329 VW-<br>1,E107536(M)<br>UL94V-<br>0,E212834,E56070(S<br>) UL94HB,E186230, |
| 1701260307 | Flat Cable.9P/DB9P MALE&25P DB25P<br>FEMALE.10P 2mm&26P 2mm/IDC NO<br>FOLD.30cm.W/BKT.凱迅.A002-015      | CATCH   | A002-015        | UL2651 VW-<br>1,E72332,E107536(<br>M) UL94V-0,                                                                            |
| 1701340704 | Flat Cable.34P.70cm.GRAY for FDD                                                                       | CATCH   | A003-246        | E107536(M) UL94V-<br>0,UL2651 VW-1,                                                                                       |
| 1701400453 | Cable.40P 2.54mm IDC W/Nose W/Fold.40P<br>2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100.<br>凱迅.B016-009-2 | CATCH   | B016-009-2      | UL2678,E101344(S),                                                                                                        |
|            | Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm                                                            | CATCH   | A003-232        | E108485,<br>E132701 UL94V-0                                                                                               |

|            |                                                    |          |               |                                                                                                |
|------------|----------------------------------------------------|----------|---------------|------------------------------------------------------------------------------------------------|
| 1703030501 | Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm        | ALLKING  | ROD3849       | E170689 VW-1,E41797(M),E144392 UL94V-0,E108485(S) VW-1,E132701 VW-1,E108485(S) ULVW-1,E191023, |
| 1709100201 | Usb Cable.20cm2.0mm.W/Bracket                      |          |               | E35586(S),E101344 VW-1,E107536(M) UL94V-0,                                                     |
| 1750119013 | Battery.DIP.3V.RAYOVAC.BR2335T3L                   | RAYOVAC  | BR2335T3L     | MH12542                                                                                        |
| 1752311000 | PolySwitch.6V.1.1A.(Max 40A).Raychem.miniSMDC110-2 | Raychem  | miniSMDC110-2 | E74889                                                                                         |
| 1759100002 | Buzzer.DIP.40mA.85dB P-P=6.5mm.志豐.KC-1206          | KINGSTAT | KC-1206       | E194246 UL94V-2,                                                                               |
| 1907865003 | PCB.FSB-865G.Rev.A1.0.8Layers Green                | K-BRIDGE | 1907865003    | E120558(S)                                                                                     |