

Model :FSB-866G-A10-VG

ITEM	P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame
1	1907866G02	PCB.FSB-866G.Rev.A1.0.6Layers Green	HIPER	1966071C	E224709 UL94V-0
2	175910000A	Buzzer.SMD.5V.80mA.90dB.KIN GSTATE.KSS-J5D26	KINGSTATE	KSS-J5D26	E194246 UL94V-2
3	1653925216	Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016-0140-004	SPEED TECH	N016-0140-004	E192672 UL94V-0,
4	1651612990	(TF)ZIF LGA 775 SKT.SMD.775P.FOXCONN.PE07 7527-1041-01	FOXCONN	PE077527-1041-01	E93750,
5	1211103367	COIL.3.3uH 6.4A.20%.SMD.永 馳.YC0804-3R3	YOUTH	YC0804-3R3	E201757,
6	1752311000	PolySwitch.6V.1.1A.(Max 40A).Raychem.miniSMDC110-2	Raychem	miniSMDC110-2	E74889(S),
7	1654030000	Board-Wire Connector.30P.180D(M).SMD.Pitc h=1.25mm W/ Reinforcement.Hirose.DF13-30DP- 1.25V	Hirose	DF13-30DP-1.25V	E172082(M) UL94V-0,
8	1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.T ECHBEST.161S01-025A	TECHBEST	161S01-025A	E204143 UL94V-0,
9	1750119013	Battery.DIP.3V.RAYOVAC.BR23 35T3L	RAYOVAC	BR2335T3L	MH12542,
10	1653900034	Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003-0011-100	SPEED TECH	N003-0011-100	E192672 UL94V-0,
11	1655003022	(TF)WAFER BOX.3P.180D.(M).2.5mm.W/LOC K DIP.凱迅.1191-700-03S	CATCH	1191-700-03S	E119177(M) UL94V-0 ,
12	1653002100	(TF)PIN HEADER.2*1P.180D.(M).2.54mm .DIP	JIH VEI	21B12564- XXS10B-01G-6/3	E107536 UL94V-0,
13	1653005205	PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP.何迪.209- 2X5GS W/O 0	HO-BASE	209-2X5GS	E107536(M) UL94V-0,
14	1654606200	MINI DIN RECEPT TABLE.6P.90D.(F).W/SPRING DIP.康祐.MAL306101G401	CONTeK	MAL306101G401	E149581 UL94V-0,
15	'1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOC K.DIP.何迪.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V- 0,E44716 UL94V- 2,
16	'1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm. DIP.凱迅.1147-000-10S	CATCH	1147-000-10S	E132701 UL94V-0 ,
17	1651592490	DDR SKT.DIP.184P.FOXCONN.AT092 11-D7	FOXCONN	AT09211-D7	E93750 UL94V-0,

18	1653017205	PIN HEADER.17*2P.180D.(M).W/O PIN5.2.54mm.DIP.凱迅.1130-010- 34SA	CATCH	1130-010-34SA	E107536(M) UL94V-0,
19	1653004200	PIN HEADER.4*2P.180D.(M).2.54mm .DIP.何迪.201-2*NGS(R)	HO-BASE	201-2*NGS(R)	E107536(M) UL94V-0,
20	1653300100	MINI JUMPER.(YELLOW).何 迪.206-BY	HO-BASE	206-BY	E107536(M) UL94V-0,
21	1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54m m.DIP W/O PIN20(Blue).凱 迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
22	1653006101	PIN HEADER.6*1P.180D.(M).2.0mm. DIP.何迪.2000-1WS-6	HO-BASE	2000-1WS-6	E107536(M) UL94V-0,
23	1653002101	PIN HEADER.2*1P.180D.(M).2.0mm. DIP.何迪.2000-1WS-2	HO-BASE	2000-1WS-2	E107536(M) UL94V-0,Housing UL94V-1,
24	1652510201	PHONE JACK.10P.90D.(F).RJ45 W/Transformer & LED.BOTHHAND.LA1T109D- D43	BOTHHAND	LA1T109D-D43	E105888 UL94V- 0,E174837,E13015 5(M) UL94V- 0,E56745,E201362 UL94V-0,
25	1653213203	(TF)BOX HEADER.13*2P.180D.(M).2.0mm .DIP.凱迅.1147-000-26S	CATCH	1147-000-26S	E132701 UL94V-0 ,
26	1211101161	COIL.1.1uH.DIP Wire Size 2.3mm.35材 3wire 30Amp.三集 瑞.TCU-5035B-1R1M-02	TRIO	TCU-5035B- 1R1M-02	E201575,E85640,E 180908,E35586,
27	1211100662	(TF)COIL.0.6uH.DIP Wire Size 1.1*2mm.2wire 35.TRIO.PSG- 1410-R60M1	TRIO	PSG-1410-R60M1	E85640,E201757,
28	1653005201	PIN HEADER.5*2P.180D.(M).2.0mm. DIP.何迪.2000-2WS-2*5	HO-BASE	2000-2WS-2*5	E107536(M) UL94V-0,
29	1654804100	USB CONNECTOR SINGLE PORT.Upright.4P.90D(M).何 迪.KS-001V-ANW	HO-BASE	KS-001V-ANW	E107536(M) UL94V-0,
30	1654515308	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).Blue. DIP.凱迅.3125-000-15SB	CATCH	3125-000-15SB	E107536(M) UL94V-0,
31	1655004014	(TF)WAFER.4P.180D.(M).2.54m m.DIP.凱迅.1190-700-042	CATCH	1190-700-042	E132701 UL94V-0 ,
32	1655417020	(TF)ATX POWER CONNECTOR.10P*2.180D(M).DI P.W/O 1&2&11 pin.凱迅.1121- 700-20SA	CATCH	1121-700-20SA	E132701 UL94V-0,
33	1655404020	(TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱 迅.1121-700-04S	CATCH	1121-700-04S	E132701 UL94V-0,

34	1701340704	Flat Cable.34P.70cm.GRAY for FDD	CATCH	A003-246	E107536(M) UL94V-0,UL2651 VW-1,
35	1701400453	Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100.凱 迅.B016-009-2	CATCH	B016-009-2	UL2678,E101344(S),
36	1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	CATCH HO-BASE	A003-114 @1700060192	E119932(S), E107536(M) UL94V-0, UL2725,UL2464, E107536(M) UL94V-0,
37	1701260307	Flat Cable.9P/DB9P MALE&25P DB25P FEMALE.10P 2mm&26P 2mm/IDC NO FOLD.30cm.W/BKT.凱迅.A002-	CATCH	A002-015	UL2651 VW- 1,E72332,E107536 (M) UL94V-0,
38	1701100305	Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	A002-014	UL2651,E72332,E 107536(M) UL94V-0,E209329 ULVW- 1,E107536(M) UL94V- 0,E212834,E56070 (S)
39	1703030501	Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm	CATCH ALLKING	A003-232 ROD3849	E170689 VW- 1,E41797(M),E144 392 UL94V- 0,E108485(S) VW- 1,E132701 VW- 1,E108485(S) ULVW-1,E191023,
40	1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH Vso	1709100201 AUS15-008S0-002	E35586(S),E10134 4 VW- 1,E107536(M) UL94V- 0,E209436,E10753
41	1709070780	SATA CABLE.7P Pitch 1.27mm.78cm	YOSONIC CATCH	YSN-6529E003- 001 A003-217	E119932,E179065 VW-1,E118289 UL94V- 0,E101344,E83005 (M) UL94V-0,
42	1759200161	(TF)CPU Cooler Fan.for LGA775 Pentium4 3.6G.4P.12V.Dual ball bearing.米倫.LGA-775-91502	ML	LGA-775-91502	E236658,