

| P/N          | DESCRIPTION                                                                       | MAKER    | PART NO.            | UL NO./ Flame Class |
|--------------|-----------------------------------------------------------------------------------|----------|---------------------|---------------------|
| 07G016522032 | 請使用1750113010RTC BATT-LI CR2032 3V/220MAH NEWSUN/MHFCR20320000 [HF].DIP           | NEWSUN   | MHFCR20320000       | MH25881,            |
| 09G05000002L | BUZZER/AC-1205G-N1LF ADVANCED ACOUSTIC.DIP                                        | ADVANCED | AC-1205G-N1LF       | E45587,             |
| 121110100F   | (TF)Inductor.10uH.10%.SMD.2.4*1.6mm.G OTREND.GNLE2012P-100K                       | GOTREND  | GNLE2012P-100K      | E84081,             |
| 1211101069   | (TF)COIL.1.0uH.20%.SMD.5x5.5x3mm.DC R=15m ohm.Irms=4.00Amp.GOTREND.GTSD53P-1R0M   | GOTREND  | GTSD53P-1R0M        | E258243,            |
| 121110106T   | (TF)COIL.1uH.20%.SMD.12.5*11*4.0mm. DCR=2.5m Ω .Idc=25Amp.GOTREND.GSTD1040PL-1R0M | GOTREND  | GSTD1040PL-1R0M     | E201757,            |
| 1211105674   | (TF)COIL.0.56uH.20%.DIP.35A.GOTREN D.GMAT-131210-P-R56-M                          | GOTREND  | GMAT-131210-P-R56-M | E218438 / E84081,   |
| 12G04400002K | 請使用165330010F.MINI JUMPER 2P CLOSE D-BLUE PINREX/200-71-PAGU1A [EL].DIP           | PINREX   | 200-71-PAGU1A       | E59481,             |
| 12G08000504V | 請使用1655004018.WAFER HD 4P S/T 2.54MM L-GRAY PINREX/744-81-04TG20 [EL].DIP         | PINREX   | 744-81-04TG20       | E135714,            |
| 12G15705007X | SATA CON 7P S/T G/F,DIP,L-BLUE LOTES/ABA-SAT-046-K12 [GA].DIP                     | LOTES    | ABA-SAT-046-K12     | E154352,            |
| 12G15705007Y | SATA CON 7P S/T G/F,DIP,CHARL LOTES/ABA-SAT-046-K13.DIP                           | LOTES    | ABA-SAT-046-K13     | E154352,            |
| 12G20010020F | BATT HOLDER/CR2032 LOTES/AAA-BAT-029-K01 [EL].DIP                                 | LOTES    | AAA-BAT-029-K01     | E59481,             |

| P/N        | DESCRIPTION                                                                 | MAKER   | PART NO.                           | UL NO./ Flame Class   |
|------------|-----------------------------------------------------------------------------|---------|------------------------------------|-----------------------|
| 1315970211 | (TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-GB        | RICHTEK | RT9702A-GB                         | E219878,              |
| 16515C0499 | (TF)DDR3 SKT.DIP.240P.BLUE.KORTAK.AR240H-101B-A0H                           | KORTAK  | AR240H-101B-A0H                    | E135714,              |
| 1651611551 | (TF)ZIP LGA.SMD.1155P.for Sandy Bridge.Lotes.ACA-ZIF-096-P07                | Lotes   | ACA-ZIF-096-P07                    | E91944,               |
| 165251420G | (TF)PHONE JACK.14P.90D(F).RJ45.W/TF & LED(10/100/1000Base).UDE.RDA-1A5BAK1A | UDE     | RDA-1A5BAK1A                       | E47960/E59481 ,       |
| 1653002100 | (TF)PIN HEADER.2*1P.180D.(M).2.54mm.DIP                                     | JVE     | 21B12564-XXS10B-01G-6/3 series     | E107536 UL94V-0,      |
| 1653003100 | (TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP                                     | Astron  | 27-01031XX-1G Series               | E107536 UL94V-0,      |
| 1653003101 | (TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP                                      | JVE     | 21B12050-XXS10B-01G-4/2.8 series   | E107536 UL94V-0,      |
| 1653004200 | (TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP                                     | JVE     | 21B22564-XXS10B-01G-6/3-VXX series | E107536 UL94V-0,      |
| 165300420F | (TF)PIN HEADER.4*2P.180D.(M).DIP.2.54mm.W/O PIN8.凱迅.1130-010-08SA           | CATCH   | 1130-010-08SA                      | E107538 (M) UL 94V-0, |
| 165300420L | (TF)PIN HEADER.4*2P.180D.(M).1.27mm.SMD.W/ Cap.Astron.27-44041-204-2G-TB1R  | Astron  | 27-44041-204-2G-TB1R               | E52579(M) 94V-0,      |
| 1653005201 | (TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP                                      | JVE     | 21B22050-XXS10B-01G-4/2.8 series   | E107536 UL94V-0,      |

| P/N        | DESCRIPTION                                                            | MAKER                | PART NO.                                                   | UL NO./ Flame Class                            |
|------------|------------------------------------------------------------------------|----------------------|------------------------------------------------------------|------------------------------------------------|
| 1653005205 | (TF)PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP                        | 1=>HO-BASE<br>2=>JVE | 1=>209-2X5GS<br>W/O 9<br>2=>21N22050-10S10B-01G-4/2.8-V1-G | E54695,E52579                                  |
| 1653205203 | (TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.CATCH.1147-000-10S              | CATCH                | 1147-000-10S                                               | E132701<br>UL94V-0 ,                           |
| 165321020D | (TF)BOX HEADER.10*2P.180D(M).DIP.2.0mm.L-BLUE.K20.PINREX.52X-40-20GV52 | PINREX               | 52X-40-20GV52                                              | E47960,                                        |
| 1653212100 | (TF)BOX Header.12*1P.180D(M).SMD.1.0mm.CATCH.1204-700-12SMP.           | CATCH                | 1204-700-12SMP                                             | E52579(M),                                     |
| 1653213203 | (TF)BOX HEADER.13*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-26S                | CATCH                | 1147-000-26S                                               | E132701<br>UL94V-0 ,                           |
| 1653217205 | (TF)BOX HEADER.17*2P.180D.(M).2.54mm.DIP W/O PIN5.凱迅.1137-000-34SA     | CATCH                | 1137-000-34SA                                              | E107536A<br>UL94V-0,                           |
| 1653300101 | (TF)MINI JUMPER.(RED)                                                  | JVE                  | 27S1002-OPS60B-01G-R                                       | E107536(M)<br>UL94V-0,E59481,                  |
| 1653300102 | (TF)MINI JUMPER.2.0mm.(BLACK)                                          | 1=>HO-BASE<br>2=>JVE | 1=>MJ-2.0B<br>2=>27S1001-OPS35-01G                         | E59481<br>UL94V-0,E248993 UL<br>V94-0/E107536, |
| 1653924110 | (TF)CFast Header.24*1P.90D.SMD.1.27mm pitch.3M.N7G24-A0B2RA-10-0HT-DY  | 3M                   | N7G24-A0B2RA-10-0HT-DY                                     | E54705,                                        |
| 1654804100 | (TF)USB CONNECTOR SINGLE PORT.Upright.4P.90D(M).HO-BASE.KS-001V-ANW    | HO-BASE              | KS-001V-ANW                                                | E52579(M),                                     |
| 1654930309 | (TF)DVI-I Conn..30P.90D(F).DIP.w/shild.KORTAK.9D0290-08SC-00H          | KORTAK               | 9D0290-08SC-00H                                            | E306353,E135714,                               |

| P/N        | DESCRIPTION                                                                                     | MAKER    | PART NO.       | UL NO./ Flame Class                                                                                              |
|------------|-------------------------------------------------------------------------------------------------|----------|----------------|------------------------------------------------------------------------------------------------------------------|
| 1701100305 | (TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET                          | CATCH    | A002-014       | UL2651,E72332,E107536(M)<br>UL94V-0,E209329<br>ULVW-1,E107536(M)<br>UL94V-0,E212834,E56070(S)<br>UL94HB,E186230, |
| 1701260307 | (TF)Flat Cable.9P/DB9P MALE&25P DB25P FEMALE.10P 2mm&26P 2mm/IDC NO FOLD.30cm.W/BKT.凱迅.A002-015 | CATCH    | A002-015       | UL2651 VW-1,E72332,E107536(M)<br>UL94V-0,                                                                        |
| 1709070460 | (TF)SATA CABLE.7P Pitch 1.27mm.46cm.W/LOCK                                                      | CATCH    | A003-708       | E107536/E162747,                                                                                                 |
| 1709100201 | (TF)Usb Cable.20cm2.0mm.W/Bracket                                                               | CATCH    | 1709100201     | E107536/E206838/E188601/E56118/E97527,E209436,E107536(M) UL94V-0,E237114,                                        |
| 1752002700 | (TF)FUSE.SMD.6V.1.5A.PolySwitch.PTTC.SMD1206P150TFT                                             | PTTC     | SMD1206P150TFT | E201431,                                                                                                         |
| 1752300000 | (TF)PolySwitch.SMD.6V.3A.WAY-ON.LP-NSM150                                                       | WAY-ON   | LP-NSM150      | E202125,                                                                                                         |
| 1907FB7502 | (TF)PCB.FSB-B75H.Rev.A1.0_0_0.6Layers Green.1*1.338*126 mm                                      | L-BEIDGE |                | E120558                                                                                                          |
| 9657666600 | (TF)Accessory.for All Series Jumper                                                             | CATCH    | 9657666600     | E107536(M) 94V-0,                                                                                                |
| M01Q570000 | (TF)ZIP LGA 1156P.FE.SKT.Back Plate.for Piketon.IMBI-Q57.FOXCONN.PT44A68-6401                   | FOXCONN  | PT44A68-6401   | E93750,                                                                                                          |

| P/N        | DESCRIPTION                                                                    | MAKER | PART NO.           | UL NO./ Flame Class |
|------------|--------------------------------------------------------------------------------|-------|--------------------|---------------------|
| M166616000 | (TF)Metal.AL.Heatsink.28.2*28.2*13mm.Rev.0.0.For TM6616.ACE.CM334-282813-GREEN | ACE   | CM334-282813-GREEN | E41938,             |