

ITEM	P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame
1	1907531202	(TF)PCB.GENE-5312.Rev.A1.0.8Layers Green	HIPER	1907531202	E224709 UL94V-0
2	1653925216	Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016-0140-004	SPEED TECH	N016-0140-004	E192672 UL94V-0,
3	1653217209	(TF)BOX HEADER.17*2P.180D.(M).2.0mm. W/Cap SMD.凱迅.1147-000-34MP	CATCH	1147-000-34MP	E132701 UL94V-0 ,
4	1653222208	(TF)BOX HEADER.22*2P.180D.(M).2.0mm. W/Cap SMD.凱迅.1147-000-44MP	CATCH	1147-000-44MP	E132701 UL94V-0 ,
5	1653213207	(TF)BOX HEADER.13*2P.180D.(M).2.0mm. W/Cap SMD.凱迅.1147-000-26MP	CATCH	1147-000-26MP	E132701 UL94V-0 ,
6	1653205201	(TF)BOX HEADER.5*2P.180D.(M).2.0mm. W/Cap SMD.凱迅.1147-000-10MP	CATCH	1147-000-10MP	E132701 UL94V-0 ,
7	1653005203	PIN HEADER.5*2P.180D.(M).2.00mm. SMD.W/Cap.凱迅.1140-010-10MP	CATCH	1140-010-10MP	E52579(M) UL94V-0,
8	1653007206	PIN HEADER.7*2P.180D.(M).2.00mm. SMD.W/Cap.凱迅.1140-010-14MP	CATCH	1140-010-14MP	E52579(M) UL94V-0,
9	1654020000	Board-Wire Connector.20P.180D(M).SMD.Pitch=1.25mm W/ Reinforcement.Hirose.DF13-20DP-1.25V	Hirose	DF13-20DP-1.25V	E172082(M) UL94V-0,
10	1654040000	Board-Wire Connector.40P.180D(M).SMD.Pitch=1.25mm W/ Reinforcement.Hirose.DF13-40DP-1.25V	Hirose	DF13-40DP-1.25V	E172082(M) UL94V-0,
11	16515A0995	DDR SODIMM SKT.SMD.200P.H=6.5mm.FOXCONN.AS0A426-B6R-TR	FOXCONN	AS0A426-B6R-TR	E93750,
12	1653006203	PIN HEADER.6*2P.180D.(M).2.00mm. SMD.W/Cap.凱迅.1140-010-12MP	CATCH	1140-010-12MP	E52579(M) UL94V-0,
13	1654262300	MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0A226-S6	FOXCONN	AS0A226-S6	E93750 UL94V-0,
14	1651203291	IC SKT PLCC.SMD.32P(9P*7P).PRECIDIP.540-99-032-17-400	PRECIDIP	540-99-032-17-400	E107536(M) UL94V-0,
15	1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.凱迅.1201-700-02S	CATCH	1201-700-02S	E119177 (M) UL94V-0,

16	1653900034	Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003-0011-100	SPEED TECH	N003-0011-100	E192672 UL94V-0,
17	175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8-LF	MH12568(N), E255532
18	1653005201	PIN HEADER.5*2P.180D.(M).2.0mm. DIP.何迪.2000-2WS-2*5	HO-BASE	2000-2WS-2*5	E107536(M) UL94V-0,
19	1653003201	PIN HEADER.3*2P.180D.(M).2.0mm. DIP.何迪.2000-2WS-2*3	HO-BASE	2000-2WS-2*3	E107536(M) UL94V- 0,Housing UL94V-1,
20	1655306020	(TF)WAFER BOX.6P.180D.(M).2.0mm.W/LOC K DIP.凱迅.1192-700-06SA	CATCH	1192-700-06SA	E132701 UL94V-0,
21	1656304022	(TF)HOUSING.4P.180D.(M).5.08 mm.W/O LOCK.何迪.5082A-WS- 4	HO-BASE	5082A-WS-4	E53898 UL94V- 0,E44716 UL94V-2,
22	1653132220	PCB SKT.32*2P.180D.(F).Holder=11.00 mm P=2.30mm.DIP.凱迅.1232- 251-64	CATCH	1232-251-64	E107536A UL94V-0,
23	1653120225	PCB SKT.20*2P.180D.(F).Holder=11.00 mm P=2.30mm.DIP.凱迅.1232- 251-40	CATCH	1232-251-40	E107536A UL94V-0,
24	1655003023	(TF)WAFER BOX.3P.180D.(M).2.5mm.W/LOC K.DIP.何迪.2503-WS-3	HO-BASE	2503-WS-3	E107536(M) UL94V-0,
25	1652512206	PHONE JACK.12P.90D.(F).RJ45 W/Transformer & LED.SPEED TECH.P26-104-1DC7	SPEED TECH	P26-104-1DC7	E235269,E41960 , UL94V-0,
26	1653006101	PIN HEADER.6*1P.180D.(M).2.0mm. DIP.何迪.2000-1WS-6	HO-BASE	2000-1WS-6	E107536(M) UL94V-0,
27	'1654606306	(TF)MINI- DIN.6P.90D.(F).Receptacle.DIP Slim Type.Artron.13-4101-6-1T-R	Artron	13-4101-6-1T-R	E45587(R) UL94V-0,
28	1654409103	D-SUB CONNECTOR.9P.90D.(M).5.00m m.(MINI SIZE) for RS-232 DIP.何 迪.DRD-9P	HO-BASE	DRD-9P	E107536(M) UL94V-0,
29	1654515308	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).Blue.D IP.凱迅.3125-000-15SB	CATCH	3125-000-15SB	E107536(M) UL94V-0,
30	1653002100	(TF)PIN HEADER.2*1P.180D.(M).2.54mm. DIP	JIH VEI	21B12564- XXS10B-01G-6/3	E107536 UL94V-0,
31	1653003101	PIN HEADER.3*1P.180D.(M).2.0mm. DIP.何迪.2000-1WS-3	HO-BASE	2000-1WS-3	E107536(M) UL94V-0,

32	1653300102	(TF)MINI JUMPER.2.0mm.(BLACK).何迪.MJ-2.0B	HO-BASE	MJ-2.0B	E59481 UL94V-0,
33	1653300101	MINI JUMPER.(RED).何迪.206-BR	HO-BASE	206-BR	E107536(M) UL94V-0,
34	1759100008	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).苙翔.AS-903Q-LF	ADVANCED	AS-903Q-LF	E45587 UL94V-0,
35	1700140510	(TF)CABLE.4P/2.54 HOUSING RCA JACK*3.14P/2.0 HOUSING.51cm.for AUDIO I/O	HO-BASE CATCH	HD-0414-510 1700140510	E77981,E41396(S),E107536(M) UL94V-0,E144392 UL94V-0,E107536(M) UL94V-0,
36	1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	HO-BASE CATCH	@1700060192 A003-114	E119932(S), E107536(M) UL94V-0, UL2725,UL2464, E107536(M) UL94V-0,
37	1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	HO-BASE CATCH	1709100201 1709100201	E101344 VW-1,E107536(M) UL94V-0,E209436,E107536(M) UL94V-
38	1701100207	(TF)Flat Cable.9P DB-SUB Male.10P 2.00mm Pitch Housing.20cm.For PCM-5335(有凸點)	CATCH	1701100207	UL2651 VW-1,E107536(M) UL94V-0,E72332,
39	1701260201	(TF)Flat Cable.25P D-SUB Female.26P 2.00mm Pitch Housing.20cm.For PCM-5335(有凸點)	CATCH	1701260201	UL2651 VW-1,E107536(M) UL94V-0,E72332,
40	1701440500	(TF)Flat Cable.44P 2.0mm Pitch Housing.40P 2.54mm Pitch IDC.40P 2.54mm Pitch IDC.30+20cm	HO-BASE CATCH	@1701440500 A002-012	UL2651 VW-1,E107536(M) UL94V-0,E72332,E107536(M) UL94V-0,
41	1702200205	(TF)Power Cable.20P ATX(M).4P 5.08mm Housing(F).+6P 2.0mm Housing.20cm	HO-BASE CATCH	1702200205 A003-349	E77981(S),E41396(S),E107536(M) UL94V-0,E170689 VW-1,E144392 UL94V-0,E132701 UL94V-0,E108485 ULVW-1,E239329,

42	1701340600	(TF)Flat Cable.34P/2.0mm Pitch/HOUSING.34P/2.54mm Pitch/IDC NO FOLD.60cm	CATCH	A002-010	UL2651 VW-1,E72332,E107536(M) UL94V-0,UL2651 VW-1,E186230,E107536(M) UL94V-0,E186230,
----	------------	--	-------	----------	---