

Model : GENE-A55E-A10-0001

AAEON P/N	Description	Manufacturer	Manufacturer P/N	UL No.
1315971500	(TF)PWR.SMD.SOT-235.2A.90mohm.High-Side Switches with Flag.RICHTEK.RT9715AGBR	RICHTEK	RT9715AGBR	E219878,
16515A2990	(TF)DDR3 SODIMM SKT.SMD.H=6.0mm.204P.STANDARD.1.5V.FOXCONN.AS0A626-JES6-7H	FOXCONN	AS0A626-JES6-7H	E54705,
165251420B	(TF)PHONE JACK.14P.90D.(F).RJ45.W/TF & LED(10/100/1000Base).UDE.RT7-17FAAM1A	UDE	RT7-17FAAM1A	E47960/E59481,
165300310G	(TF)PIN HEADER.3*1P.180D(M).DIP.2.0mm.PINREX.220-96-03GB01	PINREX	220-96-03GB01	E52579,
165300320L	(TF)PIN HEADER.3*2P.180D(M).SMD.2.0mm w/CAP.PINREX.222-97-03GBE1	PINREX	222-97-03GBE1	E52579,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8 series	E107536 UL94V-0,
1653120225	(TF)PCB SKT.20*2P.180D.(F).DIP.Holder=11.00mm.P=3.40mm.CATCH.1232-051-40S	CATCH	1232-051-40S	E107536A UL94V-0,
1653132220	(TF)PCB SKT.32*2P.180D.(F).DIP.Holder=11.00mm.P=3.40mm.CATCH.1232-051-64S	CATCH	1232-051-64S	E107536A UL94V-0,
165320520W	(TF)BOX HEADER.5*2P.180D(M).SMD.2.0mm.Narrow Frame.w/CAP.PINREX.52C-90-10GBE0	PINREX	52C-90-10GBE0	E52579,
165320720G	(TF)BOX HEADER.7*2P.180D(M).SMD.2.0mm.Narrow Frame.w/CAP.PINREX.52C-90-14GBE0	PINREX	52C-90-14GBE0	E52579,
165321320R	(TF)BOX HEADER.13*2P.180D(M).SMD.2.0mm.Narrow Frame.w/CAP.PINREX.52C-90-26GBEF	PINREX	52C-90-26GBEF	E52579,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1.-->JVE 2.-->HO BASE	1.-->27S1001-OPS35-01G 2.-->MJ-2.0B	E59481 UL94V-0E248993 UL V94-0E107536,
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001-OPS35-01G-R	JIH VEI	27S1001-OPS35-01G-R	E59481,
1653300108	(TF)MINI JUMPER.2.0mm.(YELLOW).CATCH.1133-040-02	CATCH	1133-040-02	E107536(M),

Model : GENE-A55E-A10-0001

AAEON P/N	Description	Manufacturer	Manufacturer P/N	UL No.
1653900039	(TF)Compact Flash Header.1.27mm.Right Side Ejector for Type II.J&J.E-CF14-01	J&J	E-CF14-01	E90350,
165392521J	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for Type II.J&J.CF-14A-N4-10L0-C	J&J	CF-14A-N4-10L0-C	E106764,
1654030006	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.w/Reinforcem.PINREX.712-76-30GWE0	PINREX	712-76-30GWE0	E52579,
1654226303	(TF)MiniCard SLOT.52P.90D.(F).SMD.FOXCONN.AS0B226-S68Q-7H	FOXCONN	AS0B226-S68Q-7H	E54705,
1654409103	(TF)D-SUB CONNECTOR.9P.90D.(M).5.00mm.(MINI SIZE) for RS-232 DIP.何迪.DRD-9P	HO-BASE	DRD-9P	E95981,
1654515308	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).Blue.DIP.凱迅.3125-000-15SB	CATCH	3125-000-15SB	E107536(M) UL94V-0,
1654606306	(TF)MINI-DIN.6P.90D.(F).Receptacle.DIP Slim Type.Astron.13-4101-6-1T-R	Astron	13-4101-6-1T-R	E45587(R) UL94V-0,
1654903901	(TF)SIM Card Connector.3P*2.Hinge type.SUNFUN.SMHS-N01(01T)	SUNFUN	SMHS-N01(01T)	E106764,
1654907009	(TF)SATA CONNECTOR.7P.180D(M).SMT.TechBest.007-01-00757	TechBest	007-01-00757	E41938 V-0,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655302025	(TF)WAFER BOX.2P.180D(M).DIP.2.0mm.w/LOCK.PINREX.721-81-02TW00	PINREX	721-81-02TW00	E135714,
1655305025	(TF)WAFER BOX.5P.180D(M).DIP.2.0mm.W/LOCK.PINREX.721-81-05TW00	PINREX	721-81-05TW00	E135714,
1655306026	(TF)WAFER BOX.6P.180D(M).DIP.2.0mm.w/LOCK.PINREX.721-81-06TW00	PINREX	721-81-06TW00	E135714,
1655902034	(TF)WAFER BOX.2P.180D(M).DIP.1.25mm.PINREX.712-71-02TW01	PINREX	712-71-02TW01	E172082,
1655907131	(TF)WAFER BOX.7P.90D(M).SMD.1.0mm.PINREX.710-74-07TW01	PINREX	710-74-07TW01	E41938,

Model : GENE-A55E-A10-0001

AAEON P/N	Description	Manufacturer	Manufacturer P/N	UL No.
1655912032	(TF)WAFER BOX.12P.180D(M).SMD.1.0mm.w/CAP.PINREX.710-73-12TW01	PINREX	710-73-12TW01	E41938,
1656304022	(TF)HOUSING.4P.180D.(M).5.08mm.W/O LOCK.何迪.5082A-WS-4	HO-BASE	5082A-WS-4	E53898 UL94V-0,E44716 UL94V-2,
175011901M	(TF)BATTERY.3V.w/Wire 110mm.MITSUBISHI.Longtrump.CR2032-HAT00(MLF)	Longtrump	CR2032-HAT00(MLF)	MH21249,
1752000501	(TF)FUSE.SMD.15V.0.5A.1206.Littlefuse.1206L050/15	Littlefuse	1206L050/15	E183209,
1752001603	(TF)FUSE.8V.1.1A.SMD.1206.Littelfuse.1206L110THYR	Littelfuse	1206L110THYR	E183209,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
1907A55E01	(TF)PCB.GENE-A55E.Rev.A1.0_0_0.8Layers Green.1*1.146x101x1.8mm	ALLIED CIRCUITS		E171522
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.INVIN	INVIN		E153203,
2099000040	(TF)Blank Label.6*6mm.SMT PLD	UNITECH		MH19503,
M16A55E000	(TF)Metal.Al.Heatsink.50*42*15mm.PMS Black C-17.Rev.0.0.for GENE-A55E	KANG SHUENN		E96146,
P106666250	(TF)Plastic.mylar.LAN Port 36*26 t=0.25mm.for GENE Series	KUAN 1		E74359,