

UL Vender List

Model : GENE-APL5-A02-0001

AAEON P/N	Description	Manufacturer	Manufacturer P/N	UL No.
'1654907009	(TF)SATA CONNECTOR.7P.180D(M).SMT.TechBest.007-01-00757	TechBest	007-01-00757	E41938 V-0,
'1654030006	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.w/Reinfo rcem.PINREX.712-76-30GWE0	PINREX	712-76-30GWE0	E52579,
'1655912032	(TF)WAFER BOX.12P.180D(M).SMD.1.0mm.w/CAP.PINREX.710- H73-125WE1	PINREX	710-H73-125WE1	E41938,
'1655807030	(TF)WAFER BOX.7P.180D(M).SMD.1.0mm.W/Cap.PINREX.710- 73-07TWE6	PINREX	710-73-07TWE6	E90350,
'1655909035	(TF)WAFER BOX.9P.180D(M).SMD.1.0mm.w/CAP.PINREX.710- 73-09TW01	PINREX	710-73-09TW01	E41938,
'1654900800	(TF)Micro SIM Socket.8P.SMD.Hinge Type.REGO.80440GIH-081T-12CL	REGO	.80440GIH-081T- 12CL	E106764,
'1654226303	(TF)MiniCard SLOT.52P.90D.(F).SMD.FOXCONN.AS0B226-S68Q-	FOXCONN	AS0B226-S68Q- 7H	E54705,
'16515A2990	(TF)DDR3 SODIMM SKT.SMD.H=6.0mm.204P.STANDARD.1.5V.FOXCON N.AS0A626-JES6-7H	FOXCONN	AS0A626-JES6- 7H	E54705,
'1752002500	(TF)FUSE.6V.2A.1206.SMD.Littelfuse.1206L200	Littlefuse	1206L200	E183209,
'1752000501	(TF)FUSE.SMD.15V.0.5A.1206.Littelfuse.1206L050/15	Littlefuse	1206L050/15	E183209,
'1752001603	(TF)FUSE.8V.1.1A.SMD.1206.Littelfuse.1206L110THY R	Littlefuse	1206L110THYR	E183209,
'121110336Y	(TF)COIL.3.3uH.20%.SMD.11.5x10.5x4.0mm.DCR=10 .8m ohm.Idc=10Amp.ZenithTek.ZPWM-1040MB- 3R3M	ZenithTek	ZPWM-1040MB- 3R3M	E84081,
'1211147078	(TF)COIL.4.7uH.DCR=305m Ω.Idc=1.27A.30%.SMD.2.5*2.0*1.2 mm.ZenithTek.ZAD-2512MES-4R7N	ZenithTek	ZAD-2512MES- 4R7N	E258243,
'121111007L	(TF)COIL.1uH.25A.2.3mohm.20%.SMD.11.5*10.3*4m m.CYNTEC.PCME104T-1R0MS2R307	CYNTEC	PCME104T- 1R0MS2R307	E174837,
'1211104779	(TF)Coil.0.47uH.DCR=14m Ω.Irms=7Amp.20%.4.5x4x1.8mm.SMD.GOTREND.GS TD4020PE-R47M	GOTREND	GSTD4020PE- R47M	E201757,
'1211102272	(TF)COIL.0.22uH.DCR=2.8mohm.Idc=23Amp.20%.SM D.6.95x6.6x2.8mm.CYNTEC.PCMB063T-R22MS	CYNTEC	PCMB063T- R22MS	E174837,
'121110226X	(TF)COIL.2.2uH.Idc=8A.DCR=13.5mohm.20%.6.8x7.3 x3.0mm.2P.SMD.CYNTEC.PCMB063T-2R2MS	CYNTEC	PCMB063T- 2R2MS	E174837,
2099000040	(TF)Blank Label.6*6mm.SMT PLD	精聯		MH19503,
'175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
'1655306026	(TF)WAFER BOX.6P.180D(M).DIP.2.0mm.w/LOCK.PINREX.721- 81-06TW00	PINREX	721-81-06TW00	E135714,

UL Vender List

Model : GENE-APL5-A02-0001

AAEON P/N	Description	Manufacturer	Manufacturer P/N	UL No.
'1655305025	(TF)WAFER BOX.5P.180D(M).DIP.2.0mm.W/LOCK.PINREX.721-81-05TW00	PINREX	721-81-05TW00	E135714,
'1655302025	(TF)WAFER BOX.2P.180D(M).DIP.2.0mm.w/LOCK.PINREX.721-81-02TW00	PINREX	721-81-02TW00	E135714,
'1652602105	(TF)TERMINAL.2P*1.90D(M).DIP.Pitch=5.0mm.BLOCK.w/ L(+) & R(-) MARK.DINKLE.DT-126VP-S2016002P	DINKLE	DT-126VP-S2016002P	E102914,
'1655910032	(TF)WAFER BOX.10P.180D(M).DIP.1.25mm.PINREX.712-71-10TW01	PINREX	712-71-10TW01	E172082,
'1655909034	(TF)WAFER BOX.9P.180D(M).DIP.1.25mm.PINREX.712-71-09TW01	PINREX	712-71-09TW01	E172082,
'165321320Q	(TF)BOX HEADER.13*2P.180D(M).DIP.2.0mm.Narrow Frame.PINREX.52A-90-26GB00	PINREX	52A-90-26GB00	E52579,
'1655905038	(TF)WAFER BOX.5P.180D(M).DIP.1.25mm.PINREX.712-71-05TW01	PINREX	712-71-05TW01	E172082,
'1655003016	(TF)WAFER.3P.180D(M).DIP.2.54mm.PINREX.742-81-03TW00	PINREX	742-81-03TW00	E135714,
'1654818301	(TF)USB3.0 CONNECTOR.DUAL PORT.18P.90D(F).Contek.UDNFA199N-AY-00-A	Contek	UDNFA199N-AY-00-A	E90350,
'165251420B	(TF)PHONE JACK.14P.90D.(F).RJ45.W/TF & LED(10/100/1000Base).UDE.RT7-17FAAM1A	UDE	RT7-17FAAM1A	E47960/E59481,
'165440910N	(TF)D-SUB CONNECTOR.9P.90D.(M).DIP.for RS-232.TechBest.HRDR09M-1905P-2	TechBest	HRDR09M-1905P-2	E59481,
'1654401935	(TF)HDMI CONN.19P.90D(F).DIP.1.5mm.ASTRON.3660019-002-R	ASTRON	3660019-002-R	E54705,
'1655902034	(TF)WAFER BOX.2P.180D(M).DIP.1.25mm.PINREX.712-71-02TW01	PINREX	712-71-02TW01	E172082,
'1654415308	(TF)D-SUB CONNECTOR.15P.90D(F).DIP.SLIM TYPE.BLUE.ASTRON.1760015-051-R	ASTRON	1760015-051-R	E59481,
'165300320K	(TF)PIN HEADER.3*2P.180D(M).DIP.2.0mm.PINREX.220-97-03GB01	PINREX	220-97-03GB01	E52579,
'165300310G	(TF)PIN HEADER.3*1P.180D(M).DIP.2.0mm.PINREX.220-96-03GB01	PINREX	220-96-03GB01	E52579,
'165300520X	(TF)PIN HEADER.5*2P.180D(M).DIP.2.0mm.PINREX.220-97-05GB01	PINREX	220-97-05GB01	E52579,
'1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001-0PS35-01G-R	JIH VEI	27S1001-0PS35-01G-R	E59481,

Date : 2016/12/23

UL Vender List



Model : GENE-APL5-A02-0001

AAEON P/N	Description	Manufacturer	Manufacturer P/N	UL No.
'165330010E	(TF)MINI JUMPER.2.0mm.(Black).PINREX.200-72-PBGB03	PINREX	200-72-PBGB03	E59481,
'165330010G	(TF)MINI JUMPER.2.0mm.(YELLOW).PINREX.200-72-PBGY0B	PINREX	200-72-PBGY0B	E59481,
175011301C	(TF)BATTERY.Li.3V.210mAh.w/Wire 150±5mm.MAXELL.Battery Power.BP-CR2032-M150-002	金射仕	BP-CR2032-M150-002	MH12568/E29179/E108485/E74020/E255394/MH16329,
'1655306027	(TF)WAFER BOX.6P.180D(M).DIP.2.0mm.w/LOCK.PINREX.725-81-06TW08	PINREX	725-81-06TW08	E130155,