

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
175910000A	Buzzer.SMD.5V.80mA.90dB.KINGSTATE.KSS-J5D26	KINGSTATE	KSS-J5D26	E194246 UL94V-2
1653925216	Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016-0140-004	SPEED TECH	N016-0140-004	E192672 UL94V-0,
1654030000	Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm W/	Hirose	DF13-30DP-1.25V	E172082(M) UL94V-0,
1214309002	Common Choke.4P.90 Ohm(100Mhz) 2.0*1.2mm SMD.永馳.YFD2012T#900S	YOUTH	永馳.YFD2012T#900S	E84081(S),
1211103367	COIL.3.3uH 6.4A.20%.SMD.永馳.YC0804-3R3	YOUTH	YC0804-3R3	E201757,
1654262300	MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0A226-S6	FOXCONN	AS0A226-S6	E93750 UL94V-0,
1752311000	PolySwitch.6V.1.1A.(Max 40A).Raychem.miniSMDC110-2	Raychem	miniSMDC110-2	E74889
1651203291	IC SKT PLCC.SMD.32P(9P*7P).PRECI-DIP.540-99-032-17-400	PRECI-DIP	540-99-032-17-400	E107536(M) UL94V-0,
16515A0993	DDR SODIMM SKT.SMD.200P.H=6.5mm.FOXCONN.AS0A426-B6S-	FOXCONN	AS0A426-B6S-TR	E93750
16515A0995	DDR SODIMM SKT.SMD.200P.H=6.5mm.FOXCONN.AS0A426-B6R-	FOXCONN	AS0A426-B6R-TR	E93750,
1907810A02	PCB.HSB-810A.Rev.A1.0.8Layers Green	HIPER	1907810A02	E224709
1651609990	ZIF mPGA479M SKT.SMD.for PENTIUM-M.FOXCONN.PZ47903-2741-01	FOXCONN	PZ47903-2741-01	UL94V-0,
1653213203	BOX HEADER.13*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-26S	CATCH	1147-000-26S	E52579(M) UL94V-0,
1655420020	ATX POWER CONNECTOR.10P*2.DIP.凱迅.1121-700-20S	CATCH	1121-700-20S	E41938(M) UL94V-0,UL94V-2,
1655404020	ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S	CATCH	1121-700-04S	E41938(M) UL94V-0,
1963810A00	Breaket.3 USB/VGA/LAN.for HSB-810A	HIPER	1963810A00	E224709
1750119013	Battery.DIP.3V.RAYOVAC.BR2335T3L	RAYOVAC	BR2335T3L	MH12542
1655003022	WAFER BOX.3P.180D.(M).2.54mm W/LOCK DIP.凱迅.1191-700-03S	CATCH	1191-700-03S	E41938(M) UL94V-0,
1653005205	PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP.何迪.209-2X5GS W/O 9	HOTEK	209-2X5GS W/O 9	E107536(M) UL94V-0,
1654606200	MINI DIN RECEPT TABLE.6P.90D.(F).W/SPRING DIP.康祐.MAL306101G401	CONTeK	MAL306101G401	E149581 UL94V-0,
1655005021	WAFER BOX.5P.180D.(M).W/LOCK.何迪.2503-WS-	HOTEK	2503-WS-5B	UL94V-0,
1653002100	PIN HEADER.2*1P.180D.(M).2.54mm.DIP.何迪.205-1*XGS SERIES	HOTEK	205-1*XGS SERIES	E107536(M), UL94V-0,
1653205203	BOX HEADER.5*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-10S	CATCH	1147-000-10S	E52579(M) UL94V-0,
1655003010	WAFER.3P.180D.(M).2.54mm.DIP.凱迅.1190-700-03S	CATCH	1190-700-03S	E41938(M) UL94V-0,
1653300100	MINI JUMPER.(YELLOW).何迪.206-BY	HOTEK	206-BY	E107536(M) UL94V-0,
1653004200	PIN HEADER.4*2P.180D.(M).2.54mm.DIP.何迪.201-2*NGS(R)	HOTEK	201-2*NGS(R)	E107536(M) UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653220208	BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
1653300101	MINI JUMPER.(RED).何迪.206-BR	HOTEK	206-BR	E107536(M) UL94V-0,
1653002101	PIN HEADER.2*1P.180D.(M).2.0mm.DIP.何迪.2000-1WS-2	HOTEK	2000-1WS-2	E107536(M) UL94V-0,Housing UL94V-1,
1653003100	PIN HEADER.3*1P.180D.(M).2.54mm.DIP.何迪.205-1*XGS SERIES	HOTEK	205-1*XGS SERIES	E107536(M) UL94V-0,
1652508212	PHONE JACK.8P.90D.(F).RJ45 W/Transformer & LED.BOTHHAND.LU1T516-43	BOTHHAND	LU1T516-43	E105888 UL94V-0,E174837,E130155 (M) UL94V-0,E56742,E201362 UL94V-0,
1653217205	BOX HEADER.17*2P.180D.(M).2.54mm.DIP W/O PIN5.凱迅.1137-000-34SA	CATCH	1137-000-34SA	E107536A UL94V-0,
1654804100	USB CONNECTOR SINGLE PORT.Upright.4P.90D(M).何迪.KS-001V-ANW	HOTEK	KS-001V-ANW	E107536(M) UL94V-0,
1653005201	PIN HEADER.5*2P.180D.(M).2.0mm.DIP.何迪.2000-2WS-2*5	HOTEK	2000-2WS-2*5	E107536(M) UL94V-0,
1654515308	D-SUB H/D CONNECTOR.15P.90D.(F).Blue.DIP.凱迅.3125-000-15SB	CATCH	3125-000-15SB	E107536(M) UL94V-0,
1653900034	Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003-0011-100	SPEED TECH	N003-0011-100	E192672 UL94V-0,
1701340704	Flat Cable.34P.70cm.GRAY for FDD	CATCH	A003-246	E107536(M) UL94V-0,UL2651 VW-1,
1701400453	Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100.凱迅.B016-009-2	CATCH	B016-009-2	UL2678,E101344(S),
1700060192	Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	CATCH	A003-114	E119932(S), E107536(M) UL94V-0, UL2725,UL2464, E107536(M) UL94V-0,
1701260307	Flat Cable.9P/DB9P MALE&25P DB25P FEMALE.10P 2mm&26P 2mm/IDC NO FOLD.30cm.W/BKT.凱迅.A002-015	CATCH	A002-015	UL2651 VW-1,E72332,E107536(M) UL94V-0,
1759200156	CPU Cooler FAN + Heat Sink.3P 12V 60*60*23mm.for MPC-8890.菲林.D6012A610HA	DATAGUARD	D6012A610HA	E199993 UL94V-0
1701100305	Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	A002-014	UL2651,E72332,E107536(M) UL94V-0,E209329 ULVW-1,E107536(M) UL94V-0,E212834,E56070(S) UL94HB,E186230,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1703030501	Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm	ALLKING	RD3489	E191023 UL1007
	Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm	CATCH	A003-232	E170689 VW-1,E41797(M),E144392 UL94V-0,E108485(S) VW-1,E132701 VW-1,E108485(S) ULVW-1,E191023,
1709100201	Usb Cable.20cm2.0mm.W/Bracket	VSO	A0315-00650-002	UL2725
	Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E35586(S),E101344 VW-1,E107536(M) UL94V-0,