

P/N	DESCRIPTION	MAKER	PART NO.	UL NO.
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
1701340702	(TF)Flat Cable.34P.70cm.GRAY 5.25"&3.5"FDD P-2.0mm.何迪	HO-BASE	1701340702	UL2651 VW-1,E107536(M) UL94V-0,E169615(T),
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V-0,E101344,
1701010302	(TF)Flat Cable.1S/1P.D-SUB W/BRACKET 26-25 10-9 2P	CATCH	1701010302	UL2651,E107536(M) UL94V- 0,UL2651 VW-1,E144392 UL94V-0,E107536(M) UL94V- 0
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	CATCH	A003-114	E119932(S), E107536(M) UL94V-0, UL2725,UL2464, E107536(M) UL94V-0,
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E101344 VW-1,E107536(M) UL94V-0,E209436,E107536(M) UL94V-0 ,
1701100305	(TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	1701100305	UL2651,E72332,E107536(M) UL94V-0,E209329 ULVW- 1,E107536(M) UL94V- 0,E212834,E56070(S) UL94HB,E186230,
P90657B000	(TF)Plastic.Nylon.CF Disk Cover.for SBC- 657-B	延順	P90657B000	E41871,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	HO-BASE	MJ-2.0B	E59481 UL94V-0,
1759100006	(TF)Buzzer.SMD.3.3V.80mA.90dB.KINGS TATE.KSSGJ4D20	KINGSTATE	KSSGJ4D20	E59481,
1653005202	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.SMD.W/ CAP.Astron.27-24041-205-1G-TB1-R	Astron	.27-24041- 205-1G-TB1- R	E52579(M) UL94V-0,
1653010203	(TF)PIN HEADER.10*2P.180D.(M).2.0mm.SMD.W /Cap.Astron.27-24041-210-1G-TB1-R	Astron	27-24041-210- 1G-TB1-R	E52579(M) UL94V-0,
1653009201	(TF)PIN HEADER.9*2P.180D.(M).2.00mm.SMD.W /Cap.Astron.27-24041-209-1G-TB1-R	Astron	27-24041-209- 1G-TB1-R	E52579(M) UL94V-0,
1651572990	(TF)SO DIMM SKT.SMD.144P.Height=5.6mm.AMP.3901 12-1	AMP	390112-1	E28746(M),UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO.
1653003202	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.SMD.W/ Cap.Astron.27-24041-203-1G-TB1-R	Astron	27-24041-203- 1G-TB1-R	E52579 UL94V-0,E391376 UL94V-0,
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004	SPEED TECH	N016@0140- 004	E192672,
1654040001	(TF)Board-Wire Connector.40P.180D(M).SMD.Pitch=1.25m m.W/Reinforcem.SPEED TECN.W01@103-403M	SPEED TECN	W01@103- 403M	E192672,
1654020001	(TF)Board-Wire Connector.20P.180D(M).SMD.Pitch=1.25m m.W/Reinforcem.SPEED TECN.W01@103-203M	SPEED TECN	W01@103- 203M	E192672,
1752310000	(TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2	TYCO	miniSMDC11 0F-2	E74889,
1750220320	(TF)Battery Holder.CR2032.LOTES.KB6615BP5L	LOTES	KB6615BP5L	E59481,
165451530A	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).DIP.凱 迅.3125-000-15SN	CATCH	3125-000- 15SN	E125354(M) UL94V-0,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020- 40SA	E107536(A) UL94V-0,
1655003000	(TF)WAFER.3P.180D.(M).2.54mm.DIP.何 迪.A2543WV2-3P	HO-BASE	A2543WV2- 3P	E144544,
1654606303	(停產)MINI-DIN Receptacle.6P.90D.(F).DIP Slim Type.CANNON.PDMLD-060-0	CANNON	PDMLD-060- 0	E52579(M) UL94V-0,
1653213203	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.DIP.凱 迅.1147-000-26S	CATCH	1147-000-26S	E132701 UL94V-0 ,
1653005100	(TF)PIN HEADER.5*1P.180D.(M).2.54mm.DIP	JVE	21B12564- XXS10B- 01G-6/3 series	E107536 UL94V-0,
1653005200	(TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP	JVE	21B22504- XXS10B- 01G-6/3-VXX series	E107536 UL94V-0,
1652512203	(TF)PHONE JACK.12P.90D.(F).DIP RJ45 with LED.SPEED TECH.P51-A03-21P9	SPEED TECH	P51-A03-21P9	E52579(M) UL94V-0,E221850,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO.
1654409103	(TF)D-SUB CONNECTOR.9P.90D.(M).5.00mm.(MINI SIZE) for RS-232 DIP.何迪.DRD-9P	HO-BASE	DRD-9P	E95981,
1653132220	(TF)PCB SKT.32*2P.180D.(F).Holder=11.00mm P=3.40mm.DIP.凱迅.1232-251-64	CATCH	1232-251-64	E107536A UL94V-0,
1653120225	(TF)PCB SKT.20*2P.180D.(F).Holder=11.00mm P=3.40mm.DIP.凱迅.1232-251-40	CATCH	1232-251-40	E107536A UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1750119011	(TF)BATTERY.3V.200mA.SONY.CR2032	SONY	CR2032	MH12566,
1653005101	(TF)PIN HEADER.5*1P.180D.(M).2.00mm.DIP	JVE	21B12050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP. 何迪.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V-0,E44716 UL94V-2,
1655304020	(TF)WAFER BOX.4P.180D.(M).2.0mm.W/LOCK DIP. 凱迅.1192-700-04S	CATCH	.1192-700-04S	E132701 UL94V-0,
1655306020	(TF)WAFER BOX.6P.180D.(M).2.0mm.W/LOCK DIP. 凱迅.1192-700-06SA	CATCH	1192-700- 06SA	E132701 UL94V-0,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011- 100	E192672,2352699(E),
121110276B	(TF)COIL.2.7uH.DIP WIRE SIZE 1.2mm. 高創.C5052P-12A08YDPT.Sleeve Plastic	高創	C5052P- 12A08YDPT	E218438,E75077,E84081,
1653017202	(TF)PIN HEADER.17*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1655417020	(TF)ATX POWER CONNECTOR.10P*2.180D(M).DIP.W/O 1&2&11 pin.凱迅.1121-700-20SA	CATCH	1121-700- 20SA	E132701 UL94V-0,