

P/N	DESCRIPTION	MAKER	PART NO.	UL NO.
1907915A03	(TF)PCB.ECB-915A.Rev.A1.0.4 Layers Green	K-BRIDGE		E120558
16540M0200	(TF)Board-Board Connector.220P.180D(F).SMD.Pitch=0.5mm.AMP.3-6318491-6	AMP	3-6318491-6	E28476 ,
1653926110	(TF)EXPRESS CARD CONNECTOR.26*1P.90D.SMD.1mm.f or TYPE II /NORMAL.FOXCONN.1CH4110C	FOXCONN	1CH4110C	E93750,
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004	SPEED TECH.	N016@0140-004	E192672,
1654262300	(TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN. AS0B126-S99N-4F	FOXCONN	AS0B126-S99N-4F	E93750 UL94V-0,
1654030001	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinforcem.SPEED TECN.W01@103-303M	SPEED TECN	W01@103-303M	E192672,
1750220320	(TF)Battery Holder.CR2032.LOTES.KB6615BP5L	OTES	KB6615BP5L	E59481,
1759100002	(TF)Buzzer.DIP.40mA.85dB P- P=6.5mm.志豐.KCG1206-DS	志豐	KCG1206-DS	E194246 UL94V-2,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011-100	E192672,2352699(E),
1750119011	(TF)BATTERY.3V.200mA.SONY.CR2 032	SONY	CR2032	MH12566,
1653005206	(TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP .凱迅.1130-010-10S	CATCH	1130-010-10S	E107538 (M) UL 94V-0,
1655420020	(TF)ATX POWER CONNECTOR.10P*2.180D.DIP.凱 迅.1121-700-20S	CATCH	1121-700-20S	E132701 UL94V-0,
1655004020	(TF)WAFER BOX.4P.180D.(M).2.5mm.W/LOCK DIP.凱迅.1191-700-04S	CATCH	1191-700-04S	E119177(M) UL94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G- 4/2.8 series	E107536 UL94V-0,
1653217202	(TF)BOX HEADER.17*2P.180D.(M).2.54mm.DI P.凱迅.1137-000-34S	CATCH	1137-000-34S	E107536(A) UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO.
1653006100	(TF)PIN HEADER.6*1P.180D.(M).2.54mm.DIP	JVE	21B12564- XXS10B-01G- 6/3 series	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G- 4/2.8 series	E107536 UL94V-0,
1653004201	(TF)PIN HEADER.4*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G- 4/2.8 series	E107536 UL94V-0,
1654549502	(TF)D-SUB CONNECTOR DUAL PORT.90D.DIP.鴻海.DM11351-PV5- 4F	FOXCONN	DM11351-PV5- 4F	E205196,
1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP. 凱迅.1147-000-10S	CATCH	1147-000-10S	E132701 UL94V-0 ,
1653007201	(TF)PIN HEADER.7*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G- 4/2.8 series	E107536 UL94V-0,
1653900036	(TF)EXPRESS CARD CONNECTOR.0Pin.Ejector for TYPE II.FOXCONN.1CX41101	FOXCONN	1CX41101	E93750,
1654282201	(TF)SLOT PCI EXPRESS.82*2P.180D(F).DIP.TECHB EST.WPCS-164AN1B22UWR	TECHBEST	WPCS- 164AN1B22UW R	E135714,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DI P.凱迅.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1652517200	(TF)PHONE JACK.17P.90D(F).DIP.TRIPLE STACK EARPHONE JACK.SPEED TECH.P18-L10-0006(LEAD FREE)	SPEED TECH	P18-L10-0006	E235269,E47960,
1654612304	(TF)MINI DIN.6/6P.90D(F).DIP.Kb/Ms for PC99 CONNECTOR.CONTEK.MBN2661F2 G401	CONTEK	MBN2661F2G40 1	E130155(M) UL94V-0,
1653013200	(TF)PIN HEADER.13*2P.180D.(M).2.54mm.DI P	JVE	21B22564- XXS10B-01G- 6/3-VXX series	E107536 UL94V-0,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DI P W/O PIN20(Blue).凱迅.1137-020- 40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
1653010200	(TF)PIN HEADER.10*2P.180D.(M).2.54mm.DI P	JVE	21B22564- XXS10B-01G- 6/3-VXX series	E107536 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO.
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B-01G- 4/2.8 series	E107536 UL94V-0,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	HO-BASE	MJ-2.0B	E59481 UL94V-0,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002- OPS60B-01G-Y	E107536(M) UL94V- 0,E59481,
1654218202	(TF)SLOT.36P.180D.(F).PCI-Ex1 DIP.SPEED TECH.P90-P21-1128	SPEED TECH	P90-P21-1128	E44716 UL94V-0,
1654907000	(TF)SATA CONNECTOR.7P.180D(M).FOXCON N.LD1807F-S13P	FOXCONN	D1807F-S13P	E93750 UL94V-0 ,
1601123000	(TF)SWITCH.4P.DIP.TACT.威 祈.1102	SWITCHTEC H ENTERPRISE	1102	E41797,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP	JVE	27-01031XX-1G Series	E107536 UL94V-0,
1654260207	(TF)SLOT.60*2P.180D.(F).DIP.FOXC ONN.EH06001-HHW-DF	FOXCONN	EH06001-HHW- DF	E172082,E93750,
1652522203	(TF)PHONE JACK.22P.90D.(F).RJ45+USB STACK 2.0 W/LED W/TF.UDE.RU1- 161A1Z1E	UDE	RU1-161A1Z1F	E130155,E235269,E4796 0,
1652522202	(TF)PHONE JACK.22P.90D.(F).RJ45\GIGA W/LED&TF & USB.UDE.RU1- 161A9WGF	UDE	RU1-161A9WGF	E235269,E47960,
1701100207	(TF)Flat Cable.9P DB-SUB Male.10P 2.00mm Pitch Housing.20cm.For PCM- 5335(有凸點)	CATCH	1701100207	UL2651 VW- 1,E107536(M) UL94V- 0,E72332,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	1701400453	E107536(M) 94V- 0,E101344,
1709070780	(TF)SATA CABLE.7P Pitch 1.27mm.78cm	CATCH	A003-217	E119932,E179065 VW- 1,E118289 UL94V- 0,E101344,E83005(M) UL94V-0,
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E101344 VW- 1,E107536(M) UL94V- 0,E209436,E107536(M) UL94V-0 ,