

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211000180	(TF)COIL.1uH.+/- 20%.SMD.7.3*6.8*3.0mm.DCR=9mohm.Irms=11Amp.G OTREND.GSTC063P-1R0MN	GOTREND	GSTC063P- 1R0MN	E84081,
121110100R	(TF)COIL.10uH.20%.DCR=21.6mOhm.Idc=5.4A.12x12x 8mm.SMD.GOTREND.GSDRH-127-P-T-100M	GOTREND	GSDRH-127-P- T-100M	E218438/ E84081,
121110336H	(TF)COIL.3.3uH.SMD.13.8*12.8*5.0mm.DCR=7.7m ohm.Irms=15Amp.GOTREND.GSTC135P-3R3MF	GOTREND	GSTC135P- 3R3MF	E218438, E84081,
121110336L	(TF)COIL.3.3uH.SMD.7.3*6.8*3.0mm.DCR=28m ohm.Irms=6Amp.GOTREND.GSTC063P-3R3MN	GOTREND	GSTC063P- 3R3MN	E84081,
1214309000	(TF)Common Choke.4P.90 Ohm(100Mhz) 3.2*1.2mm SMD.GOTREND.GTHW3216PE-900T	GOTREND	GTHW3216PE- 900T	E840811,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-PB	RICHTEK	RT9702A-PB	E219878,
1601123000	(TF)SWITCH.4P.DIP.TACT.威祈.1102	SWITCHTECH	1102	E41797,
1601TC0020	(TF)Push Switch.2P.SMD.12V DC.50mA.W/LED.Well Buying.TC001-N11AAAUBUY	Well Buying	TC001- N11AAAUBU	E53829,
1601TS0500	(TF)Switch.4P.SMD.TACT.HCH.STS-05	HCH	STS-05	E91944 V-0
1603129000	(TF)SlideSwitch.3P.SMD.4V.0.3A.SWITCHTECH.1290 APL	SWITCHTECH	1290APL	E41938,
1651203291	(TF)IC SKT PLCC.SMD.32P(9P*7P).PRECI- DIP(LEASONIC).PLCC-L-32F-9-D	PRECI-DIP(LEASONIC)	PLCC-L-32F-9- D	E53829,
165250520B	(TF)PHONE JACK.5P.90D.(F).EAR DIP.PINK.With Plug in detection.TACT.C1F2R1-560-R	TACT	C1F2R1-560-R	E59481/E 132701,
165250520C	(TF)PHONE JACK.5P.90D.(F).EAR DIP.LIME.With Plug in detection.TACT.C1F2R1-570-R	TACT	C1F2R1-570-R	E59481/E 132701,
1652514209	(TF)PHONE JACK.14P.90D.(F).RJ45 W/TF & LED(GIGA LAN).UDE.RT1-165AAK1A	UDE	RT1- 165AAK1A	E47960,E 59481,
1652903100	(TF)DC JACK.3Pin.90D.(M).2.5mm.HO-BASE.KD-014- L	HO-BASE	KD-014-L	E107536(M) UL94V- 0,E59481,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JIH VEI	21B12050- XXS10B-01G- 4/2.8	E107536 UL94V- 0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JIH VEI	21B22050- XXS10B-01G- 4/2.8	E107536 UL94V- 0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
165300420L	(TF)PIN HEADER.4*2P.180D.(M).1.27mm.SMD.W/Cap.Astron.2 7-44041-204-2G-TB1R	Astron	27-44041-204- 2G-TB1R	E52579(M) 94V- 0,
165320520C	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.SMD.CATCH.1147- 000-10MSP	CATCH	1147-000- 10MSP	E52579(M) 94V- 0,
1653222208	(TF)BOX HEADER.22*2P.180D.(M).2.0mm.W/Cap SMD.CATCH.1147-000-44MP	CATCH	1147-000- 44MP	E132701 UL94V-0 ,
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001- 0PS35-01G-R	JIH VEI	27S1001- 0PS35-01G-R	E59481,
1653300108	(TF)MINI JUMPER..2.0mm.(YELLOW).CATCH.1133- 040-02	CATCH	1133-040-02	E107536(M),
1653925210	(TF)COMPACT FLASH HEADER.25P*2.90D.SMD for SanDisk.3M.N7E50-7516PK-20	3M	N7E50- 7516PK-20	E68080,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinfor cem.E-call.0110-01-553-300	E-call	0110-01-553- 300	E113875,
1654040003	(TF)Board-Wire Connector.40P.180(M).SMD.Pitch=1mm.CATCH.1204- 710-40SM	CATCH	1204-710- 40SM	E52579(M),
1654040003	(TF)Board-Wire Connector.40P.180(M).SMD.Pitch=1mm.CATCH.1204- 710-40SM	CATCH	1204-710- 40SM	E52579(M),
16540M0203	(TF)Board-Board Connector.220P.180D(F).SMD.Pitch=0.5mm.Height=5m m.Foxconn.QT002206-2131-9F	Foxconn	QT002206- 2131-9F	E54705,
1654226301	(TF)MINIPCI SLOT.52P.90D(F).SMD.H=5.6mm.FOXCONN.AS0B22 6-S56N-7F	FOXCONN	AS0B226- S56N-7F	E93750,
165440910H	(TF)D-SUB CONNECTOR.9P.90D.(M).5.08mm.(MINI SIZE) for RS-232 DIP.CATCH.3115-000-09PN	CATCH	3115-000-09PN	E59481,
1654430301	(TF)D-SUB DVI Connector.30P.90D(F).DIP.Astron.2560029-060-R	Astron	2560029-060-R	E109088(M),
1654804305	(TF)USB CONNECTOR SINGLE PORT.4P.90D.(F).Astron.22-0202N-4W-1T-R	Astron	22-0202N-4W- 1T-R	E204143 UL94 V- 0,
1654904301	(TF)FFC/FPC Connector.4P.90D.(F).1.0mm.SMD.Molex.52207-0485	Molex	52207-0485	E29179,

TF-ECB-951D-A10

DATE: 11-May-09

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1654907005	(TF)SATA CONNECTOR.7P.180D.(M).SMD.ASTRON.97-0916-7-	ASTRON	97-0916-7-R	E47960,
1654909332	(TF)CONN.9P.90D.(F).SMD.SANDA.01035097L28	SANDA	01035097L28	E48285 v-2,
1654920301	(TF)SD/MMC Connector.20P.90D.(F).SMD.TOP Mount.P/P Type.TAISOL.156-3000000901	TAISOL	156- 3000000901	E106764,
1654926901	(TF)MINIPCI express CLIP.52P.H=5.6mm.SMT.Right.PORT.FOXCONN.AS0 B226-S56K-7F	FOXCONN	AS0B226- S56K-7F	E93750,
1654930305	(TF)FPC/FFC Connector.30P.90D(F).SMD.Pitch 0.5mm.E-call Enterprise.0951-01-109-300	E-call	.0951-01-109- 300	E1799987 ,
1655004011	(TF)WAFER.4P.180D.(M).2.5mm.W/LOCK POWER DIP.何迪.P201-04	HO-BASE	P201-04	E94662(T)E48285 C,
1655302020	(TF)WAFER BOX.2P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-02S	CATCH	1192-700-02S	E132701 UL94V-
1655303020	(TF)WAFER BOX.3P.180D.(M).2.00mm.W/LOCK DIP. 凱迅.1192-700-03S	CATCH	1192-700-03S	E132701 UL94V-
1655306023	(TF)WAFER BOX.6P.180D(M).2.0mm.W/LOCK DIP. 何迪.2005-2WS-6	HO-BASE	2005-2WS-6	E107538(M),
1655307022	(TF)WAFER BOX.7P.180D.(M).2.0mm.DIP.HO- BASE.2001-WS-07-LF	HO-BASE	2001-WS-07- LF	E182056,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201- 700-02S	CATCH	1201-700-02S	E119177 (M) UL94V-
1655902130	(TF)WAFER BOX.2P.90D.(M).1.0mm.SMD.CATCH.1204-700-02RM	CATCH	1204-700- 02RM	E52579(M),
1655905130	(TF)Wafer Box.5P.90D(M).SMD.1.0mm.CATCH.1204- 700-05RM	CATCH	1204-700- 05RM	E52579(M),
1655910130	(TF)Wafer Box.10P.90D(M).SMD.1.0mm.CATCH.1204- 700-10RM	CATCH	1204-700- 10RM	E52579(M),
1655910130	(TF)Wafer Box.10P.90D(M).SMD.1.0mm.CATCH.1204- 700-10RM	CATCH	1204-700- 10RM	E52579(M),
1700060152	(TF)Cable.6P 2.0mm Housing.W/O NOSE.6P MDM-6S KB&MS.15cm	CATCH	A003-288	E48702(S)E75077 ULVW- 1,E13270 1 UL94V-

TF-ECB-951D-A10

DATE: 11-May-09

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1701440184	(TF)IDE Cable.44pin(2.0mm.Housing).44pin(2.0mm.IDC).18cm.w ith 防呆凸點	CATCH	A003-461	E186075, E162747, E206838,
1702151201	(TF)Power Cable.4P 2.5mm Housing.15P SATA (F).12cm.for FWS-2150	CATCH	A003-608	E206838, E108485,
1703100260	(TF)Push button Cable.10P 1.0mm Housing.to 10P 1.0mm Housing.26cm	CATCH	A003-694	E206838/ E108485,
170340030F	(TF)LCD Cable.40P 1.0mm SDVO.30cm.for EMB- 9458T	lcdcable	170340030F	E186792/ E214382/ E203950,
1709070500	(TF)SATA CABLE.7P Pitch 1.27mm.50cm	CATCH	A003-308	E107550 UL94V- 0,E17788 2 VW- 1,E74020 VW- 1,E10134 4,E83005 (M) UL94V- 0
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8- LF	MH12568 (N),E255 532,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
1757306502	(TF) Adaptor.100/240V.AC.19V/3.42A.65W.FSP.FSP065-	FSP	FSP065-AAC	E190414,
1759100002	(TF)Buzzer.DIP.40mA.85dB P-P=6.5mm.志 豐.KCG1206-DS	KINGSTATE	KCG1206-DS	E194246 UL94V-
1907951D03	(TF)PCB.ECB-951D.Rev.A1.0.6 Layers Green	K-BRIDGE		E120558
1907V03B01	(TF)PCB.PER-V03B.Rev.A1.0.4Layers Green	HIPER		E224709
1907Y01601	(TF)PCB.IO Board.PER-Y016.Rev.A0.2.2Layers Green	K-BRIDGE		E120558
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.益鋒.PAD 15*15*1T	INVIN	PAD 15*15*1T	E153203,
9681951D00	(TF)Cable Kit.for ECB-951D	CATCH	A003-737	E186075, E162747, E206838,