

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
121110010Y	(TF)COIL.1uH.+/-25%.DCR=0.08Ohm.Idc=20A.Wire Size=0.6*3mm*7.5TS.DIP.GOTREND.C5008P-06C07YDPS	GOTREND	C5008P-06C07YDPS	E218438,
1211100964	(TF)INDUCTOR.0.9uH.30%.DCR=18mOhm 18A.10*20mm.GOTREND.GRB0620P-15A05YDP	GOTREND	GRB0620P-15A05YDP	E218438,
121110336E	(TF)COIL.3.3uH.DCR=10mOhm.Isat=12A.+/-20%.12.95*9.4*11.43mm.SMD.GOTREND.GDO0810P-3R3M	GOTREND	GDO0810P-3R3M	E218438,E84081,
1211106802	(TF)COIL.0.68uH.+/-20%.SMD.13.8*12.8*3.5mm.DCR=2.5m Ohm.Idc=28A.GOTREND.GSTC133P-R68MF	GOTREND	GSTC133P-R68MF	E84081,
1214309006	(TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm .SMD.GOTREND.GTHW2012PE-900T	GOTREND	GTHW2012PE-900T	E218438 / E84081,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-PB	RICHTEK	RT9702A-PB	E219878,
1651203291	(TF)IC SKT PLCC.SMD.32P(9P*7P).PRECI-DIP(LEASONIC).PLCC-L-32F-9-D	PRECI-DIP(LEASONIC)	PLCC-L-32F-9-D	E53829,
16515C0492	(TF)DDR2 SKT.DIP.240P.FOXCONN.AT24017-H3B-4F	FOXCONN	AT24017-H3B-4F	E93750,
1651614921	(TF)ZIF SKT.SMD.940P.for AMD.Athlon.Foxconn.PZ94026-3166-01F	Foxconn	PZ94026-3166-01F	E93750,
1652517203	模具損壞請改用1652517201,(TF)PHONE JACK.17P.90D(F).DIP.HD Audio.TRIPLE STACK EARPHONE.JACK.SPEED TECH.P93P110-0007	SPEED TECH	P93P110-0007	E59481,
1652522202	(TF)PHONE JACK.22P.90D.(F).RJ45\GIGA WLED&TF & USB.UDE.RU1-161A9WGF	UDE	RU1-161A9WGF	E235269,E47960,
1653002101	(TF)PIN HEADER.2*1P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP	Astron	27-01031XX-1G	E107536 UL94V-0,
1653003200	(TF)PIN HEADER.3*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
1653005202	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.SMD.W/CAP.Astron.27-24041-205-1G-TB1-R	Astron	27-24041-205-1G-TB1-R	E52579(M) UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653005207	(TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP.Astron.27-0103- 205-1G	Astron	27-0103-205-1G	E107536,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
1653205201	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.W/Cap SMD.CATCH.1147-000-10MP	CATCH	1147-000-10MP	E132701 UL94V-0 ,
165320520C	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.SMD.CATCH.1147- 000-10MSP	CATCH	1147-000- 10MSP	E52579(M) 94V-0,
1653207204	(TF)BOX HEADER.7*2P.180D.(M).2.0mm.DIP.凱 迅.1147-000-14S	CATCH	1147-000-14S	E132701 UL94V-0 ,
165321320E	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.SMD.CATCH.1147- 000-26MSP	CATCH	1147-000- 26MSP	E52579(M) 94V-0,
165322020L	(TF)BOX HEADER.20*2P W/O PIN20.180D.(M).2.54mm.SMD W/Cap.Astron.26-03- 220L-1G-ATB1-R	Astron	26-03-220L-1G- ATB1-R	E52579,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002- OPS60B-01G-Y	E107536(M) UL94V- 0,E59481,
1653300101	(TF)MINI JUMPER.(RED)	JVE	27S1002- OPS60B-01G-R	E107536(M) UL94V- 0,E59481,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011- 100	E192672,23 52699(E),
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140- 104+N01P4011-0099	SPEED TECH	N016@0140- 104+N01P4011- 0099	E192672,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinforc em.E-call.0110-01-553-300	E-call	0110-01-553- 300	E113875,
1654232200	(TF)SLOT.64P.180D.(F).PCI-E X4 DIP.FOXCONN.2EG03217-D2D-DF	FOXCONN	2EG03217- D2D-DF	E172082,
1654260206	(TF)SLOT.60*2P.180D.(F) slim type.DIP.Techbest.W2MM-120-A2A-2N3B-U	Techbest	W2MM-120- A2A-2N3B-U	E164708(S) UL94V-0,
1654262300	(TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0B126-S99N-4F	FOXCONN	AS0B126-S99N- 4F	E93750 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1654418100	(TF)D-SUB CONNECTOR DUAL PORT.9P/9P.90D.(M) DIP. 0.75"SPACING G/F.康祐.B-DGN10910101	contek	B- DGN10910101	E107536(M)
1654445300	(TF)D-SUB DVI+CRT connector.45P.90D(F).DIP.Astron.1860044-006-R	Astron	1860044-006-R	E109088(M)E59481,
1654612305	(TF)MINI DIN.90D(F).DIP.Kb/Ms CONNECTOR.FOXCONN.MH11061-P34-4F	FOXCONN	MH11061-P34- 4F	E93750,
1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.TECHBEST.161S01- 025A	TECHBEST	161S01-025A	E204143 UL94V-0,
1655004014	(TF)WAFER.4P.180D.(M).2.54mm.DIP.CATCH.1190- 700-042	CATCH	1190-700-042	E132701 UL94V-0 ,
1655004016	(TF)WAFER BOX.4P.180D.(M).2.5mm.W/LOCK.DIP.何 迪.2503-WS-4	HO-BASE	2503-WS-4	E53898 UL94V- 0,E44716 UL94V-2,
1655004022	(TF)Wafer BOX.4P.180D.(M).2.54mm.W/LOCK DIP.CATCH.1138-000-04S	CATCH	1138-000-04S	E107536(M) UL94V-0,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP.HO- BASE.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V- 0,E44716 UL94V-2,
1655304020	(TF)WAFER BOX.4P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-04S	CATCH	1192-700-04S	E132701 UL94V-0,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1655417020	(TF)ATX POWER CONNECTOR.10P*2.180D(M).DIP.W/O 1&2&11 pin.CATCH.1121-700-20SA	CATCH	1121-700-20SA	E132701 UL94V-0,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201- 700-02S	CATCH	1201-700-02S	E119177 (M) UL94V-0,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V- 0,E101344,
1702150150	(TF)Power Cable.15P SATA(F).4P 5.08mm Housing.15cm	CATCH	A003-311	E107536(M) UL94V- 0,E108485(S),E108485 (S),E13270 1,E98652(S

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1709070500	(TF)SATA CABLE.7P Pitch 1.27mm.50cm	CATCH	A003-308	E107536 UL94V- 0,E177882 VW- 1,E74020 VW- 1,E101344, E83005(M) UL94V-0,
175011901H	(TF)Lithium Battery.3V.225mAH.PANASONIC.CR2032	PANASONIC	CR2032	MH12210,
1750220323	(TF)Battery Holder.CR2032 DIP.Straight.LOTES.KB7566BP5L	LOTES	KB7566BP5L	E135714 V-0,
1752000501	(TF)FUSE.SMD.15V.0.5A.1206.Littlefuse.1206L050/15	Littlefuse	1206L050/15	E183209,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
19076908T4	(TF)PCB.EMB-6908T.Rev.A1.2.8Layers Green	K-BRIDGE		E120558
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
9681945800	(TF)Cable Kit.for EMB-9458T.40pin- IDE/SATA/SATA.Power cable	CATCH	A003-594	E108485(S) ,E132701,E 98652(S),