

Model: TF-EMB-852T

2006/5/30

ITEM	P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1	9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
2	1759200157	(TF)CPU Cooler FAN+Heat Sink.3P.5V.60*60*23mm for PCM-8200. 菲林.C6012A6105LA	DATAGUARD	C6012A6105LA	E1999993,
3	1701440500	(TF)Flat Cable.44P 2.0mm Pitch Housing.40P 2.54mm Pitch IDC.40P 2.54mm Pitch IDC.30+20cm	CATCH	1701440500	UL2651 VW-1,E107536(M) UL94V-0,E72332,E107536(M) UL94V-0,
4	1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	1701400453	E107536(M) 94V-0,E101344,
5	1700080180	(TF)Cable RCA JACK.4P MINI DIN JACK.8P 2.0mm HOUSING W/O NOSE.18cm.for TV-OUT&S-Terminal.凱迅.A003-013	CATCH	A003-013	E107536(M) UL94V-0, E54979(S),
6	1701100206	(TF)Flat Cable.9P DB 9P MALE.10P 2.00mm Pitch Housing.20cm	CATCH	1701100206	UL2651 VW-1,E107536(M) UL94V-0,UL2651 VW-1,E144392 UL94V-0,E107536(M) UL94V-0,
7	1701200203	(TF)Flat Cable.20P 2.0 mm IDC.9P DB-9(M).20cm	CATCH	1701200203	UL2651 VW-1,E107536(M) UL94V-0,E162747,E107536(M) UL94V-0,
8	1700140164	(TF)Cable.14P 2.0mm Housing RCA JACK*8.16cm.for Audio 5.1CH & SPD/IF	CATCH	1700140164	E107536(M) 94V-0 / E108458,

ITEM	P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
9	1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E101344 VW-1,E107536(M) UL94V-0,E209436,E107536(M) UL94V-0 ,
10	1700200200	(TF)Cable.DVI.2*10P Housing.20cm.for PCM-8200	CATCH	1700200200	UL20276(S) UL94V-0,E107536(M) UL94V-0,
11	P90657B000	(TF)Plastic.Nylon.CF Disk Cover.for SBC-657-B	BASF		E41871
12	'1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004	SPEED TECH	N016@0140-004	E192672,
13	1759100006	(TF)Buzzer.SMD.3.3V.80mA.90dB.KING STATE.KSSGJ4D20	KINGSTATE	KSSGJ4D20	E59481
14	1214309000	(TF)Common Choke.4P.90 Ohm(100Mhz) 3.2*1.2mm SMD.GOTREND.GTHW3216PE-900T	GOTREND	GTHW3216PE-900T	E84081
15	'1653010203	(TF)PIN HEADER.10*2P.180D.(M).2.0mm.SMD.W/Cap.Astron.27-24041-210-1G-TB1-R	Astron	27-24041-210-1G-TB1-R	E52579(M) UL94V-0,
16	'1653004202	(TF)PIN HEADER.4*2P.180D.(M).2.0mm.SMD.W/Cap.Astron.27-24041-204-1G-TB1-R	Astron	27-24041-204-1G-TB1-R	E52579(M) UL94V-0,
ITEM	P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class

17	'1653005202	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.SMD.W /CAP.Astron.27-24041-205-1G-TB1-R	Astron	27-24041-205-1G-TB1- R	E52579(M) UL94V-0,
18	'1653007204	(TF)PIN HEADER.7*2P.180D.(M).2.0mm.SMD.W /Cap.Astron.27-24041-207-1G-TB1-R	Astron	27-24041-207-1G-TB1- R	E52579(M) UL94V-0,
19	'1653022202	(TF)PIN HEADER.22*2P.180D.(M).2.0mm.SMD. W/Cap.Astron.27-24041-222-1G-TB1-R	Astron	27-24041-222-1G-TB1- R	E52579(M) UL94V-0,
20	'1211103360	(TF)INDUCTOR.3.3uH.+/- 30%.DCR=0.040Ohm.Idc=3A.SMD.5.8*5. 2*4.5mm.AG.SMTDR54N-3R3M	AG	SMTDR54N-3R3M	E201757,
21	1211101009	(TF)INDUCTOR.10uH 1.04A.20%.SMD 2Pin.AG.SMTDR52N-100M	AG	SMTDR52N-100M	E197768
22	'1654262300	(TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS 0B126-S99N-4F	FOXCONN	AS0B126-S99N-4F	E93750 UL94V-0,
23	'1651611990	(TF)ZIF mPGA478M SKT.SMD.W/O A1&B2 for PENTIUM-M.AMP.3- 1674770-2	AMP	3-1674770-2	E28476,
ITEM	P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class

24	'1653205201	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.W/Cap SMD.凱迅.1147-000-10MP	CATCH	1147-000-10MP	E132701 UL94V-0 ,
25	'1654030001	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25 mm.W/Reinforcem.SPEED TECN.W01@103-303M	SPEED TECN	W01@103-303M	E192672,
26	'1651592492	(TF)DDR SKT.184P.DIP.FOXCONN.AT09211-D5- 4F	FOXCONN	AT09211-D5-4F	E93750,
27	'1750119011	(TF)BATTERY.3V.200mA.SONY.CR203 2	SONY	CR2032	MH12566,
28	'1655417020	(TF)ATX POWER CONNECTOR.10P*2.180D(M).DIP.W/O 1&2&11 pin.凱迅.1121-700-20SA	CATCH	1121-700-20SA	E132701 UL94V-0,
29	'1750220323	(TF)Battery Holder.CR2032 DIP.Straight.LOTES.KB7566BP5L	LOTES	KB7566BP5L	E135714 V-0,
30	'1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP. 凱迅.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
31	'1654530300	(TF)D-SUB H/D Connector.30P.90D.UP 15P(F) DOWN 3 Port Audio.FOXCONN.DV1125F-PJ1	FOXCONN	DV1125F-PJ1	E205196 V-0,E59481 V-0,
ITEM	P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class

32	1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JIH VEI	21B12050-XXS10B- 01G-4/2.8 series	E107536 UL94V-0,
33	1653213220	(TF)BOX HEADER.13*2P.180D.(F).ZIF.P=2.0mm.f or DIP FDD.威祈.BL106-26S	威祈	BL106-26S	E102861(S) UL94V-0,
34	'1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP. 凱迅.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
35	'1654543500	(TF)D-SUB H/D Connector.43P.90D.UP 25P(F) DOWN 9/9P(M) PC99.FOXCONN.DM11351-PZ5-4F	FOXCONN	DM11351-PZ5-4F	E93750 UL94V-0,
36	'1654612304	(TF)MINI DIN.6/6P.90D(F).DIP.Kb/Ms for PC99 CONNECTOR.CONTEK.MBN2661F2G4 01	CONTEK	MBN2661F2G401	E130155(M) UL94V-0,
37	'1654260206	(TF)SLOT.60*2P.180D.(F) slim type.DIP.Techbest.W2MM-120-A2A- 2N3B-U	Techbest	W2MM-120-A2A- 2N3B-U	E164708(S) UL94V-0,
38	'1655004022	(TF)Wafer BOX.4P.180D.(M).2.54mm.W/LOCK DIP.凱迅.1138-000-04S	CATCH	1138-000-04S	E107536(M) UL94V-0,
ITEM	P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class

31	'1654530300	(TF)D-SUB H/D Connector.30P.90D.UP 15P(F) DOWN 3 Port Audio.FOXCONN.DV1125F-PJ1	FOXCONN	DV1125F-PJ1	E205196 V-0,E59481 V-0,
39	'1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
40	1653005200	(TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP	JIH VEI	21B22564-XXS10B- 01G-6/3-VXX series	E107536 UL94V-0,
41	'1652522201	成本高交期長勿用(TF)PHONE JACK.22P.90D.(F).RJ45\GIGA W\LED&TF & USB.SPEED TECH.P25- 152-P9W9	SPEED TECH	P25-152-P9W9	E192672,
42	1653002202	(TF)PIN HEADER.2*2P.180D.(M).2.0mm.DIP	JIH VEI	21B22050-XXS10B- 01G-4/2.8 series	E107536 UL94V-0,
43	'1655004020	(TF)WAFER BOX.4P.180D.(M).2.5mm.W/LOCK DIP. 凱迅.1191-700-04S	CATCH	1191-700-04S	E119177(M) UL94V-0,
44	1653009100	(TF)PIN HEADER.9*1P.180D.(M).2.54mm.DIP	JIH VEI	21B12564-XXS10B- 01G-6/3 series	E107536 UL94V-0,
45	1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JIH VEI	21B12050-XXS10B- 01G-4/2.8 series	E107536 UL94V-0,
ITEM	P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class

46	'1653004302	(TF)PIN HEADER.3*4P.180D.(M).2.0mm.DIP.Ast ron.27-2103-403-1G-R	Astron	27-2103-403-1G-R	E52579(M) UL94V-0,E109088(M) UL94V-0,
47	1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JIH VEI	21B22050-XXS10B- 01G-4/2.8 series	E107536 UL94V-0,
48	M168200000	(TF)Metal.Al.Heatsink 37.5*37.4*13mm.PCM-8200	ACE	M168200000	
49	1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	HO BASE	MJ-2.0B	E59481 UL94V-0,
50	'1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.凱 迅.1147-000-10S	CATCH	1147-000-10S	E132701 UL94V-0 ,
51	'1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011-100	E192672,2352699(E),