

TF-EMB-9458T-A10

Date:2008/002/29

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211101063	(TF)COIL.1uH.7A.20%.SMD(7.8x7.0x3.5)mm.2pin.R DC=0.018 Ohm.GOTREND.GSDR73P-1R0M	GOTREND	GSDR73P-1R0M	E218438 / E84081,
1211101569	(TF)COIL.1.5uH.20%.DCR=3.4mOhm.Idc=23A.13.8* 12.8mm.SMD.GOTREND.GSTC135P-1R5MF	GOTREND	GSTC135P-1R5MF	E84081,
1211106802	(TF)COIL.0.68uH.+/- 20%.SMD.13.8*12.8*3.5mm.DCR=2.5m Ohm.Idc=28A.GOTREND.GSTC133P-R68MF	GOTREND	GSTC133P-R68MF	E84081,
1214309000	(TF)Common Choke.4P.90 Ohm(100Mhz) 3.2*1.2mm SMD.GOTREND.GTHW3216PE-900T	GOTREND	GTHW3216PE-900T	E840811,
1315970211	(TF)PWR.SMD.SOT-25 1.1mA.High-Side Switch wit Flag.RICHTEK.RT9702A-PB	RICHTEK	RT9702A-PB	E219878,
1651203291	(TF)IC SKT PLCC.SMD.32P(9P*7P).PRECI- DIP(LEASONIC).PLCC-L-32F-9-D	PRECI-DIP(LEASONIC)	PLCC-L-32F-9-D	E53829,
1651611994	(TF)ZIF mPGA478M SKT.SMD.W/O A1&A2 for Yonah.FOXCON.PZ4782A-2743-01	FOXCON	PZ4782A-2743-01	E93750,01SC0 4800,
1652517201	(TF)PHONE JACK.17P.90D(F).DIP.HD Audio.TRIPLE STACK EARPHONE JACK.SPEED TECH.P21-L10-0007	SPEED TECH	P21-L10-0007	E235269 / E47960,
1652522202	(TF)PHONE JACK.22P.90D.(F).RJ45\GIGA WLED&TF & USB.UDE.RU1-161A9WGF	UDE	RU1-161A9WGF	E235269,E4796 0,
1653002101	(TF)PIN HEADER.2*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP	Astron	27-01031XX-1G	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
1653005206	因不耐熱 建議換成1653005200,(TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP.CATCH.1130- 010-10S	CATCH	1130-010-10S	E107538 (M) UL 94V-0,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653204205	(TF)BOX HEADER.4*2P.180D.(M).2.0mm.DIP.Astron.26-41- 204-1G-R	Astron	26-41-204-1G-R	E52579,
1653205201	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.W/Cap SMD.CATCH.1147-000-10MP	CATCH	1147-000-10MP	E132701 UL94V-0 ,
1653207204	(TF)BOX HEADER.7*2P.180D.(M).2.0mm.DIP.凱 迅.1147-000-14S	CATCH	1147-000-14S	E132701 UL94V-0 ,

TF-EMB-9458T-A10

Date:2008/002/29

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002-OPS60B-01G-Y	E107536(M) UL94V-0,E59481,
1653300101	(TF)MINI JUMPER.(RED)	JVE	27S1002-OPS60B-01G-R	E107536(M) UL94V-0,E59481,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>HO-BASE 2=>JVE	1=>MJ-2.0B 2=>27S1001-OPS35-01G	E59481 UL94V-0,E248993 UL V94-0/E107536,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011-100	E192672,2352699(E),
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004+N01P4011-0099	SPEED TECH	N016@0140-004+N01P4011-0099	E192672,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinf orcem.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
1654040003	(TF)Board-Wire Connector.40P.180(M).SMD.Pitch=1mm.CATCH.1204-710-40SM	CATCH	1204-710-40SM	E52579(M),
1654232200	(TF)SLOT.64P.180D.(F).PCI-E X4 DIP.FOXCONN.2EG03217-D2D-DF	FOXCONN	2EG03217-D2D-DF	E172082,
1654260206	(TF)SLOT.60*2P.180D.(F) slim type.DIP.Techbest.W2MM-120-A2A-2N3B-U	Techbest	W2MM-120-A2A-2N3B-U	E164708(S) UL94V-0,
1654262300	(TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0B126-S99N-4F	FOXCONN	AS0B126-S99N-4F	E93750 UL94V-0,
1654418100	(TF)D-SUB CONNECTOR DUAL PORT.9P/9P.90D.(M) DIP. 0.75"SPACING G/F.康	CONTEK	B-DGN10910101	E107536(M),
1654445300	(TF)D-SUB DVI+CRT connector.45P.90D(F).DIP.Astron.1860044-006-R	Astron	1860044-006-R	E109088(M),E59481,
1654612307	(TF)MINI DIN.6/6P.90D(F).DIP.Kb/Ms for PC99 CONNECTOR.Foxconn.MH11061-P36-4F	Foxconn	MH11061-P36-4F	E154352,E59481,E93750,
1654907006	(TF)SATA CONNECTOR.7P.180D(M).DIP.ASTRON.97-0905HB-7-R	ASTRON	97-0905HB-7-R	E106764,
1655004014	(TF)WAFER.4P.180D.(M).2.54mm.DIP.CATCH.1190-700-042	CATCH	1190-700-042	E132701 UL94V-0 ,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1655004020	(TF)WAFER BOX.4P.180D.(M).2.5mm.W/LOCK DIP.CATCH.1191-700-04S	CATCH	1191-700-04S	E119177(M) UL94V-0,
1655004022	(TF)Wafer BOX.4P.180D.(M).2.54mm.W/LOCK DIP.CATCH.1138-000-04S	CATCH	1138-000-04S	E107536(M) UL94V-0,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP.HO-BASE.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V-0,E44716 UL94V-2,
1655304020	(TF)WAFER BOX.4P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-04S	CATCH	1192-700-04S	E132701 UL94V-0,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1655420020	(TF)ATX POWER CONNECTOR.10P*2.180D.DIP.CATCH.1121-700-	CATCH	1121-700-20S	E132701 UL94V-0,
1655901000	(TF)Wafer Box.10P.180D(M).SMD.1.0mm.CATCH.1204-700-10SM	CATCH	1204-700-10SM	E52579(M),
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E119177 (M) UL94V-0,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V-0,E101344,
1702150150	(TF)Power Cable.15P SATA(F).4P 5.08mm Housing.15cm	CATCH	A003-311	E107536(M) UL94V-0,E108485(S),E108485(S),E132701,E98652(S
1709070500	(TF)SATA CABLE.7P Pitch 1.27mm.50cm	CATCH	A003-308	E107536 UL94V-0,E177882 VW-1,E74020 VW-1,E101344,E83005(M) UL94V-0
1750220323	(TF)Battery Holder.CR2032 DIP.Straight.LOTES.KB7566BP5L	LOTES	KB7566BP5L	E135714 V-0,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110W	Littlefuse	1206L110WR	E183209,
1907945802	(TF)PCB.EMB-9458T.Rev.A1.0-A.8Layers Green			
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,

TF-EMB-9458T-A10

Date:2008/002/29

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
9681945800	(TF)Cable Kit.for EMB-9458T.40pin-IDE/SATA/SATA.Power cable	CATCH	A003-594	E108485(S),E132701,E98652(S),
121110336D	(TF)COIL.3.3uH 6A./-20%.SMD 2pin.GOTREND.GSCDK74P-3R3M	GOTREND	GSCDK74P-3R3M	E84081,E218438,
16515C0493	(TF)DDR2 SKT.DIP.240P.(Black).SPEED TECH.P90-P11-1018	SPEED TECH	P90-P11-1018	E44716 UL94-V0,
165320520C	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.SMD.CATCH.1147-000-10MSP	CATCH	1147-000-10MSP	E52579(M) 94V-0,
165321320E	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.SMD.CATCH.1147-000-26MSP	CATCH	1147-000-26MSP	E52579(M) 94V-0,
165322020L	(TF)BOX HEADER.20*2P W/O PIN20.180D.(M).2.54mm.SMD W/Cap.Astron.26-03-220L-1G-ATB1-R	Astron	26-03-220L-1G-ATB1-R	E52579,
175011901H	(TF)Lithium	PANASONIC	CR2032	MH12210,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
M169450000	(TF)Metal.Al.Heatsink.50.8*41.5*30.For EMB-945T	HOTEK	HN-00161411-1290	E41938,