

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211000180	(TF)COIL.1uH.+/-20%.SMD.7.3*6.8*3.0mm.DCR=9mohm.Irms=11Amp.GOTREND.GSTC063P-1R0MN	GOTREND	GSTC063P-1R0MN	E84081,
121110156A	(TF)COIL.1.5uH.Irms=9A.Isat=18A.20%.SMD(7.3x6.8x3.0).2pin.RDC=15m Ohm.GOTREND.GSTC063P-1R5MN	GOTREND	GSTC063P-1R5MN	E84081,
121110336G	(TF)Coil.3.3uH.+/-20%.DCR=0.0075Ohm.Idc=10A.Wire Size=0.8mm.DIP.GOTREND.C4452P-08A09YDPS	GOTREND	C4452P-08A09YDPS	E218438,E84081,
121110336L	(TF)COIL.3.3uH.SMD.7.3*6.8*3.0mm.DCR=28mohm.Irms=6Amp.GOTREND.GSTC063P-3R3MN	GOTREND	GSTC063P-3R3MN	E84081,
1211104767	(TF)COIL.4.7uH.DIP WIRE SIZE 1.0mm.GOTREND.C4452P-10A11YDPS	GOTREND	C4452P-10A11YDPS	E75077,E84081,
1214309006	(TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm .SMD.GOTREND.GTHW2012PE-900T	GOTREND	GTHW2012PE-900T	E218438 / E84081,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-PB	RICHTEK	RT9702A-PB	E219878,
16515C0492	(TF)DDR2 SKT.DIP.240P.FOXCONN.AT24017-H3B-4F	FOXCONN	AT24017-H3B-4F	E93750,
1652514210	(TF)PHONE JACK.14P.90D.(F).STACKED EARPHONE JACK 3.5mm.ASTRON.DE3503BA-1-S6-R	ASTRON	DE3503BA-1-S6-R	E59481,
1652522202	(TF)PHONE JACK.22P.90D.(F).RJ45\GIGA W\LED&TF & USB.UDE.RU1-161A9WGF	UDE	RU1-161A9WGF	E235269,E47960,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653004201	(TF)PIN HEADER.4*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653005200	(TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653205201	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.W/Cap SMD.CATCH.1147-000-10MP	CATCH	1147-000-10MP	E132701 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
165320520C	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.SMD.CATCH.1147-000-10MSP	CATCH	1147-000-10MSP	E52579(M) 94V-0,
165321320E	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.SMD.CATCH.1147-000-26MSP	CATCH	1147-000-26MSP	E52579(M) 94V-0,
1653222209	(TF)BOX HEADER.22*2P.180D.(M).2.00mm.W/Cap.SMD.Astron.26-4304-222-1G-TB1-R	Astron	26-4304-222-1G-TB1-R	E52579(M) UL94V-0,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>HO-BASE 2=>JVE	1=>MJ-2.0B 2=>27S1001-OPS35-01G	E59481 UL94V-0,E248993 UL V94-0/E107536,
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001-OPS35-01G-R	JIH VEI	27S1001-OPS35-01G-R	E59481,
1653300108	(TF)MINI JUMPER..2.0mm.(YELLOW).CATCH.1133-040-02	CATCH	1133-040-02	E107536(M),
1653900038	(TF)Compact Flash Header.1.27mm.Right Side Ejector for Type II.SUNLIT.60811041	SUNLIT	60811041	E107536(M),
165392521H	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for Type II.w/Mylar.ComWeal.60328226	ComWeal	60328226	E54705(M),
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinforcement.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
1654232200	(TF)SLOT.64P.180D.(F).PCI-E X4 DIP.FOXCONN.2EG03217-D2D-DF	FOXCONN	2EG03217-D2D-DF	E172082,
1654260207	(TF)SLOT.60*2P.180D.(F).DIP.FOXCONN.EH06001-HHW-DF	FOXCONN	EH06001-HHW-DF	E172082,E93750,
1654262300	(TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0B126-S99N-4F	FOXCONN	AS0B126-S99N-4F	E93750 UL94V-0,
1654415308	(TF)D-SUB CONNECTOR.15P.90D(F).DIP.SLIM TYPE.BLUE.ASTRON.1760015-051-R	ASTRON	1760015-051-R	E59481,
1654418103	(TF)D-SUB CONNECTOR DUAL POR.9P*2.90D(M).DIP.TechBest.A20+9191-4208L	TechBest	A20+9191-4208L	E59481,
1654612307	(TF)MINI DIN.6/6P.90D(F).DIP.Kb/Ms for PC99 CONNECTOR.Foxconn.MH11061-P36-4F	Foxconn	MH11061-P36-4F	E154352,E59481,E93750,
1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.TECHBEST.161S01-025A	TECHBEST	161S01-025A	E204143 UL94V-0,

TF-EMB-9459T-B10

DATE: 19-Nov-09

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655004011	(TF)WAFER.4P.180D.(M).2.5mm.W/LOCK POWER DIP.何迪.P201-04	HO-BASE	P201-04	E94662(T),E48 285C,
1655004020	(TF)WAFER BOX.4P.180D.(M).2.5mm.W/LOCK DIP.CATCH.1191-700-04S	CATCH	1191-700-04S	E119177(M) UL94V-0,
1655303020	(TF)WAFER BOX.3P.180D.(M).2.00mm.W/LOCK DIP.凱迅.1192-700-03S	CATCH	1192-700-03S	E132701 UL94V-0,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1655417020	(TF)ATX POWER CONNECTOR.10P*2.180D(M).DIP.W/O 1&2&11 pin.CATCH.1121-700-20SA	CATCH	1121-700-20SA	E132701 UL94V-0,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH.	1201-700-02S	E41938 V-2,
1655906032	(TF)WAFER BOX.6P.180D(M).DIP.1.25mm.凱迅.1201-700-06S	CATCH	1201-700-06S	E41938 V-2,
1702151200	(TF)Power Cable.4P 2.54mm Housing(F).15P SATA Conn(F).12cm	CATCH	A003-436	E206838,E1084 85,E75050,
1709070500	(TF)SATA CABLE.7P Pitch 1.27mm.50cm	CATCH	A003-308	E107536 UL94V- 0,E177882 VW-1,E74020 VW- 1,E101344,E83 005(M) UL94V-0,
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8-LF	MH12568(N),E 255532,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	DVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
1907945905	(TF)PCB.EMB-9459T.Rev.B1.0.6Layers Green	K-BRIDGE		E120558,
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.益鋒.PAD 15*15*1T	INVIN	PAD 15*15*1T	E153203,

TF-EMB-9459T-B10

DATE: 19-Nov-09

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
M169450000	(TF)Metal.Al.Heatsink.50.8*41.5*30.For EMB-945T	HOTEK	HN-0161411-1290	E41938,
M169459000	(TF)Metal.Al.Heatsink Black.27.8*27.8*24.9 mm.for EMB-9459T.ACE.AEC-CM411-282825-BLACK	ACE	AEC-CM411-282825-BLACK	E41938,