

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211100260	(TF)INDUCTOR.0.2uH.20%.25A.DIP.CHUNG SHUO.CS8585-R20-I43U	CHUNG SHUO	CS8585-R20-I43U	E84201,
1211101268	(TF)INDUCTOR.1.2uH.20%.30A.DIP.CHUNG SHUO.CS1112-1R2-I43U	CHUNG SHUO	CS1112-1R2-I43U	E84201,
1651908110	(TF)IC SKT.DIP.4*2P.2.54mm.NARROW.LINGYANG. A2544A-08-0101-SI	LINGYANG	A2544A-08-0101-SI	E171666,
1652517208	(TF)EARPHONE JACK.17P.90D(F).DIP.HD Audio.TRIPLE STACK.LOTES.ABA-JAK-025-K05	LOTES	ABA-JAK-025-K05	E154352/E47960 /E59481,
1652522207	(TF)PHONE JACK.22P.90D.(F).RJ45+USB Stack 2.0.w/LED.LAN-GIGA.FOXCONN.JFM38U1B-21U5-4F	FOXCONN	JFM38U1B-21U5-4F	E93750,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP	Astron	27-01031XX-1G Series	E107536 UL94V-0,
1653004109	(TF)PIN HEADER.4*1P.180D(M).DIP.2.54mm.BLACK.W/O PIN2.CATCH.1130-000-04NA2	CATCH	1130-000-04NA2	E52579,
1653005200	(TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653205216	(TF)BOX HEADER.5*2P.90D(M).DIP.P=2.0mm.w/Lock.ASTRON.26-4501-205-1G-R	ASTRON	26-4501-205-1G-R	E52579,
1653300104	(TF)MINI JUMPER.2.54mm.(YELLOW).CATCH.1132-040-02	CATCH	1132-040-02	E107536(M),
1654226303	(TF)MiniCard SLOT.52P.90D.(F).SMD.FOXCONN.AS0B226-S68Q-7H	FOXCONN	AS0B226-S68Q-7H	E54705,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1654232200	(TF)SLOT.64P.180D.(F).PCI-E X4 DIP.FOXCONN.2EG03217-D2D-DF	FOXCONN	2EG03217-D2D-DF	E172082,
1654429300	(TF)DVI Conn..29P.90D(F).DIP.KORTAK.9D0290-085C-10H	KORTAK	9D0290-085C-10H	E59481/E135714,
1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.TECHBEST.161S01-025A	TECHBEST	161S01-025A	E204143 UL94V-0,
1654914300	(TF)MINI DIN+USB CONNECTOR*2.14P.90D.(F).Foxconn.UB11123-HFD1-4F	Foxconn	UB11123-HFD1-4F	E154352/E145464,
1654919110	(TF)HDMI CONN..19P.90D(M).SMD.A TYPE.FOXCONN.QJ51191-WFS5-7F	FOXCONN	QJ51191-WFS5-7F	E54705/E93750,
1655003015	(TF)WAFER.3P.180D(M).DIP.2.54mm.L-GRAY.FOXCONN.HF0803E-P2	FOXCONN	HF0803E-P2	E41797/E93750,
1655404023	(TF)ATX POWER CONN..2*2P.180D.L-BLUE.DIP.LONG SHOUNG.196040392C	LONG SHOUNG	196040392C	E41797,
1655424020	(TF)ATX POWER CONNECTOR.12P*2.180D(M).DIP.凱迅.1121-700-24S	CATCH	1121-700-24S	E132701 UL94V-0,
1709070800	(TF)SATA CABLE.7P Pitch 1.27mm.80cm.W/Lock	1--->Alphaplus 2--->CATCH	1--->CB-AA-0006 2--->A003-569	E177865,E107536 UL94V-0 ,E107536(M),E96118,
1750119011	Phase out 2011/12/30,(TF)BATTERY.3V.200mA.SONY.CR2032	SONY	CR2032	MH12566,
1750220323	(TF)Battery Holder.CR2032 DIP.Straight.LOTES.KB7566BP5L	LOTES	KB7566BP5L	E135714 V-0,
1752002700	(TF)FUSE.SMD.6V.1.5A.PolySwitch.PTTC.SMD1206P150TFT	PTTC	SMD1206P150TFT	E201431,
106B501034	(TF)THR.10K.1%.0402.SMD.thermistor.MURATA.NCP15XH103F03RC	MURATA	NCP15XH103F03RC	E137188,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
16515C0497	(TF)DDR3 SKT.DIP.240P.(BLUE).FOXCONN.ATH4017-P3L-4F	FOXCONN	ATH4017-P3L-4F	E47960/E119177,
165320520L	(TF)BOX HEADER.5*2P.180D.(M).2.00mm.Narrow Frame.DIP.Astron.26-4101-205-1G-R	Astron	26-4101-205-1G-R	E52579,
165321020D	(TF)BOX HEADER.10*2P.180D(M).DIP.2.0mm.L-BLUE.K20.PINREX.52X-40-20GV52	PINREX	52X-40-20GV52	E47960,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
17592A5000	(TF)Fan+HeatSink.12V.85.5*51.5*27mm.for EMB-A50M.Zhiyi.17592A5000	Zhiyi	17592A5000	E89061,
1907A50M02	(TF)PCB.EMB-A50M.Rev A1.0_0_0.6Layers	DYNAMIC		E150630