

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211000180	(TF)COIL.1uH.+/- 20%.SMD.7.3*6.8*3.0mm.DCR=9mohm.Irms=11Amp.G OTREND.GSTC063P-1R0MN	GOTREND	GSTC063P- 1R0MN	E84081,
1211100114	(TF)INDUCTOR.10uH.10%.SMD.0805.DCR=0.85 Ω .IDC=360mA.GOTREND.GNLC2012PR-100K	GOTREND	GNLC2012PR- 100K	E218438/E750 77/E84081/E17 4837,
1211103370	(TF)COIL.0.33uH.Irms=20A.Isat=30A.20%.SMD(7.3x6.8 x3.0).2pin.RDC=3.9m Ohm.GOTREND.GSTC063P- R33MN	GOTREND	GSTC063P- R33MN	E218438 / E84081,
1211105673	(TF)COIL.0.56uH.Irms=25A.Isat=40A.20%.SMD(11.5x1 0.3x4.0).2pin.RDC=1.8m Ohm.GOTREND.GSTC104P- R56MN	GOTREND	GSTC104P- R56MN	E218438 , E84081,
1211106872	(TF)COIL.0.68uH.SMD.7.3*6.8*3.0mm.+/- 20%.DCR=5mohm.Irms=15.5Amp.GOTREND.GSTC063 P-R68MN	GOTREND	GSTC063P- R68MN	E214423,
1214309008	(TF)Common Choke.90Ω (100Mhz).4P.2.0*1.2mm.SMD.Zenithtek.ZHS-0805CM2- 900T	Zenithtek	ZHS- 0805CM2- 900T	E188164,E790 28,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-GB	RICHTEK	RT9702A-GB	E219878,
1651609883	(TF)ZIF rPGA988B SKT.988P.for Sandybridge.FOXCONN.PZ98826-362B-01H	FOXCONN	PZ98826- 362B-01H	E93750,
1652517205	(TF)PHONE JACK.17P.90D(F).DIP.HD Audio.TRIPLE STACK EARPHONE.JACK.LOTES.ABA-JAK-028-K06	LOTES	ABA-JAK- 028-K06	E221630,E479 60,
1652522208	(TF)PHONE JACK.22P.90D(F).DIP.RJ45+USB Stack 2.0.w/LED.GIGA.ComWeal.UDE.07-000939YV3-1	UDE	07- 000939YV3-1	E59481/E3220 72,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B-01G- 4/2.8	E107536 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653005209	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.SMD.H:5mm	JVE	21N22050-XXM10B-01G-5/1-C	E52579,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1->HO-BASE 2->JVE	1->MJ-2.0B 2->27S1001-OPS35-01G	E59481 UL94V-0,E248993 UL V94-0/E107536,
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001-OPS35-01G-R	JIH VEI	27S1001-OPS35-01G-R	E59481,
1653924110	(TF)CFast Header.24*1P.90D.SMD.1.27mm pitch.3M.N7G24-A0B2RA-10-0HT-DY	3M	N7G24-A0B2RA-10-0HT-DY	E54705,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinforc em.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
1654226303	(TF)MiniCard SLOT.52P.90D.(F).SMD.FOXCONN.AS0B226-S68Q-7H	FOXCONN	AS0B226-S68Q-7H	E54705,
1654232200	(TF)SLOT.64P.180D.(F).PCI-E X4 DIP.FOXCONN.2EG03217-D2D-DF	FOXCONN	2EG03217-D2D-DF	E172082,
1654434300	(TF)D-Sub CRT+HDMI CONNECTOR.34P.90D.DIP.with screw.TechBest.D211HA3101012PN	TechBest	D211HA3101012PN	E59481/E91944,
1654439501	(TF)D-Sub+DVI CONNECTOR.39P.90D.DIP.TechBast.D205D1B01012P	TechBast	D205D1B01012PN	E59481,
1654612307	(TF)MINI DIN.6/6P.90D(F).DIP.Kb/Ms for PC99 CONNECTOR.Foxconn.MH11061-P36-4F	Foxconn	MH11061-P36-4F	E154352,E59481,E93750,
1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.TECHBEST.161S01-025A	TECHBEST	161S01-025A	E204143 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1654926900	(TF)MINIPCI express..clip.SMD.Right.PORT.FOXCONN.AS0B226-S68K-7 F	FOXCONN	AS0B226-S68K-7 F	E93750,
1655004011	(TF)WAFER.4P.180D.(M).2.5mm.W/LOCK POWER DIP.何迪.P201-04	HO-BASE	P201-04	E94662(T),E48285C,
1655004014	(TF)WAFER.4P.180D.(M).2.54mm.DIP.CATCH.1190-700-042	CATCH	1190-700-042	E132701 UL94V-0 ,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1655404020	(TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S	CATCH	1121-700-04S	E132701 UL94V-0,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E41938 V-2,
1701100305	(TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	A002-014	UL2651,E72332,E107536(M) UL94V-0,E209329 ULVW-1,E107536(M) UL94V-0,E212834,E56070(S) UL94HB,E186230,
1702151201	(TF)Power Cable.4P 2.5mm Housing.15P SATA (F).12cm.for FWS-2150	CATCH	A003-608	E206838,E108485,
1709070800	(TF)SATA CABLE.7P Pitch 1.27mm.80cm.W/Lock	1->Alphaplus 2->CATCH	1->CB-AA-0006 2->A003-569	E177865,E107536 UL94V-0 ,E107536(M),E96118,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E107536/E206838/E188601/E56118/E97527,E209436,E107536(M) UL94V-0 ,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
1752310000	(TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2	TYCO	miniSMDC110F-2	E74889,
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.INVIN			E153203,
121110100F	(TF)Inductor.10uH.10%.SMD.2.4*1.6mm.GOTREND.GNLE2012P-100K	GOTREND	GNLE2012P-100K	E84081,
121110226U	(TF)COIL.2.2uH.20%.SMD.3.85*3.85*1.8mm.DCR=58Ω IDC=1.5A.GOTREND.GTSD32P-2R2M	GOTREND	GTSD32P-2R2M	E258243,
16515A099X	(TF)DDR3 SODIMM SKT.SMD.H=9.2mm.204P.STANDARD.1.5V.FOXCONN.AS0A626-JASG-7H	FOXCONN	AS0A626-JASG-7H	E54705,
16515A099Z	(TF)DDR3 SODIMM SKT.SMD.H=5.2mm.204P.STANDARD.1.5V.FOXCONN.AS0A626-N2SN-7H	FOXCONN	AS0A626-N2SN-7H	E54705,
165300420L	(TF)PIN HEADER.4*2P.180D.(M).1.27mm.SMD.W/Cap.Astron.27-44041-204-2G-TB1R	Astron	27-44041-204-2G-TB1R	E52579(M) 94V-0,
165320520C	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.SMD.CATCH.1147-000-10MSP	CATCH	1147-000-10MSP	E52579(M) 94V-0,
165490700C	(TF)SATA3 CONN..7P.180D(M).DIP.FOXCONN.LE18077-Z50D-4F	FOXCONN	LE18077-Z50D-4F	E93750,
170110030A	(TF)Flat Cable.9P DB9P MALE.10P 2.00mm Pitch IDC.30cm.w/o Fold, w/ Bracket PCI-675F	CATCH	A003-054	E72332,E107536(M) UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8-LF	MH12568(N),E255532,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
1907QM6713	(TF)PCB.EMB-QM67.Rev.A1.0_0_0.8Layers Green	L-BRIDGE		E120558
M16B810000	(TF)Metal.Al.Heat sink.37.8*37.5*28mm.For FWB-810.SPRING SPREAD.SPR373729A	SPRING SPREAD	SPR373729A	E41938 V-2,