

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
121110336L	(TF)COIL.3.3uH.SMD.7.3*6.8*3.0mm.DCR=28m ohm.Irms=6Amp.GOTREND.GSTC063P-3R3MN	GOTREND	GSTC063P-3R3MN	E84081,
1214309006	(TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm .SMD.GOTREND.GTHW2012PE-900T	GOTREND	GTHW2012PE-900T	E218438 / E84081,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-GB	RICHTEK	RT9702A-GB	E219878,
1651203291	(TF)IC SKT PLCC.SMD.32P(9P*7P).PRECI-DIP(LEASONIC).PLCC-L-32F-9-D	PRECI-DIP(LEASONIC)	PLCC-L-32F-9-D	E53829,
165251220C	(TF)PHONE JACK.12P.90D(F).RJ45 W/Transformer & LED.UDE.RT7-144ADC1A(XB)	UDE	RT7-144ADC1A(XB)	E47900 UL94V-0 / E59481
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653120229	(TF)PCB SKT.20*2P.180D.(F).Holder=11.05mm.P=2.29mm .DIP.ASTRON.25-0201-220-1G-R	ASTRON	25-0201-220-1G-R	E130155(M),
1653130424	(TF)PCB SKT.30*4P.180D.(F).Holder=9.35mm P=2.28mm.DIP.Astron.1250120-017-R	Astron	1250120-017-R	E52579(M) UL94V-0,E109088(M) UL94V-0,
1653132228	(TF)PCB SKT.32*2P.180D.(F).Holder=11.05mm.P=2.29mm .DIP.ASTRON.25-0201-232-1G-R	ASTRON	25-0201-232-1G-R	E130155(M) UL94V-0,
165320520L	(TF)BOX HEADER.5*2P.180D.(M).2.00mm.Narrow Frame.DIP.Astron.26-4101-205-1G-R	Astron	26-4101-205-1G-R	E52579,
1653207209	(TF)BOX HEADER.7*2P.180D.(M).2.00mm.Narrow Frame.DIP.Astron.26-4101-207-1G-R	Astron	26-4101-207-1G-R	E52579,
1653222200	(TF)BOX HEADER.22*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-44S	CATCH	1147-000-44S	E132701 UL94V-0 ,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653300108	(TF)MINI JUMPER..2.0mm.(YELLOW).CATCH.1133-040-02	CATCH	1133-040-02	E107536(M),
1653900038	(TF)Compact Flash Header.1.27mm.Right Side Ejector for Type II.SUNLIT.60811041	SUNLIT	60811041	E107536(M),
165392521H	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for Type II.w/Mylar.ComWeal.60328226	ComWeal	60328226	E54705(M),
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/R reinforcem.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
1654040002	(TF)Board-Wire Connector.40P.180D(M).SMD.Pitch=1.25mm.W/R reinforcem.億舟.0110-01-553-400	E-call	0110-01-553-400	E113875,
1654409103	(TF)D-SUB CONNECTOR.9P.90D.(M).5.00mm.(MINI SIZE) for RS-232 DIP.何迪.DRD-9P	HO-BASE	DRD-9P	E95981,
1654415305	(TF)D-SUB Connector.15P.90D(F)DIP.Slim Type.Blue.Astron.HDLH-B15-CFHN1T-1-R	Astron	HDLH-B15-CFHN1T-1-R	E103155(M) UL94V-0,
165480830A	(TF)USB CONNECTOR DUAL PORT.8P.90D.(F).TechBest.KS-002D-ANB-L	TechBest	KS-002D-ANB-L	E59481,
1654907006	(TF)SATA CONNECTOR.7P.180D(M).DIP.ASTRON.97-0905HB-7-R	ASTRON	97-0905HB-7-R	E106764,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655204022	(TF)ATX Power Connector.4Pin.180D.DIP.CATCH.1200-700-04S	CATCH	1200-700-04S	E53898,
1655306023	(TF)WAFER BOX.6P.180D(M).2.0mm.W/LOCK DIP.何迪.2005-2WS-6	HO-BASE	2005-2WS-6	E107538(M),
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E41938 V-2,
1700060152	(TF)Cable.6P 2.0mm Housing.W/O NOSE.6P MDM-6S KB&MS.15cm	CATCH	A003-288	E48762(S),E75077 ULVW-1,E132701 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1709070500	(TF)SATA CABLE.7P Pitch 1.27mm.50cm	CATCH	A003-308	E107550 UL94V-0,E177882 VW-1,E74020 VW-1,E101344,E83005(M) UL94V-0
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8-LF	MH12568(N),E255532,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
1907553702	(TF)PCB.EPIC-5537WT.Rev.A1.0.8Layers Green	K-BRIDGE		E120558,
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.益峯.PAD 15*15*1T	INVIN	PAD 15*15*1T	E153203,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
9681945700	(TF)Cable Kit.for EPIC-9457	CATCH	A003-749	E48762(S),E75077 ULVW-1,E132701 UL94V-0,