

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
121110010R	(TF)COIL.1.0uH.SMD.12.9*12.9*5mm.DCR=2.1m ohm.Idc=29Amp.VISHAY.HLP5050EZER1R0M01	VISHAY	HLP5050EZER1R0M01	E32638,
1211100163	(TF)INDUCTOR.0.1uH.SMD.30%.2.1x1.5mm.Hi-Q Value.Idc=4.24A.GOTREND.GTLQH20P-R10N	GOTREND	GTLQH20P-R10N	E84081,
1211101060	(TF)COIL.1uH.5A.20%.SMD(5.8x5.2x4.5).2pin.RDC=0.020 Ohm.GOTREND.GSDR54P-1R0M	GOTREND	GSDR54P-1R0M	E218438 , E84081,
121110336L	(TF)COIL.3.3uH.SMD.7.3*6.8*3.0mm.DCR=28m ohm.Irms=6Amp.GOTREND.GSTC063P-3R3MN	GOTREND	GSTC063P-3R3MN	E84081,
1214309000	(TF)Common Choke.4P.90 Ohm(100Mhz) 3.2*1.2mm SMD.GOTREND.GTHW3216PE-900T	GOTREND	GTHW3216PE-900T	E840811,
1315970110	(TF)PWR.SMD.SOT-25 High-Side Switch.RICHTEK.RT9701PBL	RICHTEK	RT9701PBL	E219878,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-PB	RICHTEK	RT9702A-PB	E219878,
1651203291	(TF)IC SKT PLCC.SMD.32P(9P*7P).PRECI-DIP(LEASONIC).PLCC-L-32F-9-D	PRECI-DIP(LEASONIC)	PLCC-L-32F-9-D	E53829,
16515A0993	(TF)DDR SODIMM SKT.SMD.200P.H=6.5mm.FOXCONN.AS0A426-E6SN-4F	FOXCONN	AS0A426-E6SN-4F	E93750,
1652514210	(TF)PHONE JACK.14P.90D.(F).STACKED EARPHONE JACK 3.5mm.ASTRON.DE3503BA-1-	ASTRON	DE3503BA-1-S6-R	E59481,
1652522203	(TF)PHONE JACK.22P.90D.(F).RJ45+USB STACK 2.0 W/LED W/TF.UDE.RU1-161A1Z1F	UDE	RU1-161A1Z1F	E130155,E23526 9,E47960,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653004201	(TF)PIN HEADER.4*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
165301320B	(TF)PIN HEADER.13*2P.180D.(M).2.0mm.SMD.H:5mm.21N2 2050-XXM10B-01G-5/1-C	JVE	21N22050-XXM10B-01G-5/1-C	E52579,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653120225	(TF)PCB SKT.20*2P.180D.(F).Holder=11.00mm P=3.40mm.DIP.凱迅.1232-251-40	CATCH	1232-251-40	E107536A UL94V-0,
1653130424	(TF)PCB SKT.30*4P.180D.(F).Holder=9.35mm P=2.28mm.DIP.Astron.1250120-017-R	Astron	1250120-017-R	E52579(M) UL94V- 0,E109088(M) UL94V-0,
1653132220	(TF)PCB SKT.32*2P.180D.(F).Holder=11.00mm P=3.40mm.DIP.凱迅.1232-251-64	CATCH	1232-251-64	E107536A UL94V-0,
165320520E	(TF)BOX HEADER.5*2P.180D.(M).2.00mm.DIP.CATCH.1147- 000-10-SS	CATCH	1147-000-10-SS	E107536,
165322220F	(TF)BOX HEADER.22*2P.180D.(M).2.0mm.DIP.CATCH.1147- 000-44SS	CATCH	1147-000-44SS	E53898
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>HO- BASE 2=>JVE	1=>MJ-2.0B 2=>27S1001- OPS35-01G	E59481 UL94V- 0,E248993 UL V94-0/E107536,
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001- OPS35-01G-R	JIH VEI	27S1001-OPS35-01G-R	E59481,
1653300108	(TF)MINI JUMPER..2.0mm.(YELLOW).CATCH.1133-040-02	CATCH.	1133-040-02	E107536(M),
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011- 100	E192672,235269 9(E),
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140- 104+N01P4011-0099	SPEED TECH	N016@0140- 104+N01P4011- 0099	E192672,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinfo rcem.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
1654418100	(TF)D-SUB CONNECTOR DUAL PORT.9P/9P.90D.(M) DIP. 0.75"SPACING G/F.康	contek	B-DGN10910101	E107536(M),
1654445300	(TF)D-SUB DVI+CRT connector.45P.90D(F).DIP.Astron.1860044-006-R	Astron	1860044-006-R	E109088(M),E59 481,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH.1190- 700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655004011	(TF)WAFER.4P.180D.(M).2.5mm.W/LOCK POWER DIP.何迪.P201-04	HO-BASE	P201-04	E94662(T),E482 85C,
1655303020	(TF)WAFER BOX.3P.180D.(M).2.00mm.W/LOCK DIP.凱迅.1192-700-03S	CATCH	1192-700-03S	E132701 UL94V-0,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1655306024	(TF)WAFER BOX.6P.180D(M).2.0mm.W/LOCK DIP.CATCH.1192-710-06S	CATCH	1192-710-06S	E53898,
1655404020	(TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S	CATCH	1121-700-04S	E132701 UL94V-0,
1655901000	(TF)Wafer Box.10P.180D(M).SMD.1.0mm.CATCH.1204-700-	CATCH	1204-700-10SM	E52579(M),
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E119177 (M) UL94V-0,
1700060152	(TF)Cable.6P 2.0mm Housing.W/O NOSE.6P MDM-6S KB&MS.15cm	CATCH	A003-290	E48762(S),E7507 7 ULVW-1,E132701 UL94V-0,
1701440500	(TF)Flat Cable.44P 2.0mm Pitch Housing.40P 2.54mm Pitch IDC.40P 2.54mm Pitch IDC.30+20cm	1=>HO-BASE 2=>CATCH	1=>1701440500 2=>A002-012	UL2651 VW-1,E107536(M) UL94V-0,E72332,E10753 6(M) UL94V-0,
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8-LF	MH12568(N),E2 55532,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
1907852603	(TF)PCB.EPIC-8526.Rev.A1.0.8Layers Green	K-BRIDGE		E120558,
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.兌軒.PAD 15*15*1T	SPRING SPREAD	PAD 15*15*1T	E153203,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
9681945600	(TF)Cable kit.for EPIC-9456	CATCH	A003-613	E48762(S),E7507 7 ULVW-1,E132701 UL94V-0,