

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
121110100F	(TF)Inductor.10uH.10%.SMD.2.4*1.6mm.GOTREND.GNLE2012P-100K	GOTREND	GNLE2012P-100K	E84081,
1211101064	(TF)COIL.1uH.20%.SMD.11.5x10.3x4.0mm.DC R=3m ohm.Irms=18Amp.GOTREND.GSTC104P-1R0MN	GOTREND	GSTC104P-1R0MN	E218438 / E84081,
121110226E	(TF)COIL.2.2uH.20%.SMD.11.5x10.3x4.0mm.DC R=7m ohm.Irms=12Amp.GOTREND.GSTC104P-2R2MN	GOTREND	GSTC104P-2R2MN	E218438/E84081/E174837,
1211105673	(TF)COIL.0.56uH.Irms=25A.Isat=40A.20%.SMD(11.5x10.3x4.0).2pin.RDC=1.8m Ohm.GOTREND.GSTC104P-R56MN	GOTREND	GSTC104P-R56MN	E218438 , E84081,
1214309006	(TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm .SMD.GOTREND.GTHW2012PE-900T	GOTREND	GTHW2012PE-900T	E218438 / E84081,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-GB	RICHTEK	RT9702A-GB	E219878,
1600010203	(TF)SWITCH.SMD.2S SPST.HCH.HDS502-E	HCH	HDS502-E	E41797/E47924/E194582,
16515A099Q	(TF)DDR3 SODIMM SKT.SMD.H=6.5mm.204P.REVERSE.1.5V.FOXCONN.AS0A626-J6RG-7H	FOXCONN	AS0A626-J6RG-7H	E54705,
1651609880	(TF)ZIF rPGA988A SKT.988P.for Arrandale.FOXCONN.PZ98827-364A-01F	FOXCONN	PZ98827-364A-01F	E93750,
165251420B	(TF)PHONE JACK.14P.90D.(F).RJ45.W/TF & LED(10/100/1000Base).UDE.RT7-17FAAM1A	UDE	RT7-17FAAM1A	E47960/E59481,
1652602108	(TF)TERMINAL.2P*1.90D.(M).DIP.Pitch=5.0mm.BLOCK.w/ L(-)&R(+) MARK.DINKLE.DT-126VP-S2035802P	DINKLE	DT-126VP-S2035802P	E102914,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
165300420L	(TF)PIN HEADER.4*2P.180D.(M).1.27mm.SMD.W/Cap. Astron.27-44041-204-2G-TB1R	Astron	27-44041-204- 2G-TB1R	E52579(M) 94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
1653007204	(TF)PIN HEADER.7*2P.180D.(M).2.0mm.SMD.W/Cap.A stron.27-24041-207-1G-TB1-R	Astron	27-24041-207- 1G-TB1-R	E52579(M) UL94V-0,
165301320B	(TF)PIN HEADER.13*2P.180D.(M).2.0mm.SMD.H:5mm	JVE	21N22050- XXM10B-01G- 5/1-C	E52579,
1653130424	(TF)PCB SKT.30*4P.180D.(F).Holder=9.35mm P=2.28mm.DIP.Astron.1250120-017-R	Astron	1250120-017-R	E52579(M) UL94V- 0,E109088(M) UL94V-0,
165320520E	(TF)BOX HEADER.5*2P.180D.(M).2.00mm.DIP.CATCH. 1147-000-10-SS	CATCH	1147-000-10-SS	E107536,
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001-0PS35-01G-R	JIH VEI	27S1001-0PS35- 01G-R	E59481,
1653300108	(TF)MINI JUMPER..2.0mm.(YELLOW).CATCH.1133- 040-02	CATCH	1133-040-02	E107536(M),
1653900034	Phase out.(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011- 100	E192672,2352 699(E),
165392521J	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for Type II.J&J.CF14A-N4-00L0	J&J	CF14A-N4- 00L0	E106764,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/ Reinforcem.E-call.0110-01-553-300	E-call	0110-01-553- 300	E113875,
16540F6300	(TF)BOARD-BOARD CONNECTOR.78P*2.90D.(F).SMD.SAMTEC.A SP-129637-03	SAMTEC	ASP-129637-03	E111594,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1654226300	(TF)MiniCard SLOT.52P.90D.(F).SMD.FOXCONN.AS0B226-S68N-7F	FOXCONN	AS0B226-S68N-7F	E93750,
1654409103	(TF)D-SUB CONNECTOR.9P.90D.(M).5.00mm.(MINI SIZE) for RS-232 DIP.何迪.DRD-9P	HO-BASE	DRD-9P	E95981,
1654430301	(TF)D-SUB DVI Connector.30P.90D(F).DIP.Astron.2560029-060-R	Astron	2560029-060-R	E109088(M),
1654808309	(TF)USB CONNECTOR DUAL PORT.8P.90D.(F).for USB2.0.TechBest.KS-002D-ANB(2.0)-L	TechBest	KS-002D-ANB(2.0)-L	E59481,
1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.TECHBEST.161S01-025A	TECHBEST	161S01-025A	E204143 UL94V-0,
1654920302	(TF)DisplayPort CON.20P.90D.(F).SMD.FOXCONN.3VD51203-H7JJ-4H	FOXCONN	3VD51203-H7JJ-4H	E54705,
1654926900	(TF)MINIPCI express..clip.SMD.Right.PORT.FOXCONN.AS0B226-S68K-7 F	FOXCONN	AS0B226-S68K-7 F	E93750,
1654929900	(TF)ADAPTER CONN.DVI 24+5p.to HDB-15P.Astron.R5850015-022-R	Astron	R5850015-022-R	E59481,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655304020	(TF)WAFER BOX.4P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-04S	CATCH	1192-700-04S	E132701 UL94V-0,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1655306020	(TF)WAFER BOX.6P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-06SA	CATCH	1192-700-06SA	E132701 UL94V-0,
1655306023	(TF)WAFER BOX.6P.180D(M).2.0mm.W/LOCK DIP.何迪.2005-2WS-6	HO-BASE	2005-2WS-6	E107538(M),

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E41938 V-2,
1655906033	(TF)Wafer Box.6P.180D.(M).SMD.1.0mm.w/ CAP.CATCH.1204-700-06SMR	CATCH	1204-700-06SMR	E52579(M) 94V-0,
1655909031	(TF)WAFER BOX.9P.180D(M).DIP.1.25mm.CATCH.1201-700-09S	CATCH	1201-700-09S	E41938 V-2,
1655910131	(TF)WAFER BOX.10P.180D.(M).1.25mm.CATCH.1201-700-10S	CATCH	1201-700-10S	E41938 V-2,
1700060157	(TF)Cable.6P 2.0mm Housing.6P JACK W/SCREW KB&MS.15cm	HO-BASE	@1700060157	E182056/E171 666/E233629/E 108908/E9752 7/E70062,
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8-LF	MH12568(N), E255532,
1752000501	(TF)FUSE.SMD.15V.0.5A.1206.Littlefuse.1206L050/15	Littlefuse	1206L050/15	E183209,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
1752011000	(TF)FUSE.SMD.16V.1.1A.1812.FUZETEC.FSM D110-16	FUZETEC	FSMD110-16	E211981,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
17592QM570	(TF)CPU Cooler FAN+Heat Sink.3P 12V.92.3*62*38.2mm.for EPIC-QM57.CHIA CHERNE.JACD067A	CHIA CHERNE	JACD067A	E77551/E58126,
1907QM5704	(TF)PCB.EPIC-QM57.Rev.A1.0_0_1.8Layers Green	K-BRIDGE		E120558
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.INVIN	INVIN	PAD 15*15*1T	E153203,
M16QM57000	(TF)Metal.Al.Heat Sink.28*28*5.8mm.Rev.0.0.for EPIC-QM57.SPRING SPREAD.SPV02806AT02	SPRING SPREAD	SPV02806AT02	E41938,